SECTION I: PRODUCT INFORMATION

PRODUCT: **SikaFiber® Force-850** REVISION DATE: November 19th, 2015

USAGE:

SUPPLIER: SIKA CANADA INC.

601, avenue Delmar Pointe Claire, QC

H9R 4A9

EMERGENCY TELEPHONE NUMBER: CANUTEC (collect) (613) 996-6666

TDG CLASSIFICATION: Not Regulated WHMIS Classification: Not Regulated UN NUMBER: Not Established Class: Not Applicable

Packaging Group: Not Applicable

SECTION II: HAZARDOUS INGREDIENTS						
Hazardous ingredients	%	T.L.V.	# CAS	LD ₅₀ (mg/kg) (species, route)	LC ₅₀ (species, route)	
NONE						

SECTION III: PHYSICAL CHARACTERISTICS

Physical State: Solid

Appearance and Odor: Mixture of metallic grey and

plastic fiber, No odor

Odor Threshold: Not Applicable
Evaporation Rate: Not Applicable
Vapor Density: Not Applicable
Vapor Pressure: Not Applicable

Boiling Point: Not Applicable Freezing Point: Not Applicable Density: 7 - 8 g/ml

Water Solubility: No

pH: Not Established

% volatility: 0

Water/Oil Distribution: Not Established



Sika Canada Inc. MATERIAL SAFETY DATA SHEET

PRODUCT: SikaFi	ber [®] Force-850						
SECTION IV: FIRE AND EXPLOSION HAZARDS							
Inflammability: No If Yes, under what conditions:		TDG inflammability Class: Flammable upper limits (% vol.): Flammable lower limits (% vol.): Flash Point (method used): Auto-ignition temperature:	Not Applicable Not Applicable Not Applicable Not Available Not Applicable				
Extinguishing methods:	Not Applicable	Dangerous Combustion Products:	Carbon oxides, hydrocarbons				
Special Methods:	None	Protect from mechanical impact:	No				
		Protect from static discharge:	No				
SECTION V: REACTIVITY							
Chemical stability:	Yes	Dangerous decomposition products:	Carbon oxides, hydrocarbons.				
If not, under what conditions:							
Incompatibility with other materi	al: Yes	Polymerization Risks:	No				
If Yes, which ones: Strong oxidizers							



PRODUCT: SikaFiber® Force-850

SECTION VI: TOXIC PROPERTIES

ROUTE OF ENTRY / CONTACT

Eyes: May cause slight eye irritation

similar to getting dust in the eye.

Carcinogenicity: Not established

Skin: None known.

Toxic effects

on reproduction: Not established

Inhalation: None known.

Teratogenicity: Not established

Ingestion: None known.

Mutagenicity: Not established

Product with synergistic

effects: Unknown

An acute or chronic exposure will increase the toxicological problems mentioned in this section and may aggravate respiratory problems.



PRODUCT: SikaFiber® Force-850

SECTION VII: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

Gloves: Ordinary.

Respiratory equipment: Not necessary.

Eyes: Safety glasses

Shoes: Ordinary

Clothing: Ordinary

Other: No

OTHERS

Ventilation: Sufficient ventilation required to

control the quantity of dust.

Procedure in case

of leaks: Try to recycle the product if not

contaminated. Protect yourself from the dust. Pick-up the spill with vacuum in order to reduce

dust inhalation.

Handling and Equipment

methods: Avoid dust contact.

Warehouse

Requirements: Keep all containers closed in a

cool, dry area.

Special Shipping

Instructions: Protect from humidity.

Waste Disposal: Dispose like domestic

garbage.



PRODUCT: SikaFiber® Force-850

SECTION VIII: FIRST AID

Skin : Clean with plenty of soap and water.

Consult a physician if irritation persists.

Eyes : Clean with water.

Consult a physician if necessary.

In the case of overexposure, evacuate to fresh air.

Consult a physician if necessary.

Ingestion : Drink plenty of water. Induce vomiting.

Do not give anything by mouth to an unconscious person.

See a physician if necessary.

SECTION IX: PREPARATION INFORMATION

Prepared By: Sika Canada R & D. Telephone #: (514) 697-2610 Fax #: (514) 694-2792

Notice To Reader

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section IX of this MSDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

AQ 191 A Date: 2012/02/01 Appr: S.G