



NOTES:

- 1) ADDITIONAL PERIMETER HALF SHEETS MAY BE REQUIRED. CONSULT DEPARTMENT.
- 2) INTERIOR SHEETS ARE TO RUN PERPENDICULAR TO THE DIRECTION
- 3) SHINGLE LAPS WITH FLOW OF WATER WHERE POSSIBLE.
- 4) NAILERS SHALL BE SECURELY ANCHORED TO THE DECK TO RESIST PER LINEAR FOOT. REFER TO FM DATA SHEET 1-49.
- 5) VAPOR RETARDER SHALL BE SEALED AT EDGES.

SHEET AND FASTENER LAYOUT F

 <p>BUILDING TRUST 781-828-5400</p> <p>usa.sarnafil.sika.com</p>	JOB NAME:	
	SCALE: N.T.S.	DATE:

AS A MEMBRANE MANUFACTURER, SIKA CORPORATION ("SIKA") REVIEWS DETAILS PREPARED BY THE CONSULTANT, ARCHITECT AND/OR ENGINEER FOR THE PROJECT. THIS REVIEW IS NOT TO BE CONSTRUED AS APPROVAL OF DETAILS BY SIKA AND IS NOT BEING CONDUCTED IN LIEU OF SURVEY UPON FOR THAT PURPOSE. SIKA CORPORATION ASSUMES NO LIABILITY WITH RESPECT TO THE DESIGN OF THE ROOFING OR WATERPROOFING PARTICULAR PROJECT BEARS THE SOLE RESPONSIBILITY FOR THE DESIGN OF THE ROOFING OR WATERPROOFING SYSTEM, FOR THE PREPARED SUITABILITY FOR A PARTICULAR PROJECT OR APPLICATION. WHILE SIKA PROVIDES GENERAL INSTRUCTIONS FOR THE INSTALLATION OF ITS PRODUCTS USED BY THE CONTRACTOR FOR SURFACE PREPARATION AS WELL AS THE MEANS AND METHODS EMPLOYED BY THE CONTRACTOR IN THE INSTALLATION OF SIKA PRODUCTS AND SERVICES ARE SUBJECT TO SIKA' TERMS AND CONDITIONS OF SALE AVAILABLE AT USA.SARNAFIL.SIKA.COM.