

Version 2.0	Revision Date: 06/08/2018	SDS Number: 10000009734
SECTION 1. IDENTIFICATION	N	
Product name	: Sikament [®] -475	
Manufacturer or supplie	er's details	
Company name	: 601, avenue Delmar Canada Pointe-Claire, QC H9F Sika Canada Inc. www.sika.ca	२ ४८१
Telephone	: (514) 697-2610 / 1 (80	0) 933-7452
Telefax	: (514) 694-2792	
Health and Safety Service e-mail address	es's : ehs@ca.sika.com	
Emergency telephone	: CANUTEC (collect) (6 ⁻	13) 996-6666 (24 hours)

Recommended use of the chemical and restrictions on use

For further information, refer to product data sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Carcinogenicity	Category 2	
GHS label elements Hazard pictograms		
Signal Word	Warning	
Hazard Statements	H351 Suspected of causing cancer.	
Precautionary Statements	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been r and understood. P280 Wear protective gloves/ protective clothing/ eye prote face protection. Response: P308 + P313 IF exposed or concerned: Get medical advice attention. 	ction/



Version 2.0 Revision Date: 06/08/2018

SDS Number: 100000009734

Storage: P405 Store

P405 Store locked up. **Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

Supplemental information

If product is in liquid or paste form, physical or health hazards listed related to dust are not considered significant. However, product may contain substances that could be potential hazards if caused to become airborne due to grinding, sanding or other abrasive processes.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
tributyl phosphate	126-73-8	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attend- ance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms. Suspected of causing cancer.
Notes to physician	:	Treat symptomatically.



Version	Revision Date:	SDS Number:
2.0	06/08/2018	100000009734

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Jse extinguishing measures that are appropri cumstances and the surrounding environment	
Further information	Collect contaminated fire extinguishing water nust not be discharged into drains. Fire residues and contaminated fire extinguish be disposed of in accordance with local regula	ning water must
Special protective equipment for fire-fighters	n the event of fire, wear self-contained breath	ing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products.
Conditions for safe storage	 Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Store in accordance with local regulations.

Sikament[®]-475



Version	Revision Date:	SDS Number:
2.0	06/08/2018	10000009734

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
tributyl phosphate	126-73-8	TWA	0.2 ppm 2.2 mg/m3	CA AB OEL
		TWA	0.2 ppm	CA BC OEL
		TWAEV	0.2 ppm 2.2 mg/m3	CA QC OEL
		TWA	0.2 ppm	ACGIH
		TWA (Inhal- able fraction and vapor)	5 mg/m3	ACGIH
Engineering measures	worker expo product gen cess enclos	bsure to airborne e erates dust, fume ures, local exhau to keep worker e	hould be sufficient to contaminants. If the u s, gas, vapor or mist, st ventilation or other xposure below any re	se of this use pro- engineer-
Personal protective equipme	ent			
Respiratory protection	: Use a proper respirator co		approved air-purifying approved standard if cessary.	
	imum expec (gas/vapor/a dling the pro	cted contaminant aerosol/particulate	es) that may arise whe	en han-
Hand protection				
Remarks	approved st	andard should be	us gloves complying v worn at all times who sessment indicates th	en handling
Eye protection			th an approved stand tent indicates this is r	
Skin and body protection		amount of danger	ation to its type, to th ous substances, and	
Hygiene measures	the product. Remove co		nd immediately after l ng and protective equ	-

Sikament[®]-475



2.0 06/08/2018 10000009734	Version	Revision Date:	SDS Number:
	2.0	06/08/2018	10000009734

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	liquid	
Color	light gray	
Odor	characteristic	
Odor Threshold	No data available	
рН	ca. 3.9, (20 °C (68 °F	.))
Melting point/range / Freezing point	No data available	
Boiling point/boiling range	No data available	
Flash point	> 101 °C (> 214 °F) Method: closed cup	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Upper explosion limit	No data available	
Lower explosion limit	No data available	
Vapor pressure	23 hpa (17 mmHg)	
Relative vapor density	No data available	
Density	ca. 1.049 g/cm3 (23 °	C (73 °F) ())
Solubility(ies) Water solubility	completely soluble	
Partition coefficient: n- octanol/water	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Viscosity Viscosity, dynamic	No data available	
Viscosity, kinematic	> 20.5 mm2/s (40 °C)	
Explosive properties	No data available	
Molecular weight	No data available	



	evision Date: 5/08/2018	SDS Number: 10000009734
SECTION 10. STABILITY AND RE	ACTIVITY	
Reactivity	: No dangerous reaction	on known under conditions of normal use.
Chemical stability	: The product is chemi	cally stable.
Possibility of hazardous reac- tions	: Stable under recomm	nended storage conditions.
Conditions to avoid	: No data available	
Incompatible materials	: No data available	
No decomposition if stored and applied as directed.		

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Ingredients:

tributyl phosphate: Acute oral toxicity	:	LD50 Oral (Rat): 1,553 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): 3,100 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

NTP

Suspected of causing cancer. IARC Not applicable

Not applicable

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

Sikament®-475



Version 2.0	Revision Date: 06/08/2018	SDS Number: 10000009734	
Aspiration to	xicity		
Not classified	Not classified based on available information.		
SECTION 12. ECO	LOGICAL INFORMATION		
Ecotoxicity			
Ingredients:			
Toxicity to dap aquatic inverte	hnia and other : EC50 (Daphnia r	nagna (Water flea)): 1.8 mg/l 8 h	
Persistence a	nd degradability		
No data availa	ble		
Bioaccumula No data availa	•		
Mobility in so	il		
No data availa	ble		
Other adverse	e effects		
Product:			
Additional eco mation	tainer in a safe w Avoid dispersal o	o drains; dispose of this material and its con- vay. of spilled material and runoff and contact with drains and sewers.	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation TDG (road/train)

Not dangerous goods

International Regulations IATA-DGR

Not dangerous goods IMDG-Code



Version	Revision Date:	SDS Number:
2.0	06/08/2018	10000009734

Not dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Revision Date

: 06/08/2018

Prepared by : R & D of Sika Canada Inc.

Notice to Reader:

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

Full text of other abbreviations

ADR	Accord européen relatif au transport international des marchandises
	Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic

Sikament[®]-475



Version	Revision Date:	SDS Number:
2.0	06/08/2018	10000009734
PNEC REACH	Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency	
SVHC	Substances of Very High Concern	
vPvB	Very persistent and very bioaccumulative	
CA / Z8		