SAFETY DATA SHEET

Sika[®] Air-360



Version 1.2	Revision Date: 12/19/2016	SDS Number: 10000001060
SECTION 1. IDENTIFICATIO	N	
Product name	: Sika [®] Air-360	
Manufacturer or supplie	er's details	
Company name	: Sika Canada Inc. 601, avenue Delma Pointe-Claire, QC H Canada www.sika.ca	
Telephone	: (514) 697-2610 / 1	(800) 933-7452
Telefax	: (514) 694-2792	
Health and Safety Servic e-mail address	es's : ehs@ca.sika.com	
Emergency telephone	: CANUTEC (collect)	(613) 996-6666 (24 hours)

Recommended use of the chemical and restrictions on use

For further information, refer to product data sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	egory 2A	
GHS label elements Hazard pictograms	!	
Signal Word	ning	
Hazard Statements	9 Causes serious eye irritat	on.
Precautionary Statements	everal minutes. Remove co o. Continue rinsing.	

Sika® Air-360



Version 1.2

Revision Date: 12/19/2016

SDS Number: 100000001060

Other hazards

None known.

Supplemental information

If product is in liquid or paste form, physical or health hazards listed related to dust are not considered significant. However, product may contain substances that could be potential hazards if caused to become airborne due to grinding, sanding or other abrasive processes.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Sulfonic-acids,-C14-16-alkane-hydroxy-and-	68439-57-6	>= 5 - < 10
C14-16-alkene, -sodium-salts		

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attend- ance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms. irritant effects Causes serious eye irritation.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Sika® Air-360



Version 1.2		ision Date: 9/2016	SDS Number: 100000001060
Suita	able extinguishing media	: Use extinguishing measures that a cumstances and the surrounding e	
Furth	her information	: Collect contaminated fire extinguis must not be discharged into drains Fire residues and contaminated fire be disposed of in accordance with	e extinguishing water must
	cial protective equipment ire-fighters	: In the event of fire, wear self-conta	ined breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Use personal protective equipment. Deny access to unprotected persons.	
Environmental precautions	Local authorities should be advised if signifi cannot be contained.	cant spillages
Methods and materials for containment and cleaning up	Soak up with inert absorbent material (e.g. s acid binder, universal binder, sawdust). Keep in suitable, closed containers for dispo	

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	: Use of adequate ventilation should be sufficient to control
	worker exposure to airborne contaminants. If the use of this

Sika[®] Air-360



Version 1.2	Revision Date: 12/19/2016	SDS Number: 10000001060
	cess enclosures, loca	ust, fumes, gas, vapor or mist, use pro- al exhaust ventilation or other engineer- worker exposure below any recommend-
Personal protective equi	pment	
Respiratory protection	: Use a properly fitted	NIOSH approved air-purifying or air-fed with an approved standard if a risk as- his is necessary.
	imum expected conta (gas/vapor/aerosol/p dling the product. If th	e respirator must be suitable for the max- aminant concentration articulates) that may arise when han- his concentration is exceeded, self- apparatus must be used.
Hand protection		
Remarks	approved standard s	mpervious gloves complying with an hould be worn at all times when handling a risk assessment indicates this is nec-
Eye protection		plying with an approved standard should assessment indicates this is necessary.
Skin and body protection		tion in relation to its type, to the concen- f dangerous substances, and to the spe-
Hygiene measures	the product.	breaks and immediately after handling ed clothing and protective equipment g areas.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: light yellow
Odor	: characteristic
Odor Threshold	: No data available
рН	: ca. 8, (23 °C (73 °F))
Melting point/range / Freezing point	: No data available
Boiling point/boiling range	: No data available

Sika[®] Air-360



Version 1.2	Revision Date: 12/19/2016	SDS Number: 10000001060
Flash point	: > 100 °C (> 212 °F) Method: closed cup	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: 23 hpa (17 mmHg)	
Relative vapor density	: No data available	
Density	: ca. 1.01 g/cm3 (23 °C	C (73 °F) ())
Solubility(ies) Water solubility	: completely soluble	
Partition coefficient: n- octanol/water	: No data available	
Autoignition temperature	: No data available	
Decomposition temperature	re : No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: ca. > 20.5 mm2/s (40	(℃)
Explosive properties	: No data available	
Molecular weight	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reac- tions	: Stable under recommended storage conditions.
Conditions to avoid	: No data available
Incompatible materials	: No data available
No decomposition if stored and	applied as directed.

SAFETY DATA SHEET

Sika® Air-360



Version 1.2 Revision Date: 12/19/2016

SDS Number: 100000001060

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Ingredients:

Sulfonic-acids,-C14-16-alkane-hydroxy-and-C14-16-alkene, -sodium-salts: Acute oral toxicity : LD50 Oral (Rat): 2,310 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result: Eye irritation

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information. IARC Not applicable

NTP

Not applicable

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available

Sika® Air-360



Version 1.2	Revision Date: 12/19/2016	SDS Number: 10000001060
Persistence and deg No data available	gradability	
Bioaccumulative po No data available	otential	
Mobility in soil No data available		
Other adverse effec	ts	
Product: Additional ecological mation	tainer in a safe way.	pilled material and runoff and contact with

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	: Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation TDG (road/train) Not dangerous goods

International Regulations IATA-DGR Not dangerous goods IMDG-Code Not dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

Canadian lists

No substances are subject to a Significant New Activity Notification.

SAFETY DATA SHEET

Sika® Air-360



Version 1.2 Revision Date: 12/19/2016

SDS Number: 100000001060

SECTION 16. OTHER INFORMATION

Revision Date

: 12/19/2016

Prepared by : R & D of Sika Canada Inc.

Notice to Reader:

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

Full text of other abbreviations

ADR	Accord européen relatif au transport international des marchandises
	Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which
	causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that
	kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973
	as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council of 18 December 2006 concerning the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a
	European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

CA / Z8