

# MasonCare 1258

# **SECTION 1. IDENTIFICATION**

Product Identifier	MasonCare 1258
Other Means of Identification	MasonCare 1258
Product Family	KING Masonry Products – Heritage Building Solutions – Repointing Mortars
Recommended Use	Ideal for use in repointing and non-load-bearing wall applications. Can be applied indoors, outdoors or for any other masonry application where low strength and superior workability is required.
<b>Restrictions on Use</b>	None known.
Manufacturer	King Packaged Materials Company, 555 Michigan Drive, Suite 100, Oakville, Ontario, L6L 0G4, www.kpmindustries.com
Supplier Identifier	King Packaged Materials Company, 555 Michigan Drive, Suite 100, Oakville, Ontario, L6L 0G4, www.kpmindustries.com
Emergency Phone No.	King Packaged Materials Company, (800) 461-0566, 8:30am-4:30pm
	Chemtrec, (800) 424-9300, 24 hours/7 days a week
SDS No.	0337
Date of Preparation	January 16, 2020

# **SECTION 2. HAZARD IDENTIFICATION**

#### Classification

Skin irritation - Category 2; Serious eye damage - Category 1; Skin sensitization - Category 1; Carcinogenicity - Category 1A; Specific target organ toxicity (single exposure) - Category 3; Specific target organ toxicity (repeated exposure) - Category 1

## Label Elements



Signal Word: Danger Hazard Statement(s): Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause cancer. May cause cancer. May cause respiratory irritation. Causes damage to organs (lungs) through prolonged or repeated exposure. Precautionary Statement(s): Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands thoroughly after handling.

Product Identifier:MasonCare 1258 - Ver. 1Date of Preparation:January 16, 2020Date of Last Revision:January 16, 2020

SDS No.: 0337

Page 01 of 07

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

Use only outdoors or in a well-ventilated area.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

IF exposed or concerned: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTRE or doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTRE or doctor if you feel unwell.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents and container in accordance with local, regional, national and international regulations.

10% of the mixture consists of ingredient(s) of unknown acute toxicity.

## Other Hazards

None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Portland cement	65997-15-1	5-30%	Not applicable	
Silica, total quartz	14808-60-7	60-80%	Not applicable	
Calcium magnesium hydroxide oxide (CaMg(OH)2O)	58398-71-3	1-5%	Not applicable	

Notes

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

# **SECTION 4. FIRST-AID MEASURES**

#### First-aid Measures

#### Inhalation

Move to fresh air. Keep at rest in a position comfortable for breathing. Call a Poison Centre or doctor if you feel unwell.

# Skin Contact

Rinse with lukewarm, gently flowing water for 5 minutes. Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. If skin irritation or a rash occurs, get medical advice or attention.

# Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Immediately call a Poison Centre or doctor.

# Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Get medical advice or attention if you feel unwell or are concerned.

# Most Important Symptoms and Effects, Acute and Delayed

If inhaled: can irritate the nose and throat. Can cause lung injury. If on skin: skin sensitizer. May cause an allergic skin reaction in some people. May cause moderate to severe irritation. If in eyes: causes moderate to severe irritation.

Symptoms include sore, red eyes, and tearing. If swallowed: can irritate the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

## Immediate Medical Attention and Special Treatment

**Special Instructions** 

Not applicable.

# **SECTION 5. FIRE-FIGHTING MEASURES**

## **Extinguishing Media**

# Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media

None known.

# **Specific Hazards Arising from the Product**

This product presents no unusual hazards in a fire situation.

## **Special Protective Equipment and Precautions for Fire-fighters**

Approach fire from upwind to avoid hazardous vapours or gases. Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

## Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet. Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel.

## **Environmental Precautions**

It is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway.

## Methods and Materials for Containment and Cleaning Up

Collect using shovel/scoop or approved HEPA vacuum and place in a suitable container for disposal. Avoid generating dust.

# **SECTION 7. HANDLING AND STORAGE**

#### Precautions for Safe Handling

Avoid repeated or prolonged skin contact. Do not swallow. Do not breathe in this product. Avoid generating dusts. Keep containers tightly closed when not in use or empty. Do NOT eat, drink or store food in work areas.

## **Conditions for Safe Storage**

Store in the original, labelled, shipping container. Store in an area that is: dry, well-ventilated. Protect product from contact with water, including humidity. Prevent rainwater and ground water from reaching storage area.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Portland cement	1 mg/m3 (R) A4		5 mg/m3 (R)			
Silica, total quartz	0.05 mg/m3 (R) A2		0.1 mg/m3			
Calcium magnesium hydroxide oxide (CaMg(OH)2O)	3 mg/m3 (R)		5 mg/m3 (R)			

SDS No.: 0337

Page 03 of 07

# **Appropriate Engineering Controls**

Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air.

# Individual Protection Measures

# **Eye/Face Protection**

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.

## **Skin Protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

# **Respiratory Protection**

Wear a NIOSH approved particulate respirator equipped with an N95, R95, or P95 filter.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

# Basic Physical and Chemical Properties

Appearance	Grey powder.
Odour	Odourless
Odour Threshold	Not available
рН	Not available
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	Not available
Flash Point	Not available
Evaporation Rate	Not available
Flammability (solid, gas)	Not applicable
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	2.5
Solubility	Not available in water; Not available (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available (kinematic); Not available (dynamic)
Other Information	
Physical State	Solid

# SECTION 10. STABILITY AND REACTIVITY

# Reactivity

Not reactive under normal conditions of use.

**Chemical Stability** 

Normally stable.

# Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

# **Conditions to Avoid**

Water, moisture or humidity.

Product Identifier:MasonCare 1258 - Ver. 1Date of Preparation:January 16, 2020Date of Last Revision:January 16, 2020

# **Incompatible Materials**

None known.

# **Hazardous Decomposition Products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

## Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

## Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Silica, total quartz		500 mg/kg (rat)	

#### Skin Corrosion/Irritation

May cause moderate or severe irritation based on information for closely related materials.

## Serious Eye Damage/Irritation

May cause serious eye damage based on information for closely related materials.

# STOT (Specific Target Organ Toxicity) - Single Exposure

# Inhalation

May cause severe nose and throat irritation, severe lung injury.

## **Skin Absorption**

No information was located.

## Ingestion

May be harmful based on information for closely related materials.

## **Aspiration Hazard**

Can cause lung damage if aspirated based on human experience.

# STOT (Specific Target Organ Toxicity) - Repeated Exposure

Causes irritation of the respiratory system. Respiratory tract injury has been observed. Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.

# **Respiratory and/or Skin Sensitization**

May cause an allergic reaction (skin sensitization) based on information for closely related chemicals.

# Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Silica, total quartz	Group 1	A2	Known carcinogen	

May cause cancer.

# **Reproductive Toxicity**

#### **Development of Offspring**

No information was located.

## **Sexual Function and Fertility**

No information was located.

# Effects on or via Lactation

No information was located.

# Germ Cell Mutagenicity

# **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

May cause long lasting harmful effects to aquatic life.

Persistence and Degradability No information was located. Bioaccumulative Potential No information was located. Mobility in Soil No information was located. Other Adverse Effects There is no information available.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal Methods**

Contact local environmental authorities for approved disposal or recycling methods in your jurisdiction.

# **SECTION 14. TRANSPORT INFORMATION**

Not regulated under US DOT Regulations.

Environmental Not applicable Hazards

#### Special Precautions Not applicable

#### Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15. REGULATORY INFORMATION**

# Safety, Health and Environmental Regulations

## Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

#### USA

#### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

#### Additional USA Regulatory Lists

This product contains a chemical known to the State of California to cause cancer.

# **SECTION 16. OTHER INFORMATION**

SDS Prepared By Phone No. Date of Preparation Date of Last Revision Disclaimer	King Packaged Materials Company 905-639-2993 January 16, 2020 January 16, 2020 To the best of our knowledge, the information contained herein is ac	ccurate. Ho	wever, ne	either
Product Identifier: Date of Preparation:	MasonCare 1258 - Ver. 1 January 16, 2020	SDS No.:	0337	
Date of Last Revision:	January 16, 2020	Page	06 of	07

King Packaged Materials Company, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

	MasonCare 1258 - Ver. 1	SDS No.:	0337	
Date of Preparation:	January 16, 2020			
Date of Last Revision:	January 16, 2020	Page	07 of	07