

SECTION I: PRODUCT INFORMATION

Sikagard[®] Capchem AR PRODUCT: **PART A** REVISION DATE: February 1st, 2015

USAGE: HIGH CHEMICAL RESISTANCE EPOXY COATING

MANUFACTURER/SUPPLIER: SIKA CANADA INC.

601, avenue Delmar Pointe Claire, QC

H9R 4A9

EMERGENCY TELEPHONE NUMBER: CANUTEC (collect) (613) 996-6666

TDG CLASSIFICATION: Not Regulated WHMIS Classification: D2B

UN NUMBER: Not Applicable Not Applicable Class:

Not Applicable **Packaging Group**

| SECTION II: HAZARDOUS INGREDIENTS | | | | | | | | |
|-----------------------------------|--------|---------------|------------|--|-----------------------------------|--|--|--|
| Hazardous ingredients | % | T.L.V. | # CAS | LD ₅₀ (mg/kg) (species, route) | LC ₅₀ (species, route) | | | |
| EPOXY RESIN | 80-100 | Not available | 28064-14-4 | Not available | Not available | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

SECTION III: PHYSICAL CHARACTERISTICS

Physical State: Liquid

Appearance and Odor: Various color with aromatic

odor

Odor Threshold: Not established **Evaporation Rate:** Not available Vapor Density: Not applicable Vapor Pressure: Not available

>200°C Boiling Point:

Freezing Point: Not established

Density: 1.2 g/ml Negligible Water Solubility:

pH: Not available % volatility: Not applicable Not established

Water/Oil Distribution:



PRODUCT: Sikagard® Capchem AR PART A

SECTION IV: FIRE AND EXPLOSION HAZARDS

Flammability: No

If Yes, under what conditions

Flames, sparks.

Extinguishing methods: Foam, dry chemical products, CO₂, water

hose.

Special Methods: Firefighters must wear

usual protective clothing

and respiratory

equipment. A water hose may be used to cool the containers and dissipate

the vapors.

TDG Flammability Class:

Flammable upper limits (% vol.):

Flammable lower limits (% vol.): Flash Point (method used):

Auto-ignition temperature:

Dangerous Combustion Products:

Carbon oxides, phenol

 $> 200^{\circ}C$

Not regulated

Not established

Not established

Not established

Protect from mechanical impact:

Protect from static discharge:

No

No

SECTION V: REACTIVITY DATA

Chemical stability: Yes

If not, under what conditions

But excessive heat will degrade

the resin.

Incompatibility with other material: Yes

If Yes, which ones: Base, strong

acid, oxidizer.

Dangerous decomposition products:

Carbon oxides,

phenol

Polymerization Risks: May polymerize

at very high temperatures.



PRODUCT: Sikagard® Capchem AR PART A

SECTION VI: TOXIC PROPERTIES

ROUTE OF ENTRY / CONTACT

reaction.

Eyes: May cause eye irritations. Carcinogenicity: Not available

Skin: May be irritating to the skin, may cause a sensitization. Toxic effects on reproduction: Not available

Inhalation: May irritate lungs, may cause an allergic Teratogenicity: Not available

Mutagenicity: Not available

Ingestion: May cause irritation to the gastro-intestinal system.

Product with synergistic effects: Not known

An acute or chronic exposure will increase the toxic effects mentioned in this section and may aggravate respiratory problems.



PRODUCT: Sikagard® Capchem AR PART A

SECTION VII: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

Gloves: Chemical resistant gloves.

Respiratory equipment: Not necessary under normal use.

Eyes: Safety glasses

Shoes: Leather

Clothing: Rubber apron

Other: Eye wash station, shower

OTHERS

Ventilation: Sufficient ventilation required.

Procedure in case

of leaks: Absorb with sand or other

absorbent material. Residue may be removed with steam or hot water and soap. All precautions should be taken when cleaning

the spill with solvent.

Handling and Equipment

Methods: Avoid skin, eye and clothing

contact.

Warehouse

Requirements: Keep all containers closed in a

cool, dry area. Keep away from

heat and open flame.

Special Shipping

Instructions: See TDG class.

Waste Disposal: Dispose of sand and

rinse water according to municipal, provincial or federal laws for disposal of chemicals.



PRODUCT: Sikagard® Capchem AR PART A

SECTION VIII: FIRST AID

Skin: Remove contaminated clothing and shoes.

Wash immediately with plenty of soap and water.

Wash clothing before re-wearing. Consult a physician if required.

Eyes: Rinse eyes immediately with plenty of water for at least 15 minutes to ensure a

proper wash.

Consult a physician immediately.

In the case of overexposure, evacuate to fresh air.

Consult a physician if required.

Ingestion: Drink plenty of water. Do not induce vomiting.

Do not give anything by mouth to an unconscious person.

See a physician immediately.

SECTION IX: PREPARATION INFORMATION

Prepared By: R & D of Sika Canada Inc.

Telephone #: (514) 697-2610 Fax #: (514) 694-2792

Notice To Reader

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section IX of this MSDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

AQ 191 A Date: 2012/02/01 App: S.G.



SECTION I: PRODUCT INFORMATION

PRODUCT: Sikagard® Capchem AR PART B REVISION DATE: February 1st, 2015

USAGE: HIGH CHEMICAL RESISTANCE EPOXY COATING

MANUFACTURER/SUPPLIER: SIKA CANADA INC.

601, avenue Delmar Pointe Claire, QC

H9R 4A9

EMERGENCY TELEPHONE NUMBER: CANUTEC (collect) (613) 996-6666

TDG CLASSIFICATION: Amines, Liquid, corrosive NOS (Isophorone Diamine)

WHMIS Classification: D2B, E UN NUMBER: 2735 Class: Packaging Group: III

| SECTION II: HAZARDOUS INGREDIENTS | | | | | | | | |
|-----------------------------------|--------|---------------|-----------|--|-----------------------------------|--|--|--|
| Hazardous ingredients | % | T.L.V. | # CAS | LD ₅₀ (mg/kg) (species, route) | LC ₅₀ (species, route) | | | |
| AMINE BLEND | 60-100 | Not available | Blend | Not available | Not available | | | |
| Isophoronediamine | 10-30 | Not available | 2855-13-2 | Not available | Not available | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

SECTION III: PHYSICAL CHARACTERISTICS

Physical State: Liquid

Appearance and Odor: Amber color with amine odor

Odor Threshold:
Evaporation Rate:
Vapor Density:
Vapor Pressure:

Not established
Not applicable
Not applicable

Boiling Point: Not established Freezing Point: Not established Density: 1.05 g/ml

Water Solubility: Partial Ph: Not established

% volatility: 0

Water/Oil Distribution: Not established



Sikagard[®] Capchem AR PRODUCT: **PART B**

SECTION IV: FIRE AND EXPLOSION HAZARDS

Flammability: No

If Yes, under what conditions:

Extinguishing methods: Foam, dry chemical

products, CO₂, water

hose.

Special Methods: Fire fighters must wear

usual protective clothing

and respiratory

equipment. A water hose may be used to cool the containers and dissipate

the vapors.

TDG Flammability Class: None

Flammable upper limits (% vol.): Not established Flammable lower limits (% vol.): Not established

Flash Point (method used): $> 100^{\circ}C$

Auto-ignition temperature: Not established Dangerous Combustion Products: Carbon oxides,

nitrogen oxides.

Protect from mechanical impact: No

Protect from static discharge: No

SECTION V: REACTIVITY DATA

Chemical stability: Yes

If not, under what conditions

Dangerous decomposition products: Carbon oxides, nitrogen oxides.

No

Incompatibility with other material: Yes

If Yes, which ones Acid, strong

oxidizer, organic halogen,

aldehyde,

ketone, acrylate.

Polymerization Risks:



PRODUCT: Sikagard® Capchem AR PART B

SECTION VI: TOXIC PROPERTIES

ROUTE OF ENTRY / CONTACT

Eyes: May cause eye irritations. May cause

severe burns. May cause blindness.

Skin: May be irritating to the skin, may cause

severe burns, can be absorbed by skin. Contact may cause necrosis, dermatitis,

allergic reactions, and sensitization.

Inhalation: Vapors or mist of this product may cause

irritation.

Ingestion: May cause severe burns to the mouth,

throat and stomach. May cause nausea, vomiting, dizziness, diarrhea, damages to

the lungs and death.

An over-exposure may cause breathing difficulty, headaches, nausea, damages to the lungs, vomiting, sensitization and dizziness. May cause problems to the skin, eyes, and lungs. May aggravate allergic and respiratory problems.

Carcinogenicity: Not available

Toxic effects

on reproduction: Not available

Teratogenicity: Not available

Mutagenicity: Not available

Product with synergistic

effects: Not known

An acute or chronic exposure will increase the toxic effects mentioned in this section and may aggravate respiratory problems.



PRODUCT: Sikagard® Capchem AR PART B

SECTION VII: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

Gloves: Chemical resistant gloves.

Respiratory equipment: Not necessary under normal use.

Eyes Full face mask or safety glasses

Shoes: Leather

Clothing: Rubber apron

Other: Eye wash station, shower

OTHERS

Ventilation: Sufficient ventilation required

Procedure in case

Of leaks: Absorb with sand or other

absorbent material.

Handling and Equipment

Methods: Avoid skin, eye and clothing

contact.

Warehouse

Requirements: Keep all containers closed in a

cool, dry and well ventilated area. Keep away from heat and open

flame.

Special Shipping

Instructions: See TDG class.

Waste Disposal: Dispose of sand and rinse water

according to municipal, provincial or federal laws for disposal of

chemicals.



PRODUCT: Sikagard® Capchem AR PART B

SECTION VIII: FIRST AID

Skin: Remove contaminated clothing and shoes.

Wash immediately with plenty of soap and water. Throw away shoes that were soiled on the inside.

Wash clothing before re-wearing. Consult a physician if necessary.

Eyes: Rinse eyes immediately with plenty of water for several minutes, while holding eyelids

wide open, to ensure a proper wash.

The eye rinse within the first minute is essential to ensure maximum protection.

Consult a physician immediately.

In the case of overexposure, evacuate to fresh air.

Consult a physician if required.

I Ingestion: Drink plenty of water. Do not induce vomiting.

Do not give anything by mouth to an unconscious person.

See a physician immediately.

SECTION IX: PREPARATION INFORMATION

Prepared By: R & D of Sika Canada Inc.

Telephone #: (514) 697-2610 Fax #: (514) 694-2792

Notice To Reader

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section IX of this MSDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

AQ 191 A Date: 2012/02/01 App: S.G.