SAFETY DATA SHEET

SikaSet[®]-45



Version 1.3	Revision Date: 01/18/2017	SDS Number: 100000004597
SECTION 1. IDENTIFICATION		
Product name	[:] SikaSet [®] -45	
Manufacturer or supplier's	s details	
Company name	: Sika Canada Inc. 601, avenue Delmar Pointe-Claire, QC H9R 4A9 Canada www.sika.ca	
Telephone	: (514) 697-2610 / 1 (800) 933-7	7452
Telefax	: (514) 694-2792	
Health and Safety Services e-mail address	's : ehs@ca.sika.com	
Emergency telephone	: CANUTEC (collect) (613) 996-	-6666 (24 hours)

Recommended use of the chemical and restrictions on use

For further information, refer to product data sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Carcinogenicity (Inhalation)	: Category 1A
Specific target organ system- ic toxicity - repeated expo- sure	: Category 1 (Lungs)
GHS label elements Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: H350i May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure.
Precautionary Statements	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read



Version	Revision Date:	SDS Number:
1.3	01/18/2017	10000004597
	P264 Wash skin thord P270 Do not eat, drinl P280 Wear protective face protection. Response: P308 + P313 IF expos attention. Storage: P405 Store locked up Disposal:	k or smoke when using this product. e gloves/ protective clothing/ eye protection/ sed or concerned: Get medical advice/

Other hazards

None known.

Supplemental information

If product is in liquid or paste form, physical or health hazards listed related to dust are not considered significant. However, product may contain substances that could be potential hazards if caused to become airborne due to grinding, sanding or other abrasive processes.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 20 - < 25
Quartz (SiO2) <5µm	14808-60-7	>= 0 - < 1

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attend- ance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages.



Version	Revision Date:	SDS Number:
1.3	01/18/2017	100000004597
	Never give anything	by mouth to an unconscious person.
Most important symptoms	nd See Section 11 for m	nore detailed information on health effects
and effects, both acute an	and symptoms.	y inhalation.
delayed	May cause cancer by	organs through prolonged or repeated
Notes to physician	: Treat symptomatical	ly.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Further information	 Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Use personal protective equipment. Deny access to unprotected persons.	
Environmental precautions	 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. Local authorities should be advised if significant spillages cannot be contained. 	
Methods and materials for containment and cleaning up	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.	

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	 Avoid formation of respirable particles. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.



Version 1.3	Revision Date: 01/18/2017	SDS Number: 100000004597
	Follow standard hygien products.	ne measures when handling chemical
Conditions for safe storage	Store in original contair	ner. closed in a dry and well-ventilated ons.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Res- pirable frac- tion)	0.1 mg/m3	CA ON OEL
		TWA (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OEL
		TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL
		TWA (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OEL
		TWA (Res- pirable frac- tion)	0.025 mg/m3 (Silica)	ACGIH
magnesium oxide	1309-48-4	TWA (Inhal- able fume)	10 mg/m3 (Magnesium)	CA BC OEL
		TWA (Res- pirable dust and fume)	3 mg/m3 (Magnesium)	CA BC OEL
		STEL (Res- pirable dust and fume)	10 mg/m3 (Magnesium)	CA BC OEL
		TWA (Fumes)	10 mg/m3	CA AB OEL
		TWAEV (Fumes)	10 mg/m3 (Magnesium)	CA QC OEL
		TWA (Inhal- able fume)	10 mg/m3 (Magnesium)	CA BC OEL
		TWA (Res- pirable dust and fume)	3 mg/m3 (Magnesium)	CA BC OEL
		STEL (Res- pirable dust and fume)	10 mg/m3 (Magnesium)	CA BC OEL
		TWAEV (Fumes)	10 mg/m3 (Magnesium)	CA QC OEL

Ingredients with workplace control parameters



Version Revision Date: SDS Number: 1.3 01/18/2017 10000004597 TWA (Inhal-10 mg/m3 ACGIH able fraction) Quartz (SiO2) <5µm 14808-60-7 TWA (Res-0.1 mg/m3 CA ON OEL pirable fraction) TWA (Res-0.025 mg/m3 CA AB OEL pirable particulates) TWAEV CA QC OEL 0.1 mg/m3 (respirable dust) TWA (Res-0.025 mg/m3 CA BC OEL pirable) (Silica) TWA (Res-0.025 mg/m3 ACGIH pirable frac-(Silica) tion) Use of adequate ventilation should be sufficient to control Engineering measures worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits. Personal protective equipment Respiratory protection Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, selfcontained breathing apparatus must be used. Hand protection **Remarks** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Eye protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary. Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Hygiene measures : Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

before entering eating areas.

Remove contaminated clothing and protective equipment



 Version
 Revision Date:
 SDS Number:

 1.3
 01/18/2017
 10000004597

Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Color	:	gray
Odor	:	none
Odor Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	Not applicable
Solubility(ies) Water solubility	:	not determined
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	not determined
Explosive properties	:	No data available
Molecular weight	:	No data available

SikaSet®-45



Version 1.3	Revision Date: 01/18/2017	SDS Number: 100000004597		
SECTION 10. STABILITY AND REACTIVITY				
Reactivity	: No dangerous	reaction known under conditions of normal use.		
Chemical stabil	ity : The product is	chemically stable.		
Possibility of ha tions	zardous reac- : Stable under r	ecommended storage conditions.		

Conditions to avoid	: No data available

Incompatible materials : No data available

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity May cause cancer by inhalatic IARC	on. Group 1: Carcinogenic to hum	ans
	Quartz (SiO2)	14808-60-7
NTP	Known to be human carcinogen	
	Quartz (SiO2)	14808-60-7

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

SikaSet®-45



Version 1.3	Revision Date: 01/18/2017	SDS Number: 10000004597
SECTION 12. ECOLOGIC	AL INFORMATION	
Ecotoxicity No data available		
Persistence and deg No data available	radability	
Bioaccumulative po t No data available	tential	
Mobility in soil No data available		
Other adverse effect	S	
Product: Additional ecological i mation	nfor- : Do not empty into dra tainer in a safe way.	ains; dispose of this material and its con-

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues	:	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation TDG (road/train) Not dangerous goods

International Regulations IATA-DGR Not dangerous goods IMDG-Code Not dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

Canadian lists

No substances are subject to a Significant New Activity Notification.



Version 1.3 Revision Date: 01/18/2017

SDS Number: 100000004597

SECTION 16. OTHER INFORMATION

Revision Date

: 01/18/2017

Prepared by : R & D of Sika Canada Inc.

Notice to Reader:

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

Full text of other abbreviations

ADR	Accord européen relatif au transport international des marchandises
CAS	Dangereuses par Route Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which
	causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that
	kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973
	as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council of 18 December 2006 concerning the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a
	European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	
VEND	Very persistent and very bioaccumulative

CA / Z8