## Sika® Plastocrete®-161 CA

Revision Date 06/01/2021



#### **SECTION 1. IDENTIFICATION**

Product name	:	Sika <sup>®</sup> Plastocrete <sup>®</sup> -161 CA
Other means of identification	:	No data available
Company name	:	601, avenue Delmar Canada Pointe-Claire, QC H9R 4A9 Sika Canada Inc. www.sika.ca
Telephone	:	(514) 697-2610 / 1 (800) 933-7452
Telefax	:	(514) 694-2792
E-mail address	:	ehs@ca.sika.com
Emergency telephone	:	CANUTEC (collect) (613) 996-6666 (24 hours)
Recommended use of the chemical and restrictions on use	:	For further information, refer to product data sheet.

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### **Additional Labeling**

There are no ingredients with unknown acute toxicity used in a mixture at a concentration >= 1%.

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

No hazardous ingredients

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.

Revision Date 06/01/2021



In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	No information available.
Notes to physician	:	Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions	:	Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products.
Conditions for safe storage	:	Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# Sika® Plastocrete®-161 CA



Revision Date 06/01/2021

	Observe label precautions. Store in accordance with local regulations. Protect from frost.
	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Materials to avoid	: No special restrictions on storage with other products.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components		CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
			exposure)	concentration	
2,2',2"-nitrilotriethanol		102-71-6	TWA	5 mg/m3	CA AB OEL
			TWA	5 mg/m3	CA BC OEL
			TWA	0.5 ppm	CA ON OEL
				3.1 mg/m3	
			TWAEV	5 mg/m3	CA QC OEL
			TWA	5 mg/m3	ACGIH
Engineering measures	:	worker exposi product gener cess enclosur	ure to airborne c ates dust, fumes es, local exhaus keep worker ex	nould be sufficient to o ontaminants. If the us s, gas, vapor or mist, t ventilation or other o posure below any reo	se of this use pro- engineer-
Personal protective equipme	nt				
Respiratory protection	:	respirator com		pproved air-purifying pproved standard if a essary.	
		imum expecte (gas/vapor/ae dling the produ	d contaminant c rosol/particulate	s) that may arise whe ntration is exceeded,	en han-
Hand protection	:	approved stan	dard should be	s gloves complying w worn at all times whe ressment indicates th	n handling
Eye protection	:			h an approved standa ent indicates this is no	
Skin and body protection	:		ount of dangero	ation to its type, to the ous substances, and t	

## Ingredients with workplace control parameters

Revision Date 06/01/2021



Hygiene measures	:	Wash hands before breaks and immediately after handling the product.
		Remove contaminated clothing and protective equipment
		before entering eating areas.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	dark brown
Odor	:	sweet
Odor Threshold	:	No data available
рН	:	> 7
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 93.3 °C (199.9 °F)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	23 hpa
Relative vapor density	:	No data available
Density	:	1.182 g/ml (23 °C (73 °F))
Solubility(ies) Water solubility	:	completely soluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available

Revision Date 06/01/2021



Viscosity, kinematic	:	> 20.5 mm2/s ( 40 °C (104 °F))
Explosive properties	:	No data available
Oxidizing properties	:	No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

### SECTION 11. TOXICOLOGICAL INFORMATION

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified b	sified based on available information. Group 2B: Possibly carcinogenic to humans 2,2'-iminodiethanol	
OSHA	Not applicable	
NTP	Not applicable	

#### Revision Date 06/01/2021



Reproductive toxicity	
Not classified based on available information.	

## STOT-single exposure

Not classified based on available information.

## **STOT-repeated exposure** Not classified based on available information.

Aspiration toxicity Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

<b>Ecotoxicity</b> No data available	
<b>Persistence and degradability</b> No data available	
<b>Bioaccumulative potential</b> No data available	
<b>Mobility in soil</b> No data available	
Other adverse effects	
<b>Product:</b> Additional ecological infor- : mation	Do not empty into drains; dispose of this material and its con- tainer in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	Disposal of this product, solutions and any by-prod at all times comply with the requirements of enviro protection and waste disposal legislation and any r local authority requirements.	nmental
Contaminated packaging	Empty containers should be taken to an approved dling site for recycling or disposal.	waste han-

## SECTION 14. TRANSPORT INFORMATION

## International Regulations

IATA-DGR Not regulated as a dangerous good

#### IMDG-Code

## Sika® Plastocrete®-161 CA

Revision Date 06/01/2021



Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

**TDG** Not regulated as a dangerous good

## SECTION 15. REGULATORY INFORMATION

#### **Canadian lists**

No substances are subject to a Significant New Activity Notification.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH CA AB OEL	:	USA. ACGIH Threshold Limit Values (TLV) Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL CA ON OEL	:	Canada. British Columbia OEL Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV	:	Time-weighted average exposure value
ADR	:	Accord européen relatif au transport international des marchandises Dangereuses par Route
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of
LC50	:	test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
		7/0

Revision Date 06/01/2021



PNEC REACH	Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
	Substances of Very High Concern Very persistent and very bioaccumulative

#### Notice to Reader:

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

Revision Date Date format	: 06/01/2021 : mm/dd/yyyy
Prepared by	: R & D of Sika Canada Inc.
Material number	: 454,192

CA / Z8