

Version 1.1	Revision Date: 11/23/2016	SDS Number: 100000007291
SECTION 1. IDENTIFICATION		
Product name	[:] Sarnacol [®] LRA Part A	
Manufacturer or supplier	s details	
Company name	: Sika Canada Inc. 601, avenue Delmar Pointe-Claire, QC H9R 4A9 Canada www.sika.ca	
Telephone	: (514) 697-2610 / 1 (800) 933-74	52
Telefax	: (514) 694-2792	
Health and Safety Services e-mail address	's : ehs@ca.sika.com	

Emergency telephone : CANUTEC (collect) (613) 996-6666 (24 hours)

Recommended use of the chemical and restrictions on use

For further information, refer to product data sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture. **Other hazards**

None known.

Supplemental information

If product is in liquid or paste form, physical or health hazards listed related to dust are not considered significant. However, product may contain substances that could be potential hazards if caused to become airborne due to grinding, sanding or other abrasive processes.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Propane-1,2-diol, propoxylated	25322-69-4	>= 5 - < 10

SECTION 4. FIRST AID MEASURES



Version 1.1	Revision Date: 11/23/2016	SDS Number: 10000007291
General advice	: No hazards which r	require special first aid measures.
If inhaled	: Move to fresh air.	
In case of skin contact		ted clothing and shoes immediately. and plenty of water.
In case of eye contact	: Flush eyes with wat Remove contact ler Keep eye wide ope	ises.
If swallowed	Do not induce vomi Do not give milk or	vater and drink afterwards plenty of water. ting without medical advice. alcoholic beverages. g by mouth to an unconscious person.
Most important symptoms and effects, both acute ar delayed		nt effects or hazards. more detailed information on health effects
Notes to physician	: Treat symptomatica	ally.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.	
Further information	 Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. 	
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions	:	Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	 For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical



Version 1.1	Revision Date: 11/23/2016	SDS Number: 10000007291
	products.	
Conditions for safe sto	rage : Keep container tightly place. Store in accordance v Protect from frost.	y closed in a dry and well-ventilated with local regulations.
Materials to avoid	: No special restriction	s on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use pro- cess enclosures, local exhaust ventilation or other engineer- ing controls to keep worker exposure below any recommend- ed or statutory limits.
Personal protective equipmen	nt	
Respiratory protection	:	Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
		The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection		
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.
Eye protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Hygiene measures	:	Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas.



 Version
 Revision Date:
 SDS Number:

 1.1
 11/23/2016
 10000007291

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: straw-like
Odor	: mild
Odor Threshold	: No data available
рН	: not determined
Melting point/range / Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: ca. 100 °C (212 °F) Method: closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: 0.01 hpa (0.01 mmHg)
Relative vapor density	: No data available
Density	: 1.016 g/ml (23 °C (73 °F) ())
Solubility(ies) Water solubility	: insoluble
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: > 20.5 mm2/s (40 ℃)
Explosive properties	: No data available
Molecular weight	: No data available



1.1 11/23/2016 10000007291	Version	Revision Date:	SDS Number:
	1.1	11/23/2016	10000007291

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.	
Chemical stability	: The product is chemically stable.	
Possibility of hazardous reac- tions	: Stable under recommended storage conditions.	
Conditions to avoid	: No data available	
Incompatible materials	: Isocyanates	
No decomposition if stored and applied as directed.		

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 3,500 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on	available information.
IARC	Not applicable

NTP Not applicable

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

SAFETY DATA SHEET

Sarnacol[®] LRA Part A



Version	Revision Date:	SDS Number:
1.1	11/23/2016	10000007291
STOT-repeated exp	osure	

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Do not empty into drains; dispose of this material and its con- tainer in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	: Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation TDG (road/train) Not dangerous goods

International Regulations IATA-DGR Not dangerous goods IMDG-Code Not dangerous goods



Version	Revision Date:	SDS Number:
1.1	11/23/2016	10000007291

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Revision Date

: 11/23/2016

Prepared by : R & D of Sika Canada Inc.

Notice to Reader:

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

Full text of other abbreviations

ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the



Version 1.1	Revision Date: 11/23/2016	SDS Number: 100000007291
SVHC vPvB		
CA / Z8		



Version 1.1	Revision Date: 11/23/2016	SDS Number: 10000007292
SECTION 1. IDENTIFICATION		
Product name	[:] Sarnacol [®] LRA Part B	
Manufacturer or supplier'	s details	
Company name	: Sika Canada Inc. 601, avenue Delmar Pointe-Claire, QC H9R 4A9 Canada www.sika.ca	
Telephone	: (514) 697-2610 / 1 (800) 933-7	/452
Telefax	: (514) 694-2792	
Health and Safety Services e-mail address	's : ehs@ca.sika.com	
Emergency telephone	: CANUTEC (collect) (613) 996-	6666 (24 hours)

Recommended use of the chemical and restrictions on use

For further information, refer to product data sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Inhalation)	:	Category 4
Skin irritation	:	Category 2
Eye irritation	:	Category 2B
Respiratory sensitization	:	Category 1
Skin sensitization	:	Category 1
Specific target organ system- ic toxicity - single exposure	:	Category 3 (Respiratory system)
Specific target organ system- ic toxicity - repeated expo- sure (Inhalation)	:	Category 2

GHS label elements



1	Revision Date: 11/23/2016	SDS Number: 10000007292
Hazard pictograms		
Signal Word	: Danger	
Hazard Statements	culties if inhaled. H335 May cause resp	allergic skin reaction. ed. gy or asthma symptoms or breathing di piratory irritation. nage to organs through prolonged or re-
Precautionary Statements	 P264 Wash skin thoro P271 Use only outdoor P272 Contaminated with workplace. P280 Wear protective P284 In case of inade tion. Response: P302 + P352 IF ON S P304 + P340 + P312 and keep comfortable CENTER/doctor if you P305 + P351 + P338 for several minutes. F to do. Continue rinsin P333 + P313 If skin ir attention. P342 + P311 If expering tion. P342 + P311 If expering tion. P362 + P364 Take of reuse. Storage: P403 + P233 Store in tightly closed. P405 Store locked up Disposal: 	ors or in a well-ventilated area. work clothing must not be allowed out of equate ventilation wear respiratory prote SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh a for breathing. Call a POISON a feel unwell. IF IN EYES: Rinse cautiously with wate Remove contact lenses, if present and ea g. ritation or rash occurs: Get medical advice/ atter iencing respiratory symptoms: Call a loctor. f contaminated clothing and wash it befor a well-ventilated place. Keep container

Other hazards

None known.

Supplemental information



Version	Revision Date:	SDS Number:
1.1	11/23/2016	10000007292

If product is in liquid or paste form, physical or health hazards listed related to dust are not considered significant. However, product may contain substances that could be potential hazards if caused to become airborne due to grinding, sanding or other abrasive processes.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
4,4'-methylenediphenyl diisocyanate	101-68-8	>= 25 - < 50
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	>= 25 - < 50
o-(p-isocyanatobenzyl)phenyl isocyanate (MDI)	5873-54-1	>= 20 - < 25

SECTION 4. FIRST AID MEASURES

General advice	Consul	out of dangerous area. t a physician. his material safety data sheet to the doctor in attend-
If inhaled		o fresh air. t a physician after significant exposure.
In case of skin contact	Wash o	ff contaminated clothing and shoes immediately. off with soap and plenty of water. toms persist, call a physician.
In case of eye contact	Keep e	e contact lenses. ye wide open while rinsing. ritation persists, consult a specialist.
If swallowed	Do not Do not Never g	nouth with water and drink afterwards plenty of water. induce vomiting without medical advice. give milk or alcoholic beverages. give anything by mouth to an unconscious person. medical attention.
Most important symptoms and effects, both acute and delayed	Asthma Cough Respira Allergic Headau See Se and syn Causes May ca Harmfu May ca ties if ir	ting effects atic appearance atory disorder e reactions che ection 11 for more detailed information on health effects mptoms. s skin and eye irritation. use an allergic skin reaction. Il if inhaled. use allergy or asthma symptoms or breathing difficul-



	Revision Date: 11/23/2016	SDS Number: 100000007292
	May cause damage to exposure if inhaled.	organs through prolonged or repeated
Notes to physician	: Treat symptomatically.	
SECTION 5. FIRE-FIGHTING ME	EASURES	
Suitable extinguishing media	e	asures that are appropriate to local cir- urrounding environment.
Further information	must not be discharged Fire residues and cont	ire extinguishing water separately. This d into drains. aminated fire extinguishing water must rdance with local regulations.
Special protective equipmen for fire-fighters	t : In the event of fire, we	ar self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms.



Version 1.1	Revision Date: 11/23/2016	SDS Number: 100000007292
	Follow standard hygiene measure products.	s when handling chemical
Conditions for safe storage	: Store in original container. Keep in a well-ventilated place. Containers which are opened mus kept upright to prevent leakage. Observe label precautions. Store in accordance with local reg Protect from frost.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
4,4'-methylenediphenyl diiso- cyanate	101-68-8	TWA	0.005 ppm 0.05 mg/m3	CA AB OEL
		TWA	0.005 ppm	CA BC OEL
		С	0.01 ppm	CA BC OEL
		TWAEV	0.005 ppm 0.051 mg/m3	CA QC OEL
		TWA	0.005 ppm	CA ON OEL
		С	0.02 ppm	CA ON OEL
		TWA	0.005 ppm	ACGIH
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	TWA	0.005 ppm 0.07 mg/m3	CA AB OEL
		TWA	0.005 ppm	CA BC OEL
		С	0.01 ppm	CA BC OEL
o-(p-isocyanatobenzyl)phenyl isocyanate (MDI)	5873-54-1	TWA	0.005 ppm	CA ON OEL
		С	0.02 ppm	CA ON OEL
		TWA	0.005 ppm	CA ON OEL
		С	0.02 ppm	CA ON OEL

Ingredients with workplace control parameters

Engineering measures : Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Personal protective equipment

Respiratory protection : Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when han-



Version 1.1	Revision Date: 11/23/2016	SDS Number: 10000007292
		this concentration is exceeded, self- apparatus must be used.
Hand protection		
Remarks	approved standard s	impervious gloves complying with an should be worn at all times when handling a risk assessment indicates this is nec-
Eye protection		plying with an approved standard should assessment indicates this is necessary.
Skin and body protection		tion in relation to its type, to the concen- of dangerous substances, and to the spe-
Hygiene measures	the product.	breaks and immediately after handling ed clothing and protective equipment ng areas.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	brown
Odor	:	mild
Odor Threshold	:	No data available
рН	:	not determined
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	ca. 225 °C (437 °F) Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available

SAFETY DATA SHEET

Sarnacol[®] LRA Part B



Version 1.1	Revision Date: 11/23/2016	SDS Number: 10000007292
Relative vapor density	: No data available	
Density	: 1.240 g/ml (23 ℃ (7	73 °F) ())
Solubility(ies) Water solubility Partition coefficient: n- octanol/water	: insoluble : No data available	
Autoignition temperature	: No data available	
Decomposition temperature	e : No data available	
Viscosity Viscosity, dynamic Viscosity, kinematic	: No data available : ca. 20.5 mm2/s (40	(℃
Explosive properties	: No data available	
Molecular weight	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reac- tions	: Stable under recommended storage conditions.
Conditions to avoid	: No data available
Incompatible materials	: Water Humid air

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Harmful if inhaled.	
Product:	
Acute inhalation toxicity	: Acute toxicity estimate: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Ingredients:



1	Revision Date: 11/23/2016	SDS Number: 100000007292
4,4'-methylenediphenyl d i Acute inhalation toxicity	i isocyanate: : Acute toxicity estimate Test atmosphere: dust Method: Expert judgm	t/mist
Diphenylmethanediisocya Acute oral toxicity	anate, isomeres and homolo : LD50 Oral (Rat): > 10,	
Acute inhalation toxicity	: Acute toxicity estimate Exposure time: 4 h Test atmosphere: dust Method: Expert judgm	t/mist
Acute dermal toxicity	: LD50 Dermal (Rabbit)	: > 9,400 mg/kg
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye i Causes eye irritation.	rritation	
Respiratory or skin sensi Skin sensitization: May cau Respiratory sensitization: M haled.	se an allergic skin reaction.	ymptoms or breathing difficulties if ir
Germ cell mutagenicity Not classified based on ava	ilable information.	
Carcinogenicity Not classified based on ava IARC	ilable information. Not applicable	
NTP	Not applicable	
Reproductive toxicity Not classified based on ava	ilable information.	
STOT-single exposure May cause respiratory irrita	tion.	
STOT-repeated exposure	ns through prolonged or repe	ated exposure if inhaled.
Aspiration toxicity Not classified based on ava	ilable information.	

No data available

Persistence and degradability No data available

avallable

SAFETY DATA SHEET

Sarnacol[®] LRA Part B



Version 1.1	Revision Date: 11/23/2016	SDS Number: 10000007292	
Bioaccumulative potentia No data available	l		
Mobility in soil No data available			
Other adverse effects			
Product:			
Additional ecological infor- mation	tainer in a safe way. Avoid dispersal of spilled	 Do not empty into drains; dispose of this material and its con- tainer in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. 	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	: Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation TDG (road/train) Not dangerous goods

International Regulations IATA-DGR Not dangerous goods IMDG-Code Not dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Revision Date

: 11/23/2016



Version	Revision Date:	SDS Number:
1.1	11/23/2016	10000007292

Prepared by

: R & D of Sika Canada Inc.

Notice to Reader:

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

Full text of other abbreviations

ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

CA / Z8