

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C

Version 2.0      Revision Date: 07/03/2024      SDS Number: 000000268957      Date of last issue: 09/21/2020  
Date of first issue: 09/21/2020

---

### SECTION 1. IDENTIFICATION

Product name : 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C  
Product code : 000000000051925201  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Sika MBCC Canada, Inc.  
Address : 601 DELMAR AVE  
Pointe-Claire QC H9R 4A9  
Emergency telephone : ChemTel: +1-813-248-0585;

#### Recommended use of the chemical and restrictions on use

Recommended use : Coloring agents, pigments  
Restrictions on use : Reserved for industrial and professional use.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Carcinogenicity : Category 1B  
Specific target organ toxicity : Category 3 (Respiratory system)  
- single exposure  
Specific target organ toxicity : Category 2 (Kidney)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H335 May cause respiratory irritation.  
H350 May cause cancer.  
H373 May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C

Version 2.0      Revision Date: 07/03/2024      SDS Number: 000000268957      Date of last issue: 09/21/2020  
Date of first issue: 09/21/2020

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Aqueous solution

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
ethylene glycol	1,2-Ethandiol	107-21-1	$\geq 15 - < 40$
Nonylphenol, branched, ethoxylated	Poly(oxy-1,2-ethanediyl), $\alpha$ -(nonylphenyl)- $\omega$ -hydroxy-, branched	68412-54-4	$\geq 3 - < 7$
Diethylene glycol	2,2'-Oxydiethanol	111-46-6	$\geq 3 - < 7$
Titanium dioxide	C.I. Pigment White 6	13463-67-7	$\geq 0.5 - < 1.5$
Distillates (petroleum), solvent-refined heavy paraffinic	Solvent-refined heavy paraffinic petroleum distillates	64741-88-4	$\geq 0.1 - < 1$

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C

Version	Revision Date:	SDS Number:	Date of last issue: 09/21/2020
2.0	07/03/2024	000000268957	Date of first issue: 09/21/2020

- 
- |   |   |   |
|---|---|---|
| General advice  | : | First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.   |
| If inhaled  | : | Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.   |
| In case of skin contact                                     | : | After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention. |
| In case of eye contact                                      | : | Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution and seek medical advice.                 |
| If swallowed  | : | Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.                 |
| Most important symptoms and effects, both acute and delayed | : | May cause respiratory irritation. May cause cancer. May cause damage to organs through prolonged or repeated exposure if swallowed.   |
| Notes to physician  | : | Treat symptomatically.  |

---

### SECTION 5. FIRE-FIGHTING MEASURES

- |                                |   |   |
|--------------------------------|---|---|
| Suitable extinguishing media   | : | Foam<br>Water spray<br>Dry powder<br>Carbon dioxide (CO <sub>2</sub> )  |
| Unsuitable extinguishing media | : | water jet   |
| Hazardous combustion products  | : | fumes/smoke<br>harmful vapours<br>Carbon oxides<br>nitrogen oxides<br>carbon black  |
| Further information            | : | The degree of risk is governed by the burning substance and the fire conditions.<br>If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations. |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C

Version 2.0      Revision Date: 07/03/2024      SDS Number: 000000268957      Date of last issue: 09/21/2020  
Date of first issue: 09/21/2020

Special protective equipment : Wear a self-contained breathing apparatus.  
for fire-fighters

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
Wear eye/face protection.  
Use personal protective clothing.  
Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions : Contain contaminated water/firefighting water.  
Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up : Pick up with suitable appliance and dispose of.  
Dispose of absorbed material in accordance with regulations.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.

Advice on safe handling : Avoid inhalation of dusts/mists/vapours.  
Avoid skin contact.  
Ensure adequate ventilation.  
No special measures necessary provided product is used correctly.

Conditions for safe storage : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.  
Protect from direct sunlight.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethylene glycol	107-21-1	(c)	100 mg/m3	CA AB OEL
		C (Vapor)	50 ppm	CA BC OEL
		C (Vapour and mist)	50 ppm 127 mg/m3	CA QC OEL
		TWA (Total, aerosol only)	10 mg/m3	CA BC OEL
		STEL (Total, aerosol only)	20 mg/m3	CA BC OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C

Version 2.0      Revision Date: 07/03/2024      SDS Number: 000000268957      Date of last issue: 09/21/2020  
Date of first issue: 09/21/2020

		C (Total, aerosol only)	100 mg/m3	CA BC OEL
		TWA (Vapor)	25 ppm	ACGIH
		STEL (Vapor)	50 ppm	ACGIH
		STEL (Inhalable fraction, Aerosol only)	10 mg/m3	ACGIH
Titanium dioxide	13463-67-7	TWA	10 mg/m3	CA AB OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m3	CA BC OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL
		TWA (Respirable particulate matter)	0.2 mg/m3 (Titanium dioxide)	ACGIH
		TWA (Respirable particulate matter)	2.5 mg/m3 (Titanium dioxide)	ACGIH
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

**Engineering measures** : Ensure adequate ventilation.

### Personal protective equipment

**Respiratory protection** : Wear appropriate certified respirator when exposure limits may be exceeded.  
Use NIOSH approved respiratory protection.

**Hand protection**

**Remarks** : Chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.

**Eye protection** : Wear safety glasses with side shields or goggles.

**Skin and body protection** : Body protection must be chosen based on level of activity and exposure.

**Protective measures** : Do not inhale dust/fumes/aerosols.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C

Version 2.0	Revision Date: 07/03/2024	SDS Number: 000000268957	Date of last issue: 09/21/2020 Date of first issue: 09/21/2020
----------------	------------------------------	-----------------------------	---

Avoid contact with the skin, eyes and clothing.  
Avoid exposure.  
Handle in accordance with good building materials hygiene and safety practice.  
Wearing of closed work clothing is recommended.

Hygiene measures : When using, do not eat, drink or smoke.  
Hands and/or face should be washed before breaks and at the end of the shift.  
At the end of the shift the skin should be cleaned and skin-care agents applied.  
Gloves must be inspected regularly and prior to each use.  
Replace if necessary (e.g. pinhole leaks).

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : yellow

Odor : of glycol

Odor Threshold : not determined

pH : approx. 8.5

Melting point/freezing point : No data available

Boiling point : > 100 °C

Flash point : 115 °C  
Method: estimate

Evaporation rate : No data available

Flammability (liquids) : Not classified as a flammability hazard

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C

Version	Revision Date:	SDS Number:	Date of last issue: 09/21/2020
2.0	07/03/2024	000000268957	Date of first issue: 09/21/2020

---

Relative density	:	1.8
Density	:	1.8 g/cm <sup>3</sup> (20 °C)
Bulk density	:	Not applicable
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available.
Autoignition temperature	:	No data available
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Not an oxidizer.
Sublimation point	:	No data available
Molecular weight	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as prescribed/indicated.
Chemical stability	:	The product is stable if stored and handled as prescribed/indicated.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C

Version	Revision Date:	SDS Number:	Date of last issue: 09/21/2020
2.0	07/03/2024	000000268957	Date of first issue: 09/21/2020

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Not classified due to lack of data.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified due to lack of data.

#### Respiratory sensitization

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

May cause cancer.

**IARC** Group 2B: Possibly carcinogenic to humans  
Titanium dioxide

13463-67-7

#### Reproductive toxicity

Not classified due to lack of data.

#### STOT-single exposure

May cause respiratory irritation.

#### STOT-repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

#### Aspiration toxicity

Not classified due to lack of data.

#### Further information

#### Product:

Remarks : Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C

Version	Revision Date:	SDS Number:	Date of last issue: 09/21/2020
2.0	07/03/2024	000000268957	Date of first issue: 09/21/2020

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

#### Persistence and degradability

##### Product:

Biodegradability : Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biodegradable according to OECD classification.

#### Bioaccumulative potential

##### Product:

Bioaccumulation : Remarks: No data available.  
Discharge into the environment must be avoided.

#### Mobility in soil

No data available

#### Other adverse effects

##### Product:

Additional ecological information : Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with national, state and local regulations.  
Do not discharge into drains/surface waters/groundwater.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C

Version	Revision Date:	SDS Number:	Date of last issue: 09/21/2020
2.0	07/03/2024	000000268957	Date of first issue: 09/21/2020

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

Not regulated as a dangerous good

### SECTION 15. REGULATORY INFORMATION

#### The ingredients of this product are reported in the following inventories:

TSCA : All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

DSL : All components of this product are on the Canadian DSL

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA AB OEL / STEL	: 15-minute occupational exposure limit
CA AB OEL / (c)	: ceiling occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average
CA BC OEL / STEL	: short-term exposure limit
CA BC OEL / C	: ceiling limit
CA QC OEL / TWAEV	: Time-weighted average exposure value
CA QC OEL / C	: Ceiling

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## 888-1810C YELLOW OXIDE YELLOW OXIDE 8881810C

Version	Revision Date:	SDS Number:	Date of last issue: 09/21/2020
2.0	07/03/2024	000000268957	Date of first issue: 09/21/2020

---

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 07/03/2024  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN