Revision Date 09/21/2022



SECTION 1. IDENTIFICATION

Product name	:	SikaFix [®] AC-21
Other means of identification	:	No data available
Company name	:	601, avenue Delmar Canada Pointe-Claire, QC H9R 4A9 Sika Canada Inc. www.sika.ca
Telephone	:	(514) 697-2610 / 1 (800) 933-7452
Telefax	:	(514) 694-2792
E-mail address	:	ehs@ca.sika.com
Emergency telephone	:	CANUTEC (collect) (613) 996-6666 (24 hours)
Recommended use of the chemical and restrictions on use	:	For further information, refer to product data sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accorda Acute toxicity (Oral)	nce with the Hazardous Products Regulations Category 4
Skin corrosion	Category 1B
Serious eye damage	Category 1
Skin sensitization	Category 1
GHS label elements Hazard pictograms	
Signal Word	Danger
Hazard Statements	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.
Precautionary Statements	Prevention: P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling.
	1 / 11

Revision Date 09/21/2022



P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling

There are no ingredients with unknown acute toxicity used in a mixture at a concentration >= 1%.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Classification	Concentra- tion (% w/w)
diethylene glycol	111-46-6	Acute Tox. 4; H302	>= 30 - < 60
2-[2-(dimethylamino)ethoxy]ethanol	1704-62-7	Acute Tox. 4; H312	>= 5 - < 10
		Skin Corr. 1B; H314	
		Eye Dam. 1; H318	
triethylene diamine	280-57-9	Flam. Sol. 1; H228	>= 1 - < 5
		Acute Tox. 4; H302	
		Skin Irrit. 2; H315	
		Eye Dam. 1; H318	
N-[2-[2-(dimethylamino) ethoxy]	189253-72-3	Acute Tox. 4; H302	>= 1 - < 5

Revision Date 09/21/2022



4	Skin Corr. 1B; H314	ethyl]-N-methyl-1,3-propandiamine
	Eye Dam. 1; H318	
7	Skin Sens. 1; H317	
 <u> </u>		

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES General advice Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance. If inhaled Move to fresh air. Consult a physician after significant exposure. Take off contaminated clothing and shoes immediately. In case of skin contact Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. In case of eye contact Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. If swallowed Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital. Health injuries may be delayed. Most important symptoms corrosive effects and effects, both acute and sensitizing effects delayed Gastrointestinal discomfort Allergic reactions Dermatitis Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns. Notes to physician Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



Revision	Date	09/21	/2022

Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products.
Conditions for safe storage	:	Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Store in accordance with local regulations.
Materials to avoid	:	Explosives

Revision Date 09/21/2022



Oxidizing agents Poisonous gases Dangerous when wet Flammable solids Organic peroxides Poisonous liquids Spontaneously Combustible Substances

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components		CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
triethylene diamine		280-57-9	TWA	1 ppm 4.6 mg/m3	CA ON OEL
Engineering measures	:	Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use pro- cess enclosures, local exhaust ventilation or other engineer- ing controls to keep worker exposure below any recommend- ed or statutory limits.			
Personal protective equipme	nt				
Respiratory protection	:	respirator con		pproved air-purifying pproved standard if a essary.	
		imum expecte (gas/vapor/ae dling the prod	ed contaminant c erosol/particulate	s) that may arise whe entration is exceeded,	en han-
Hand protection	:	approved star	ndard should be	s gloves complying w worn at all times whe sessment indicates th	n handling
Eye protection	:			h an approved standa ent indicates this is n	
Skin and body protection	:		nount of dangero	ation to its type, to the ous substances, and t	
Hygiene measures	:	Wash hands I the product. Remove conta before enterin Wash thoroug	aminated clothin ng eating areas. ghly after handlin	nd immediately after h g and protective equi	Ū
		5 /	11		



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	No data available
Odor	:	slight
Odor Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C (214 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	ca. 1.07 g/cm3 (20 °C (68 °F))
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-	:	No data available
octanol/water Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20.5 mm2/s (40 °C (104 °F))
Explosive properties	:	No data available
		6 / 11



Revision Date 09/21/2022

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Harmful if swallowed. <u>Components:</u>					
triethylene diamine:Acute oral toxicity: LD50 Oral (Rat): 700 mg/kg					
Skin corrosion/irritation Causes severe burns.					
Serious eye damage/eye irritation Causes serious eye damage.					
Respiratory or skin sensitization					
Skin sensitization May cause an allergic skin reaction. Respiratory sensitization					
Not classified based on available information.					
Germ cell mutagenicity Not classified based on available information.					
CarcinogenicityNot classified based on available information.IARCNot applicable					
OSHA Not applicable					

Revision Date 09/21/2022

NTP Not applicable

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

N-[2-[2-(dimethylamino) ethoxy] ethyl]-N-methyl-1,3-propandiamine:

Toxicity to daphnia and other:EC50 (Daphnia): > 100 mg/laquatic invertebratesExposure time: 48 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-	:	Do not empty into drains; dispose of this material and its con-
mation		tainer in a safe way.
		Avoid dispersal of spilled material and runoff and contact with
		soil, waterways, drains and sewers.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues :	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.



Revision Date 09/21/2022



SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	UN 2735
Proper shipping name	:	Amines, liquid, corrosive, n.o.s. (2-[2-(dimethylamino)ethoxy]ethanol)
Class	:	8
Packing group	:	III
Labels	:	Corrosive
Packing instruction (cargo aircraft)	:	856
Packing instruction (passen- ger aircraft)	:	852
IMDG-Code		
UN number	:	UN 2735
Proper shipping name	:	AMINES, LIQUID, CORROSIVE, N.O.S. (2-[2-(dimethylamino)ethoxy]ethanol)
Class	:	8
Packing group	:	III
Labels	:	8
EmS Code	:	F-A, S-B
Marine pollutant	:	no
·		

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number	-	UN 2735
Proper shipping name	•	AMINES, LIQUID, CORROSIVE, N.O.S. (2-[2-(dimethylamino)ethoxy]ethanol)
Class	:	8
Packing group	:	111
Labels	:	8
ERG Code	:	153
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Canadian lists

No substances are subject to a Significant New Activity Notification.

Revision Date 09/21/2022




SECTION 16. OTHER INFORMATION

Full text of other abbreviations	5
CA ON OEL :	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA ON OEL / TWA :	Time-Weighted Average Limit (TWA)
ADR :	Accord européen relatif au transport international des marchandises Dangereuses par Route
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL :	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic
PNEC :	Predicted no effect concentration
REACH :	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC :	Substances of Very High Concern
vPvB :	Very persistent and very bioaccumulative

Notice to Reader:

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.



Print Date 09/21/2022

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

Revision Date Date format	: 09/21/2022 : mm/dd/yyyy
Prepared by	: R & D of Sika Canada Inc.
Material number	: 459,126

CA / Z8