

## **NOTES:**

- 1) SEALANT IS A TWO-STEP APPLICATION: BEHIND TOP OF SIKA SARNAFIL FLASHING THEN ON TOP OF TERMINATION BAR.
- 2) SEALANT SHALL BE APPLIED TO CLEAN ACCEPTABLE SURFACES.
- 3) SEALANT IS A MAINTENANCE ITEM AND IS NOT COVERED UNDER THE SIKA WARRANTY.

DETAIL NAME:

- 4) TERMINATION BAR SHALL BE SECURELY ANCHORED WITH APPROVED FASTENERS AND PROVIDE ADEQUATE COMPRESSION OF MEMBRANE FLASHING AND SEALANT.
- 5) WHEN SIKA SARNAFIL MEMBRANES OVERLAP OR ARE OVERLAPED BY NON COMPATIBLE MATERIALS, METAL FOIL TAPE IS TO BE USED AS A SEPARATOR. (SEE CAN 0-2)



## COMPRESSION SEAL TERMINATION

SCALE: DATE: DETAIL NO.:

800-933-7452 CAN.SIKA.COM N. I.S. 3/22 CAN.SIKA.COM

SA MANUFACTURER OF CONSTRUCTION PRODUCTS, SIKA CANADA INC. (SIKA) PROVIDES GENERIC DETAILS AS A GENERAL GUIDE FOR INFORMATION PURPOSES ONLY. SIKA MAY REVIEW DETAILS PREPARED BY THE CONSULTANT, ARCHITECT, ENGINEER AND/OR DESIGN PROFESSIONA OR A PROJECT SOLELY FOR THE PURPOSE OF DETERMINING IF A SIKA WARRANY MAY BE ISSUED FOR THE PROJECT. THE GENERIC DETAILS AND/OR REVIEW OF DETAILS ARE NOT CONSTRUED AS APPROVAL OF DETAILS BY SIKA AND IS NOT BEING CONDUCTED IN LIEU OF SOUND