



## Sika® Stabilizer-1514 TBM CA

Revision Date 08/07/2026

Print Date 08/07/2026

### SECTION 1. IDENTIFICATION

Product name : Sika® Stabilizer-1514 TBM CA

Other means of identification : No data available

Company name : Sika Canada Inc.  
601, avenue Delmar  
Pointe-Claire, QC H9R 4A9  
Canada  
www.sika.ca

Telephone : (514) 697-2610 / 1 (800) 933-7452

E-mail address : ehs@ca.sika.com

Emergency telephone : (24/7 – International & Local)  
English service: +1 866 519 4752  
French service: +1 760 476 3961  
3E GIR Access Code: 17138

Recommended use of the chemical and restrictions on use : For further information, refer to product data sheet.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin irritation : Category 2

Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.  
H318 Causes serious eye damage.

Supplemental Hazard Statements : Corrosive to the respiratory tract.

Precautionary Statements : **Prevention:**  
P264 Wash hands and exposed skin thoroughly after handling.



## Sika® Stabilizer-1514 TBM CA

Revision Date 08/07/2026

Print Date 08/07/2026

P280 Wear protective gloves, eye protection, face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or a doctor.

P332 + P313 If skin irritation occurs: Get medical advice or attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Additional Labeling

No data available

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

| Chemical name                                                         | CAS-No.    | Classification                          | Concentration<br>(% w/w) |
|-----------------------------------------------------------------------|------------|-----------------------------------------|--------------------------|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6 | Skin Irrit. 2; H315<br>Eye Dam. 1; H318 | >= 10 - < 30             |

Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.  
  
Wash contaminated clothing before reuse.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.



## Sika® Stabilizer-1514 TBM CA

Revision Date 08/07/2026

Print Date 08/07/2026

|                                                             |   |                                                                                                                                                                                                                                                   |
|-------------------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                             |   | In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Keep eye wide open while rinsing.                           |
| If swallowed                                                | : | Clean mouth with water and drink afterwards plenty of water.<br>Do not induce vomiting without medical advice.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>Obtain medical attention. |
| Most important symptoms and effects, both acute and delayed | : | irritant effects<br>Excessive lachrymation<br>Erythema<br>Dermatitis<br>Causes skin irritation.<br>Causes serious eye damage.                                                                                                                     |
| Notes to physician                                          | : | Treat symptomatically.                                                                                                                                                                                                                            |

---

### SECTION 5. FIRE-FIGHTING MEASURES

|                                                |   |                                                                                                                                                                                                                         |
|------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                   | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                 |
| Unsuitable extinguishing media                 | : | No data available                                                                                                                                                                                                       |
| Hazardous combustion products                  | : | No hazardous combustion products are known                                                                                                                                                                              |
| Further information                            | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.                                                                                                                                                          |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |   |                                                                                                                                                         |
|---------------------------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Deny access to unprotected persons.<br>For further information refer to section 8.                                |
| Environmental precautions                                           | : | Try to prevent the material from entering drains or water courses.<br>Local authorities should be advised if significant spillages cannot be contained. |



## Sika® Stabilizer-1514 TBM CA

Revision Date 08/07/2026

Print Date 08/07/2026

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Follow standard hygiene measures when handling chemical products.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with local regulations.

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

#### Personal protective equipment

**Respiratory protection** : Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

**Hand protection** : Chemical-resistant, impervious gloves complying with an



## Sika® Stabilizer-1514 TBM CA

Revision Date 08/07/2026

Print Date 08/07/2026

|                          |                                                                                                                                                                                                                                                 |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.                                                                                                                 |
| Eye protection           | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.                                                                                                                         |
| Skin and body protection | : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.                                                                                                      |
| Hygiene measures         | : Avoid contact with skin, eyes and clothing.<br>Wash hands before breaks and immediately after handling the product.<br>Remove contaminated clothing and protective equipment before entering eating areas.<br>Wash thoroughly after handling. |

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                  |                                               |
|--------------------------------------------------|-----------------------------------------------|
| Appearance                                       | : viscous liquid                              |
| Color                                            | : dark brown                                  |
| Odor                                             | : sweet                                       |
| Odor Threshold                                   | : No data available                           |
| pH                                               | : ca. 8                                       |
| Melting point/ range / Freezing point            | : No data available                           |
| Boiling point/boiling range                      | : No data available                           |
| Flash point                                      | : > 101 °C (> 214 °F)<br>(Method: closed cup) |
| Evaporation rate                                 | : No data available                           |
| Flammability (solid, gas)                        | : No data available                           |
| Flammability (liquids)                           | : No data available                           |
| Upper explosion limit / Upper flammability limit | : No data available                           |
| Lower explosion limit / Lower flammability limit | : No data available                           |
| Vapor pressure                                   | : 23 hpa                                      |



## Sika® Stabilizer-1514 TBM CA

Revision Date 08/07/2026

Print Date 08/07/2026

|                                          |                                             |
|------------------------------------------|---------------------------------------------|
| Relative vapor density                   | : No data available                         |
| Density                                  | : ca. 1.5 g/cm <sup>3</sup> (20 °C (68 °F)) |
| Solubility(ies)                          |                                             |
| Water solubility                         | : completely soluble                        |
| Solubility in other solvents             | : No data available                         |
| Partition coefficient: n-octanol/water   | : No data available                         |
| Autoignition temperature                 | : No data available                         |
| Decomposition temperature                | : No data available                         |
| Viscosity                                |                                             |
| Viscosity, dynamic                       | : No data available                         |
| Viscosity, kinematic                     | : > 20.5 mm <sup>2</sup> /s                 |
| Explosive properties                     | : No data available                         |
| Oxidizing properties                     | : No data available                         |
| Particle characteristics                 |                                             |
| Particle size                            | : No data available                         |
| Particle Size Distribution               | : No data available                         |
| Volatile organic compounds (VOC) content | : Not applicable                            |

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                               |
|------------------------------------|---------------------------------------------------------------|
| Reactivity                         | : No dangerous reaction known under conditions of normal use. |
| Chemical stability                 | : The product is chemically stable.                           |
| Possibility of hazardous reactions | : Stable under recommended storage conditions.                |
| Conditions to avoid                | : No data available                                           |
| Incompatible materials             | : No data available                                           |
| Hazardous decomposition products   | : No hazardous decomposition products are known.              |



## Sika® Stabilizer-1514 TBM CA

Revision Date 08/07/2026

Print Date 08/07/2026

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Likely routes of exposure and symptoms related to physical, chemical, and toxicological characteristics

|                   |                                                                                                                       |
|-------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b> | Likely route of exposure.                                                                                             |
| <b>Eyes</b>       | Likely route of exposure via accidental contact. Causes serious eye damage. Irritant effects. Excessive lachrymation. |
| <b>Skin</b>       | Main route of exposure via direct contact. Causes skin irritation. Irritant effects. Dermatitis.                      |
| <b>Ingestion</b>  | No data available                                                                                                     |

#### Delayed, immediate, and chronic effects

##### Short-term exposure

|                          |                                                                     |
|--------------------------|---------------------------------------------------------------------|
| <b>Immediate effects</b> | Immediate irritation to the skin. Immediate irritation to the eyes. |
| <b>Delayed effects</b>   | No data available                                                   |

##### Long-term exposure

|                          |                   |
|--------------------------|-------------------|
| <b>Immediate effects</b> | No data available |
| <b>Delayed effects</b>   | No data available |

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts:

Acute oral toxicity : LD50 Oral (Rat): 2,310 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

##### Skin sensitization

Not classified based on available information.

##### Respiratory sensitization

Not classified based on available information.



## Sika® Stabilizer-1514 TBM CA

Revision Date 08/07/2026

Print Date 08/07/2026

### **Germ cell mutagenicity**

Not classified based on available information.

### **Carcinogenicity**

Not classified based on available information.

**IARC** Not applicable

**OSHA** Not applicable

**NTP** Not applicable

### **Reproductive toxicity**

Not classified based on available information.

### **STOT-single exposure**

Not classified based on available information.  
Corrosive to the respiratory tract.

### **STOT-repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No data available

### **Persistence and degradability**

No data available

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Other adverse effects**

#### **Product:**

Additional ecological information : Do not empty into drains; dispose of this material and its container in a safe way.  
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



## Sika® Stabilizer-1514 TBM CA

Revision Date 08/07/2026

Print Date 08/07/2026

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

Not regulated as a dangerous good

##### Special precautions for user

Not applicable

---

### SECTION 15. REGULATORY INFORMATION

#### Canadian lists

No substances are subject to a Significant New Activity Notification.

No substances are subject to CEPA Section 84 Ministerial Conditions.

---

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ADR : Accord européen relatif au transport international des



## Sika® Stabilizer-1514 TBM CA

Revision Date 08/07/2026

Print Date 08/07/2026

|        |                                                                                                                                                                                                                                        |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        | merchandise dangereuses par Route                                                                                                                                                                                                      |
| CAS    | : Chemical Abstracts Service                                                                                                                                                                                                           |
| DNEL   | : Derived no-effect level                                                                                                                                                                                                              |
| EC50   | : Half maximal effective concentration                                                                                                                                                                                                 |
| GHS    | : Globally Harmonized System                                                                                                                                                                                                           |
| IATA   | : International Air Transport Association                                                                                                                                                                                              |
| IMDG   | : International Maritime Code for Dangerous Goods                                                                                                                                                                                      |
| LD50   | : Median lethal dose (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)                                                                                                |
| LC50   | : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)                                                                                                 |
| MARPOL | : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978                                                                                                                        |
| OEL    | : Occupational Exposure Limit                                                                                                                                                                                                          |
| PBT    | : Persistent, bioaccumulative and toxic                                                                                                                                                                                                |
| PNEC   | : Predicted no effect concentration                                                                                                                                                                                                    |
| REACH  | : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency |
| SVHC   | : Substances of Very High Concern                                                                                                                                                                                                      |
| vPvB   | : Very persistent and very bioaccumulative                                                                                                                                                                                             |

### Notice to Reader:

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at [www.sika.ca](http://www.sika.ca) or 514-697-2610.

Revision Date : 08/07/2026  
Date format : mm/dd/yyyy



## Sika® Stabilizer-1514 TBM CA

Revision Date 08/07/2026

Print Date 08/07/2026

Person who prepared the SDS : R & D of Sika Canada Inc.

Material number : 808,278

CA / Z8