Revision Date 10/27/2021



## **SECTION 1. IDENTIFICATION**

Product name	:	RS-S10
Other means of identification	:	RS-S10 SY , RS-S10 CI , RS-S10 UG
Company name	:	601, avenue Delmar Canada Pointe-Claire, QC H9R 4A9 Sika Canada Inc. www.sika.ca
Telephone	:	(514) 697-2610 / 1 (800) 933-7452
Telefax	:	(514) 694-2792
E-mail address	:	ehs@ca.sika.com
Emergency telephone	:	CANUTEC (collect) (613) 996-6666 (24 hours)
Recommended use of the chemical and restrictions on use	:	For further information, refer to product data sheet.

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accord Skin irritation	dan :	ce with the Hazardous Products Regulations Category 2
Serious eye damage	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
Specific target organ toxicity - repeated exposure	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure	:	Category 2
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H315 Causes skin irritation.

Revision Date 10/27/2021



auses serious eye damage. ay cause respiratory irritation. ay cause cancer by inhalation. auses damage to organs (Lungs) through prolonged or d exposure. ay cause damage to organs through prolonged or re- exposure. <b>tion:</b> btain special instructions before use. o not handle until all safety precautions have been read lerstood. o not breathe dust. 'ash skin thoroughly after handling. o not eat, drink or smoke when using this product. se only outdoors or in a well-ventilated area. 'ear protective gloves/ protective clothing/ eye protection/ dection. <b>ISE:</b> P352 IF ON SKIN: Wash with plenty of water. P340 + P312 IF INHALED: Remove person to fresh air
btain special instructions before use. o not handle until all safety precautions have been read lerstood. o not breathe dust. ash skin thoroughly after handling. o not eat, drink or smoke when using this product. se only outdoors or in a well-ventilated area. 'ear protective gloves/ protective clothing/ eye protection/ tection. <b>Ise:</b> P352 IF ON SKIN: Wash with plenty of water. P340 + P312 IF INHALED: Remove person to fresh air
P352 IF ON SKIN: Wash with plenty of water. P340 + P312 IF INHALED: Remove person to fresh air
p comfortable for breathing. Call a POISON CENTER/ you feel unwell. P351 + P338 + P310 IF IN EYES: Rinse cautiously with r several minutes. Remove contact lenses, if present y to do. Continue rinsing. Immediately call a POISON R/ doctor. P313 IF exposed or concerned: Get medical advice/ n. P313 If skin irritation occurs: Get medical advice/ atten- P364 Take off contaminated clothing and wash it before
e: P233 Store in a well-ventilated place. Keep container losed. core locked up.
al: spose of contents/ container to an approved waste dis- ant.

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components



Revision Date 10/27/2021

Chemical name	CAS-No.	Classification	Concentra- tion (% w/w)
Quartz (SiO2) >5µm	14808-60-7	Carc. 1A; H350i STOT RE 1; H372 STOT SE 3; H335	>= 60 - < 80
Calcium Sulfoaluminate cement	960375-09-1	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 STOT RE 2; H373	>= 10 - < 30

Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attend- ance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	irritant effects Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. May cause cancer by inhalation. Causes damage to organs through prolonged or repeated exposure.
Notes to physician	:	Treat symptomatically.
		3 / 11

Revision Date 10/27/2021



### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :	Use personal protective equipment.
tive equipment and emer-	Avoid breathing dust.
gency procedures	Deny access to unprotected persons.
Environmental precautions :	Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform respective authorities. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for :	Pick up and arrange disposal without creating dust.
containment and cleaning up	Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	<ul> <li>Avoid dust formation.</li> <li>Provide appropriate exhaust ventilation at places where dust is formed.</li> </ul>
Advice on safe handling	<ul> <li>Avoid formation of respirable particles.</li> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products.</li> </ul>
Conditions for safe storage	<ul> <li>Store in original container.</li> <li>Keep in a well-ventilated place.</li> <li>Observe label precautions.</li> <li>Store in accordance with local regulations.</li> </ul>



Revision Date 10/27/2021

Further information on stor-<br/>age stabilityKeep in a dry place.<br/>No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2) >5µm	14808-60-7	TWA (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OEL
		TWA (Res- pirable frac- tion)	0.1 mg/m3	CA ON OEL
		TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL
		TWA (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OEL
		TWA (Res- pirable)	0.025 mg/m3	CA BC OEL
		TWA (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH

### Particles of nuisance dust

Form of exposure	Value type	Control parameters	Basis
total dust	TWA	15 mg/m3	OSHA Z-3
respirable fraction	TWA	5 mg/m3	OSHA Z-3

**Engineering measures** : Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineer-ing controls to keep worker exposure below any recommend-

Revision Date 10/27/2021



ed or statutory limits.

Personal protective equipmen	t
Respiratory protection :	Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary.
	The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.
Eye protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Hygiene measures :	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas. Wash thoroughly after handling. Avoid breathing dust.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	gray
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	No data available
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available

# Safety Data Sheet

## **RS-S10**

Revision Date 10/27/2021



Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	ca. 2.5 g/l
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

Revision Date 10/27/2021



SECTION 11. TO	DXICOLOGICAL INFORMATION				
Not classifie	Not classified based on available information.				
	Skin corrosion/irritation Causes skin irritation.				
-	e damage/eye irritation ious eye damage.				
Respiratory	y or skin sensitization				
<b>Skin sensit</b> Not classifie	<b>ization</b> ed based on available information.				
• •	<b>Respiratory sensitization</b> Not classified based on available information.				
	<b>Germ cell mutagenicity</b> Not classified based on available information.				
Carcinoger	nicity				
May cause ( IARC	cancer by inhalation. Group 1: Carcinogenic to humans Quartz (SiO2) >5µm (Silica dust, crystalline)	14808-60-7			
OSHA	OSHA specifically regulated carcinogen Quartz (SiO2) >5µm (crystalline silica)	14808-60-7			
NTP	Known to be human carcinogen Quartz (SiO2) >5µm	14808-60-7			

### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

May cause respiratory irritation.

#### **STOT-repeated exposure**

Causes damage to organs (Lungs) through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. Prolonged exposure can cause silicosis.

(Silica, Crystalline (Respirable Size))

### Aspiration toxicity

Not classified based on available information.

### **Further information**

### Product:

Quartz (14808-60-7): This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding,

Revision Date 10/27/2021



cutting, or other surface preparation activities.

## **SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity** No data available Persistence and degradability No data available **Bioaccumulative potential** No data available Mobility in soil No data available Other adverse effects Product: Additional ecological infor-Do not empty into drains; dispose of this material and its con-: mation tainer in a safe way. **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods	
Waste from residues	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

IATA-DGR Not regulated as a dangerous good

## IMDG-Code

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

TDG

Not regulated as a dangerous good

Revision Date 10/27/2021



## **SECTION 15. REGULATORY INFORMATION**

### **Canadian lists**

No substances are subject to a Significant New Activity Notification.

## **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

Full lext of other appreviation	ons	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table
		2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under
	•	the Occupational Health and Safety Act.
CA QC OEL		Québec. Regulation respecting occupational health and safe-
0,100022	•	ty, Schedule 1, Part 1: Permissible exposure values for air-
		borne contaminants
OSHA Z-3		USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-
001172-0	·	eral Dusts
ACGIH / TWA		8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWA	:	Time-weighted average exposure value
OSHA Z-3 / TWA	÷	
USHA Z-3 / TWA	·	8-hour time weighted average
ADR	÷	Accord européen relatif au transport international des
ADR	·	marchandises Dangereuses par Route
CAS		Chemical Abstracts Service
	:	Derived no-effect level
DNEL EC50	:	Half maximal effective concentration
GHS	:	
	:	Globally Harmonized System
	÷	International Air Transport Association
IMDG	÷	International Maritime Code for Dangerous Goods
LD50	·	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
1.050		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
		· · · · · · · · · · · · · · · · · · ·

Revision Date 10/27/2021



SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Notice to Reader:

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

Revision Date Date format	: 10/27/2021 : mm/dd/yyyy
Prepared by	: R & D of Sika Canada Inc.
Material number	: 645,187

CA / Z8