

| Vers 2.0 | | Revision Date: 04/19/2021 | | DS Number: 0000260572 | Date of last issue: 10/29/2020 Date of first issue: 10/29/2020 | | | | |
|-------------|-------------------------------|------------------------------|-----|-----------------------------------|---|--|--|--|--|
| SEC | SECTION 1. IDENTIFICATION | | | | | | | | |
| | Produc | t name | : | FS NATURAL SV | /IRL COL CLEAR | | | | |
| | Produc | t code | : | 0000000005000 | 2470 | | | | |
| | Other means of identification | | : | No data available | | | | | |
| | Manufacturer or supplier's d | | | ails | | | | | |
| | Compa | ny name of supplier | : | Sika MBCC Cana | da, Inc. | | | | |
| | Addres | S | : | 601 DELMAR AV Pointe-Claire QC | — | | | | |
| | Emerge | ency telephone | : | ChemTel: +1-813 | -248-0585; | | | | |
| | Recom | mended use of the c | hen | nical and restriction | ons on use | | | | |
| | Recom | mended use | : | Product for constr | ruction chemicals | | | | |
| | Restric | tions on use | : | Reserved for indu | strial and professional use. | | | | |

SECTION 2. HAZARDS IDENTIFICATION

| GHS classification in accord Carcinogenicity (Inhalation) | | ce with the Hazardous Products Regulations Category 1A |
|---|---|---|
| Specific target organ toxicity - repeated exposure (Inhala- tion) | : | Category 1 (Lungs) |
| Specific target organ toxicity - repeated exposure (Inhala- tion) | : | Category 2 (Kidney, Immune system) |
| GHS label elements Hazard pictograms | : | |
| Signal Word | : | Danger |
| Hazard Statements | : | H350 May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled. |
| Precautionary Statements | : | Prevention: |





| Version 2.0 | Revision Date: 04/19/2021 | SDS Number: 000000260572 | Date of last issue: 10/29/2020 Date of first issue: 10/29/2020 | | | | | |
|----------------|------------------------------|--|---|--|--|--|--|--|
| | | P202 Do not h and understoo P260 Do not b P264 Wash sk P270 Do not e | reathe dust/ fume/ gas/ mist/ vapors/ spray. in thoroughly after handling. at, drink or smoke when using this product. otective gloves/ protective clothing/ eye protection/ | | | | | |
| | | Response: P308 + P313 II attention. | F exposed or concerned: Get medical advice/ | | | | | |
| | | Storage: P405 Store loc | ked up. | | | | | |
| | | Disposal: | | | | | | |
| | | P501 Dispose of contents/ container to an approved waste disposal plant. | | | | | | |
| Othe | r hazards | | | | | | | |
| | e known. | | | | | | | |
| SECTION | 3. COMPOSITION/IN | NFORMATION ON ING | REDIENTS | | | | | |
| Chen | nical nature | : Aqueous soluti | on based on: | | | | | |

Components

| Chemical name | Common Name/Synonym | CAS-No. | Concentration (% w/w) | | | | |
|--|------------------------|------------|-----------------------|--|--|--|--|
| Quartz (SiO2) | Quartz (SiO2) | 14808-60-7 | >= 50 - < 70 | | | | |
| Actual concentration is withheld as a trade secret | | | | | | | |

inorganic compounds

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

| General advice | | d personnel should pay attention to their own safety. ately remove contaminated clothing. |
|-------------------------|--------------------|---|
| If inhaled | | Ities occur after vapour/aerosol has been inhaled, to fresh air and seek medical attention. |
| In case of skin contact | and soa Under r | ontact with skin, wash immediately with plenty of water ap. no circumstances should organic solvent be used. on develops, seek medical attention. |
| In case of eye contact | to 20 m minutes | res open and rinse slowly and gently with water for 15 inutes. Remove contact lenses, if present, after first 5 s, then continue rinsing. ritation persists, consult a specialist. |
| If swallowed | Immedi | ately rinse mouth and then drink 200-300 ml of water, |





| Version 2.0 | Revision Date: 04/19/2021 | | 0S Number: 0000260572 | Date of last issue: 10/29/2020 Date of first issue: 10/29/2020 | | | |
|----------------|--|-----|--|--|--|--|--|
| | | | seek medical atte Do NOT induce v | | | | |
| | t important symptoms effects, both acute and yed | : | May cause cancer by inhalation. Causes damage to organs through prolonged or repeated exposure if inhaled. Prolonged or repeated inhalation of respirable crystalline si (quartz) may result in silicosis. | | | | |
| Note | es to physician | : | Treat symptomatically. | | | | |
| SECTION | N 5. FIRE-FIGHTING ME | ASL | IRES | | | | |
| Suita | able extinguishing media | : | Foam Water spray Dry powder Carbon dioxide (C | CO2) | | | |
| | Unsuitable extinguishing media | | water jet | | | | |
| Spec fight | cific hazards during fire | : | See SDS section 10 - Stability and reactivity. | | | | |
| Haza ucts | ardous combustion prod- | : | harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides | | | | |
| Furtl | ner information | : | the fire conditions If exposed to fire, Collect contamina allow to reach sev Contaminated ext | k is governed by the burning substance and keep containers cool by spraying with water. ated extinguishing water separately, do not wage or effluent systems. inguishing water must be disposed of in official regulations. | | | |
| | cial protective equipment re-fighters | : | Wear a self-conta | ined breathing apparatus. | | | |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protec- tive equipment and emer- gency procedures | : | Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immedi- ately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice. |
|---|---|--|
| Environmental precautions | : | Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater. |



| Ver 2.0 | sion | Revision Date: 04/19/2021 | | DS Number: 0000260572 | Date of last issue: 10/29/2020 Date of first issue: 10/29/2020 | | | | |
|------------|---------------------------------|--|---|---|---|--|--|--|--|
| | | ds and materials for ment and cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. | | | | | |
| SEC | SECTION 7. HANDLING AND STORAGE | | | | | | | | |
| | | on protection against explosion | : | Normal measures | for preventive fire protection. | | | | |
| | Advice | on safe handling | : | Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the a plication area. Dispose of rinse water in accordance with local and natior regulations. | | | | | |
| | Conditi | ons for safe storage | : | Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply we the technological safety standards. | | | | | |
| | | information on stor- nditions | : | Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flam Protect from direct sunlight. | | | | | |
| | Recom peratur | mended storage tem- e | : | >0 °C | | | | | |
| | Furthei age sta | nformation on stor- | : | PROTECT FROM | 1 FREEZING. | | | | |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|---------------|------------|---------------------------------------|--|------------------------------|
| Quartz (SiO2) | 14808-60-7 | TWA value (Respirable fraction) | 0.025 mg/m3 | ACGIHTLV |
| | | TWA value | 0.05 mg/m3 (Respirable dust) | 29 CFR 1910.1001- 1050 |
| | | OSHA Action level | 0.025 mg/m3 (Respirable dust) | 29 CFR 1910.1001- 1050 |
| | | REL value (Respirable dust) | 0.05 mg/m3 | NIOSH |
| | | TWA (Res- | 0.025 mg/m3 | CA AB OEL |



| sion | Revision Date: 04/19/2021 | SDS Number 0000002605 | | st issue: 10/29/2020 st issue: 10/29/2020 | | | | | |
|-----------------|------------------------------|--|--|--|----------|--|--|--|--|
| | | | pirable par- ticulates) TWA (Res- pirable frac- | 0.1 mg/m3 | CA ON OE | | | | |
| | | | tion) TWAEV (respirable dust) | 0.1 mg/m3 | CA QC OE | | | | |
| | | | TWA (Res- pirable) | 0.025 mg/m3 (Silica) | CA BC OE | | | | |
| | | | TWA (Res- pirable par- ticulate mat- ter) | 0.025 mg/m3 (Silica) | ACGIH | | | | |
| Engir | neering measures | | Maintain air concentrations below occupational exposure standards. | | | | | | |
| Perso | onal protective equip | ment | | | | | | | |
| Respi | ratory protection | may be e | : Wear appropriate certified respirator when exposure limits may be exceeded. Wear a NIOSH-certified (or equivalent) particulate respirato | | | | | | |
| Hand protection | | | | | | | | | |
| Re | emarks | : Wear chemical resistant protective gloves. Manufacture directions for use should be observed because of gree versity of types. | | | | | | | |
| Eye p | rotection | : Safety gla | asses with side-shie | lds. | | | | | |
| Skin a | and body protection | possible | tection must be chose exposure, e.g. head emical-protection su | protection, apron, j | | | | | |
| Protec | ctive measures | Avoid cor Avoid exp Handle in and safet | Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended. | | | | | | |
| Hygie | ne measures | Hands ar the end o At the end care agen Remove re-use or Gloves m | When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skincare agents applied. Remove contaminated clothing immediately and clean before re-use or dispose it if necessary. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). | | | | | | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET





| Ver 2.0 | sion | Revision Date: 04/19/2021 | | S Number: 0000260572 | Date of last issue: 10/29/2020 Date of first issue: 10/29/2020 | |
|------------|---|--|---|---|---|--|
| | Appear | ance | : | viscous liquid | | |
| | Color | | : | white to light beig | ge | |
| | Odor | | : | acrylic-like | | |
| | Odor Threshold | | : | not determined | | |
| | рН | | : | 9 - 10 (23 °C) | | |
| | Melting | point | : | No data available | 9 | |
| | Freezir | ng point | | No data available | 9 | |
| | Boiling | point | : | Not applicable | | |
| | Flash point | | : | A flash point determination is unnecessary due to the high water content. | | |
| | Evaporation rate | | : | No data available | | |
| | Flammability (liquids) | | : | Not classified as a flammability hazard | | |
| | | explosion limit / Upper ability limit | : | Not applicable | | |
| | Lower explosion limit / Lower flammability limit | | : | Not applicable | | |
| | Vapor p | oressure | : | No data available |) | |
| | Relativ | e vapor density | : | Heavier than air. | | |
| | Relativ | e density | : | No data available | | |
| | Density | / | : | 1.98 g/cm3 (23 ° | C) | |
| | Bulk de | ensity | : | Not applicable | | |
| | Solubili Wat | ity(ies) ter solubility | : | No data available |) | |
| | Solu | ubility in other solvents | : | No data available |) | |
| | Partitio octanol | n coefficient: n- I/water | : | Not applicable | | |
| | Autoigr | nition temperature | : | Based on the wa | ter content the product does not ignite. | |
| | Decom | position temperature | : | No decompositio scribed/indicated | n if stored and handled as pre- | |

SAFETY DATA SHEET





| Version 2.0 | Revision Date: 04/19/2021 | | S Number: 0000260572 | Date of last issue: Date of first issue: | | |
|---|------------------------------|---|--|---|--|--|
| Viscosity Viscosity, dynamic Viscosity, kinematic Explosive properties | | No data available No data available Not explosive | | | | |
| Oxidizing properties Sublimation point Molecular weight | | : | Not an oxidizer. No data available No data available | - | | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : | No hazardous reactions if stored and handled as pre- scribed/indicated. |
|---|---|--|
| Chemical stability | : | The product is stable if stored and handled as pre- scribed/indicated. |
| Possibility of hazardous reac- tions | : | The product is stable if stored and handled as pre- scribed/indicated. |
| Conditions to avoid | : | See SDS section 7 - Handling and storage. |
| Incompatible materials | : | Strong acids Strong bases Strong oxidizing agents Strong reducing agents |
| Hazardous decomposition products | : | No hazardous decomposition products if stored and handled as prescribed/indicated. |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.



| Version | Revision Date: | SDS Number: | Date of last issue: 10/29/2020 |
|---------|----------------|--------------|---------------------------------|
| 2.0 | 04/19/2021 | 000000260572 | Date of first issue: 10/29/2020 |
| | | | |

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer by inhalation. IARC Group 1: Carcinogenic to humans Quartz (SiO2) (Silica dust, crystalline)

14808-60-7

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

2

Further information

Product:

Remarks

Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

| Additional ecological infor- mation | : | There is a high probability that the product is not acutely harmful to aquatic organisms. | |
|--|---|---|--|
| maion | | The product has not been tested. The statements on ecotoxi- cology have been derived from the properties of the individual | |
| | | components. | |

FS NATURAL SWIRL COL CLEAR



| Version 2.0 | Revision Date: 04/19/2021 | SDS Number: 000000260572 | Date of last issue: 10/29/2020 Date of first issue: 10/29/2020 | | |
|------------------------|------------------------------|--|--|--|--|
| SECTION | 13. DISPOSAL CONS | DERATIONS | | | |
| Disp | osal methods | | | | |
| Wast | te from residues | tions. Residues sho substance/pr | accordance with national, state and local regula- buld be disposed of in the same manner as the oduct. arge into drains/surface waters/groundwater. | | |
| Contaminated packaging | | ble; then it ca | Contaminated packaging should be emptied as far as possi- ble; then it can be passed on for recycling after being thor- oughly cleaned. | | |
| | | | annot be cleaned should be disposed of in the r as the contents. | | |

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

| The ingredients of this prod | uct | are reported in the following inventories: |
|------------------------------|-----|---|
| TSCA | : | All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption. |
| DSL | : | This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL. |
| | | Feldspar-group minerals |



| Version 2.0 | Revision Date: 04/19/2021 | | Number:)0260572 | Date of last issue: 10/29/2020 Date of first issue: 10/29/2020 |
|----------------|---|-------|-------------------------------|---|
| SECTIO | N 16. OTHER INFORM | TION | | |
| Full | text of other abbrevia | tions | | |
| 29 (| CFR 1910.1001-1050 | | SHA - Specifi 910.1001-105 | cally Regulated Substances (29 CFR 0) |
| ACC | SIH | | | hreshold Limit Values (TLV) |
| ACC | GIHTLV | : Ai | | erence of Governmental Industrial Hygienists - |
| CA | AB OEL | : C | | a, Occupational Health and Safety Code (table |
| CA | BC OEL | : C | anadá. British | n Columbia OEL |
| CA | ON OEL | | | of Occupational Exposure Limits made under al Health and Safety Act. |
| CA | QC OEL | ty | | ation respecting occupational health and safe- Part 1: Permissible exposure values for air- nants |
| NIO | SH | : N | OSH Pocket | Guide to Chemical Hazards (US) |
| | CFR 1910.1001-1050 / HA Action level | : 0 | SHA Action le | evel: |
| | CFR 1910.1001-1050 / A value | : Ti | me Weighted | Average (TWA): |
| ACC | GIH / TWA | : 8- | hour, time-we | eighted average |
| | GIHTLV / TWA value | | | Average (TWA): |
| | AB OEL / TWA | | | tional exposure limit |
| | BC OEL / TWA | | | ighted average |
| | ON OEL / TWA | | | Average Limit (TWA) |
| | QC OEL / TWAEV SH / REL value | | | average exposure value l exposure limit (REL): |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-



| Version | Revision Date: | SDS Number: | Date of last issue: 10/29/2020 |
|---------|----------------|-------------|---------------------------------|
| 2.0 | 04/19/2021 | 00000260572 | Date of first issue: 10/29/2020 |

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

| Revision Date | : | 04/19/2021 |
|---------------|---|------------|
| Date format | : | mm/dd/yyyy |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN