



SECTION I: PRODUCT INFORMATION

PRODUCT: Sikagard® AG Cleaner

REVISION DATE: February 1st, 2015

USAGE: INDUSTRIAL COATING

MANUFACTURER/SUPPLIER: SIKA CANADA INC.
601, avenue Delmar
Pointe Claire, QC
H9R 4A9

EMERGENCY TELEPHONE NUMBER: CANUTEC (collect) (613) 996-6666

TDG CLASSIFICATION: Paint
UN NUMBER: 1263
Packaging Group: IIIWHMIS Classification : B3, D2B
Class: 3

SECTION II: HAZARDOUS INGREDIENTS

Hazardous ingredients	%	T.L.V.	# CAS	LD ₅₀ (mg/kg) (species, route)	LC ₅₀ (species, route)
Para Chloro Benzo trifluoride	40-70	NOT AVAILABLE	98-56-6	13 000 (rat, oral)	33mg/l/4H (rat)

SECTION III: PHYSICAL CHARACTERISTICS

Physical State: Liquid
Appearance and Odor: Various colors, Aromatic odor
Odor Threshold: Not available
Evaporation Rate: Not available
Vapor Density: 6.24
Vapor Pressure: 5.3 mm Hg (20°C)Boiling Point: 139°C
Freezing Point: Not available
Density: ~1.30g/ml
Water Solubility: Not available
pH: Not available
% volatility by volume: > 50
Water/Oil Distribution: Not available



PRODUCT: **Sikagard® AG Cleaner**

SECTION IV: FIRE AND EXPLOSION HAZARDS

Flammability:	Combustible	TDG flammability Class:	3
If Yes, under what conditions:	Avoid flames and sparks.	Flammable upper limits (% vol):	Not established
		Flammable lower limits (% vol):	Not established
		Flash Point (setaflash closed cup):	> 43°C
Extinguishing methods:	Water fog, CO ₂ , dry chemical, foam	Auto-ignition temperature:	Not applicable
		Dangerous Combustion Products:	Carbon dioxide, carbon monoxide
Special Methods:	Fire-fighters must wear complete protective clothing with respiratory equipment	Protect from mechanical impact:	No
		Protect from static discharge:	Yes

SECTION V: REACTIVITY DATA

Chemical stability:	No	Dangerous decomposition products:	Carbon dioxide, carbon monoxide
If not, under what conditions:	Heat, open flames, sparks. Avoid excessive heating over long periods of time.		
Incompatibility with other material:	Not known	Polymerization Risks:	No
If Yes, which ones:			



PRODUCT: Sikagard® AG Cleaner

SECTION VI: TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY / CONTACT

Eyes: Will result in eye irritation

Skin: Will result in skin irritation

Inhalation: High vapour concentration may produce nausea, vomiting, headaches, dizziness, unconsciousness and asphyxia resulting in central nervous system effects

Ingestion: May cause abdominal pain, vomiting and diarrhea

Carcinogenicity: Not established

Toxic effects on reproduction: Not established

Teratogenicity: Not established

Mutagenicity: Not established

Product with synergistic Effects: Not known

An acute or chronic exposure will increase the toxicological problems mentioned in this section and may aggravate respiratory problems.



PRODUCT: Sikagard® AG Cleaner

SECTION VII: PREVENTIVE MEASURES

INDIVIDUAL EQUIPMENT PROTECTION

Gloves: Impervious gloves

Respiratory equipment: Use an approved NIOSH mask for organic vapor

Eyes: Chemical goggles and full face shield

Shoes: Security shoes

Clothing: Long sleeved, body covering and protective clothing

OTHERS

Ventilation: Use adequate ventilation

Procedure in case of leaks: Remove all sources of ignition (flames, sparks, etc.). Provide adequate ventilation. Avoid prolonged breathing of vapours. Remove to a container or absorb with clay, diatomaceous earth or other suitable inert absorbent.

Handling and Equipment methods: Avoid inhalation, skin and eye contact. Wash repeatedly with soap and water during the workday.

Warehouse Requirements: Keep all containers closed in a cool, dry area. Keep away from heat and open flame.

Special Shipping Instructions: See TDG class.

Residue Elimination: Dispose of residues according to municipal, provincial or federal laws for disposal of chemicals. Do not incinerate closed containers.



PRODUCT: Sikagard® AG Cleaner

SECTION VIII: FIRST AID

Skin: Wash thoroughly with soap and water.
If irritation persists, consult a physician

Eyes: Rinse eyes immediately with plenty of water keeping the eyelids open in order to ensure a complete rinsing.
This should last at least 15 minutes for maximum protection.
Consult a physician immediately.

Inhalation: In the case of overexposure, evacuate to fresh air.
Consult a physician if required.

Ingestion: Drink plenty of water. Do not induce vomiting.
Do not give anything by mouth to an unconscious person.
See a physician immediately.

SECTION IX: PREPARATION INFORMATION

Prepared By: Sika Canada R & D
Telephone #: (514) 697-2610
Fax #: (514) 694-2792

Notice To Reader

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section IX of this MSDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.