

Ve 1.0	rsion)	Revision Date: 01/27/2023		DS Number: 0000837744	Date of last issue: - Date of first issue: 01/27/2023			
SE	CTION 1	. IDENTIFICATION						
	Product name		:	SENERFLEX INTONACO COL CLR				
	Product code		:	00000000050002537				
	Other means of identification		:	No data available				
		acturer or supplier's of ny name of supplier			da. Inc.			
	Addres		:	601 DELMAR AV Pointe-Claire QC	E			
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585;			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization	:	Category 1
Germ cell mutagenicity	:	Category 1B
Carcinogenicity (Inhalation)	:	Category 1A
Carcinogenicity	:	Category 1B
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	 H317 May cause an allergic skin reaction. H340 May cause genetic defects. H350 May cause cancer. H350 May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs (Kidney, Immune system)



ersion)	Revision Date: 01/27/2023	SDS Number: 000000837744	Date of last issue: - Date of first issue: 01/27/2023
		through prolone	ged or repeated exposure if inhaled.
Preca	uutionary Statements	P202 Do not ha and understood P260 Do not br P264 Wash ski P270 Do not ea P272 Contamin the workplace.	eathe mist or vapors. n thoroughly after handling. at, drink or smoke when using this product. hated work clothing should not be allowed out of tective gloves/ protective clothing/ eye protectio
		P308 + P313 IF attention. P333 + P313 If attention.	ON SKIN: Wash with plenty of water. exposed or concerned: Get medical advice/ skin irritation or rash occurs: Get medical advic ake off contaminated clothing and wash it befor
		Storage:	
		P405 Store loc	ked up.
		Disposal: P501 Dispose o posal plant.	of contents/ container to an approved waste dis-
	r hazards known.		
None	KNOWN.		

Chemical nature

: No applicable information available.

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Limestone	Calcium car- bonate	1317-65-3	>= 30 - < 50 *
Quartz (SiO2)	crystalline silica	14808-60-7	>= 10 - < 20 *
Kieselguhr, soda ash flux-calcined	Kieselguhr, soda ash flux- calcined	68855-54-9	>= 1 - < 5 *
cristobalite	Cristobalite (SiO2)	14464-46-1	>= 0.1 - < 1 *
1,3,5-Triazine- 1,3,5(2H,4H,6H)- triethanol	2,2',2"- (hexahydro- 1,3,5-triazine- 1,3,5- triyl)triethanol	4719-04-4	>= 0.1 - < 1 *



Version 1.0	Revision Date: 01/27/2023		OS Number: 0000837744	Date of last issue: - Date of first issue: 01/27/2023	
			aphtha	>= 0.1 - < 1 *	
	al concentration or cor		ration range is with	hheld as a trade secret	
	ral advice	:		nel should pay attention to their own safety. hove contaminated clothing.	
lf inha	lled	:		ur after vapour/aerosol has been inhaled, air and seek medical attention.	
In cas	e of skin contact	:	and soap. Under no circums	h skin, wash immediately with plenty of water stances should organic solvent be used. ops, seek medical attention.	
In cas	e of eye contact	:	Wash affected ey	lenses, if present. yes for at least 15 minutes under running Is held open, consult an eye specialist.	
lf swa	llowed	:	Immediately rinse seek medical atte Do NOT induce v		
	important symptoms ffects, both acute and ed	:	May cause genet May cause cance May cause cance Causes damage exposure if inhale	er. er by inhalation. to organs through prolonged or repeated ed. beated inhalation of respirable crystalline silica	3
Notes	to physician	:	Treat symptomati	tically.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Specific hazards during fire fighting	:	Aqueous preparation
		The substances/groups of substances mentioned can be re- leased if the product is involved in a fire.

SENERFLEX INTONACO COL CLR



Vers 1.0	sion	Revision Date: 01/27/2023		DS Number: 0000837744	Date of last issue: - Date of first issue: 01/27/2023
	Hazard ucts	lous combustion prod-	:	harmful vapours	
				oxides	
				carbon compound	ls
				fumes/smoke	
	Further	r information	:	the fire conditions If exposed to fire, Collect contamina allow to reach sev Contaminated ext	k is governed by the burning substance and keep containers cool by spraying with water. ted extinguishing water separately, do not wage or effluent systems. inguishing water must be disposed of in official regulations.
	•	l protective equipment fighters	:	Wear a self-conta	ined breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immedi- ately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Large spills should be collected mechanically (remove by pumping) for disposal. Pick up with inert absorbent material (e.g. sand, earth etc.). Spilled product should be disposed in accordance with all applicable government regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. Avoid contact with eyes.
Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.
Materials to avoid	:	No applicable information available.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/27/2023	00000837744	Date of first issue: 01/27/2023

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OEL
		TWA (Res- pirable frac- tion)	0.1 mg/m3	CA ON OEL
		TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL
		TWA (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Kieselguhr, soda ash flux- calcined	68855-54-9	TWA (Dust)	20 Million parti- cles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL

Engineering measures	:	No applicable information available.
----------------------	---	--------------------------------------

Personal protective equipmer	nt	
Respiratory protection	:	Wear appropriate certified respirator when exposure limits may be exceeded. Wear a NIOSH-certified (or equivalent) organic va- pour/particulate respirator.
Hand protection		
Remarks	:	Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.
Eye protection	:	Safety glasses with side-shields.
Skin and body protection	:	light protective clothing
Protective measures	:	Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice.



Version 1.0	Revision Date: 01/27/2023	SDS Number: 000000837744	Date of last issue: - Date of first issue: 01/27/2023
		Wearing of clos	sed work clothing is recommended.
Hygie	ene measures	Hands and/or f the end of the At the end of th care agents ap Remove conta re-use or dispo Gloves must be	he shift the skin should be cleaned and skin-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Color	:	off-white
Odor	:	moderate odour
рН	:	9.5 (approx. 23.00 °C)
Melting point	:	No applicable information available.
Boiling point	:	No applicable information available.
Flash point	:	No applicable information available.
Evaporation rate	:	No applicable information available.
Flammability (solid, gas)	:	Based on the structure or composition there is no indication of flammability
Upper explosion limit / Upper flammability limit	:	No applicable information available.
Lower explosion limit / Lower flammability limit	:	No applicable information available.
Vapor pressure	:	No applicable information available.
Relative vapor density	:	No applicable information available.
Relative density	:	No applicable information available.
Density	:	1.8000 g/cm3 (23.00 °C)
Solubility(ies) Water solubility	:	No applicable information available.



SENERFLEX INTONACO COL CLR

Vers 1.0	sion	Revision Date: 01/27/2023	-	S Number: 0000837744	Date of last issue: - Date of first issue: 01/27/2023	
	Solu	ubility in other solvents	:	No applicable inf	ormation available.	
	Partitio octanol	n coefficient: n- /water	:	No applicable inf	ormation available.	
	Autoigr	nition temperature	:	No applicable inf	ormation available.	
	Decom	position temperature	:	No decomposition if stored and handled as pre- scribed/indicated.		
	Viscosi Visc	ty cosity, dynamic	:	No applicable inf	ormation available.	
	Visc	osity, kinematic	:	No applicable inf	ormation available.	
	Oxidizir	ng properties	:	Not an oxidizer.		
	Sublimation point		:	No applicable information available.		
SEC	CTION 1	0. STABILITY AND RE	EAC	ΤΙVITY		
	Reactiv	vity	:	No hazardous reascribed/indicated	actions if stored and handled as pre-	
	Chemic	cal stability	:	The product is standard	able if stored and handled as pre-	
	Possibi tions	lity of hazardous reac-	:	The product is standard scribed/indicated	able if stored and handled as pre-	
	Conditi	ons to avoid	:	See SDS section	7 - Handling and storage.	
	Incomp	atible materials	:	Strong acids Strong bases Strong oxidizing a Strong reducing a		
	Hazard product	ous decomposition ts	:	No hazardous de as prescribed/ind	composition products if stored and handled licated.	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product: Acute oral toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
		Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapor

SENERFLEX INTONACO COL CLR



ersion .0	Revision Date: 01/27/2023	SDS Number: 000000837744	Date of last issue: - Date of first issue: 01/27/2023
		Method: Calcu	lation method
Acute	e dermal toxicity	: Remarks: No a	applicable information available.
	corrosion/irritation assified based on av	ailable information.	
	us eye damage/eye assified based on av		
Resp	iratory or skin sens	itization	
May o Resp	sensitization cause an allergic skin iratory sensitization lassified based on av	I	
	cell mutagenicity		
May c	nogenicity cause cancer. cause cancer by inhal	ation.	
Repro	oductive toxicity		
Not cl	assified based on av	ailable information.	
	-single exposure assified based on av	ailable information	
	-repeated exposure		
Cause	es damage to organs cause damage to orga	(Lungs) through proloi	nged or repeated exposure if inhaled. system) through prolonged or repeated exposu
Aspir	ation toxicity		
Not cl	assified based on av	ailable information.	
Furth	er information		
Produ	uct:		
Rema	arks	The product ha	are not known or expected under normal use as not been tested. The statements on toxicolo derived from the properties of the individual
ECTION	12. ECOLOGICAL II	NFORMATION	

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity

: This product has no known ecotoxicological effects.

SENERFLEX INTONACO COL CLR



ersion 0	Revision Date: 01/27/2023		DS Number: 00000837744	Date of last issue: - Date of first issue: 01/27/2023
Chror	nic aquatic toxicity	:	This product ha	as no known ecotoxicological effects.
	stence and degradabi	lity		
	ccumulative potential ata available			
	lity in soil			
	ata available			
Othe	r adverse effects			
Prod	uct:			
Additi matio	ional ecological infor- n	:	The product ha	ge product into the environment without control s not been tested. The statements on ecotoxi- en derived from the properties of the individual

Disposal methods		
Waste from residues	Dispose of in accordance with national, state and tions. Do not contaminate ponds, waterways or ditches cal or used container. Do not discharge into drains/surface waters/grou	with chemi-
Contaminated packaging	Contaminated packaging should be emptied as f and disposed of in the same manner as the sub- stance/product.	

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:





Version 1.0	Revision Date: 01/27/2023	SDS Number: 000000837744	Date of last issue: - Date of first issue: 01/27/2023
TSCA		: All substances	listed as active on the TSCA inventory
DSL		: All component	s of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations				
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)		
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)		
CA BC OEL	:	Canada. British Columbia OEL		
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.		
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants		
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits		
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts		
ACGIH / TWA	:	8-hour, time-weighted average		
CA AB OEL / TWA	:	8-hour Occupational exposure limit		
CA BC OEL / TWA	:	8-hour time weighted average		
CA ON OEL / TWA		Time-Weighted Average Limit (TWA)		
CA QC OEL / TWAEV		Time-weighted average exposure value		
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek		
OSHA Z-3 / TWA	:	8-hour time weighted average		

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/27/2023	00000837744	Date of first issue: 01/27/2023

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	01/27/2023
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN