

## Sarnavap - 6

<b>Description</b>	Sarnavap - 6 is a 6 mil (0.15 mm) thick vapour retarder sheet for use in Sika® Sarnafil® roof systems.
<b>Composition</b>	<ul style="list-style-type: none"><li>■ Sarnavap - 6 is a high quality product manufactured from low density polyethylene.</li><li>■ The colour of Sarnavap - 6 is light blue.</li></ul>
<b>Features</b>	<ul style="list-style-type: none"><li>■ Meets requirements of CAN GSB 51.34-M86.</li><li>■ Operates as a vapour retarder plus separation sheet</li><li>■ Fully compatible with Sika® Sarnafil® waterproofing systems.</li><li>■ Manufactured under ISO 9001 Quality Management conditions.</li></ul>
<b>Packaging/Storage</b>	<ul style="list-style-type: none"><li>■ Sarnavap - 6 is supplied in a folded panel that is rolled onto a core. The core width is 1.5 m (5 ft).</li><li>■ When unrolled off the core and unfolded, the sheet dimensions are 6.9 m (20 ft) wide by 30.5 m (100 ft) long.</li><li>■ Sarnavap - 6 rolls are wrapped in protective film and strapped to a wood pallet.</li></ul>
<b>Installation</b>	Sarnavap - 6 is loose-laid over suitable substrate. Overlap all edges 102 mm (4 in) and seal with butyl tape. Extend Sarnavap - 6 to perimeter and deck penetrations and seal to provide continuity of the building's vapour envelope. Sarnavap - 6 must be sealed on the vertical surface at roof penetrations also.
<b>Availability</b>	Sarnavap - 6 is available directly from Sika Canada Authorized Applicators when used within a Sarnafil® Roofing or Waterproofing System. Contact Sika Canada or visit <a href="http://www.sika.ca">www.sika.ca</a> for further information.
<b>Warranty</b>	As a Sika Canada-supplied accessory, Sarnavap - 6 is included in Sika Canada's Standard or System Warranty.
<b>Maintenance</b>	<p>Sarnavap - 6 requires no maintenance.</p> <p>Periodic maintenance of a Sarnafil® system ensures extended performance and reduces life cycle costs. Consistent with industry practices, Sika Canada recommends inspecting the roof system for damage, plugged drains, weathered sealants, etc. at least twice a year and after each storm.</p>
<b>Technical Support</b>	Sika Canada provides technical support. Technical staff is available to advise applicators as to the proper installation method.



# Construction

## Technical Data

(as manufactured):

Parameters	ASTM Test Method	Typical Values
Gauge	D2103	Pass
Water Vapour Permeance	E-96	Pass
Tensile Strength	D882	Pass
Tensile Elongation	D882	Pass

The information, and in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions, within their shelf life. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any recommendations, or from any other advice offered. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users should always refer to the most recent issue of the Product Data Sheet for the product concerned, copies of which will be supplied on request or can be accessed in the Internet under [www.sika.ca](http://www.sika.ca).



**Sika Canada Inc.**  
**Head Office**  
601 Delmar Avenue  
Pointe-Claire, Quebec  
H9R 4A9

Other locations  
**Toronto**  
**Edmonton**  
**Vancouver**

**1-800-933-SIKA**  
**[www.sika.ca](http://www.sika.ca)**

An ISO 9001 certified company  
Pointe-Claire: ISO 14001 certified EMS