



Vers 1.0		Revision Date: 10/14/2020		0S Number: 0000260215	Date of last issue: - Date of first issue: 10/14/2020
SEC	TION 1.	IDENTIFICATION			
	Product	name	:	TEXTURE COL C	LEAR
	Product	code	:	00000000005000	2521
	Other m	eans of identification	:	No data available	
	Manufa	cturer or supplier's o	deta	iils	
	Compar	ny name of supplier	:	Sika MBCC Cana	da, Inc.
	Address	3	:	601 DELMAR AVI Pointe-Claire QC	—
	Emerge	ncy telephone	:	ChemTel: +1-813	248-0585;
	Recom	mended use of the c	hen	nical and restriction	ons on use
	Recomr	mended use	:	Product for constr	uction chemicals
	Restrict	ions on use	:	Reserved for indu	strial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accord Specific target organ toxicity - repeated exposure		ce with the Hazardous Products Regulations Category 2 (Kidney)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	H373 May cause damage to organs (Kidney) through prolonged or repeated exposure.
Precautionary Statements	:	Prevention: P260 Do not breathe dust or mist.
		Response: P314 Get medical advice/ attention if you feel unwell.
		Disposal:
		P501 Dispose of contents/container to appropriate hazardous waste collection point.



TEXTURE COL CLEAR

Version	Revision Date: 10/14/2020	SDS Number:	Date of last issue: -
1.0		000000260215	Date of first issue: 10/14/2020

Other hazards

No data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: No applicable information available.

Components

Chemical name	CAS-No.	Concentration (% w/w)
crystalline silica	14808-60-7	>= 50 - < 75
Limestone	1317-65-3	>= 5 - < 15
ethyleneglycol	107-21-1	>= 0.3 - < 3

SECTION 4. FIRST AID MEASURES

General advice :	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled :	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact :	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact :	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed :	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms : and effects, both acute and delayed	None known.
Notes to physician :	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray
		Foam
		Carbon dioxide (CO2)





Ver: 1.0	sion	Revision Date: 10/14/2020		OS Number: 0000260215	Date of last issue: - Date of first issue: 10/14/2020
				Dry powder	
	Unsuita media	ble extinguishing	:	High volume wate	r jet
	Specific fighting	•	:	See SDS section	10 - Stability and reactivity.
	Hazard ucts	ous combustion prod-	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides	
	Further	information	:	Use extinguishing	re for chemical fires. measures that are appropriate to local cir- he surrounding environment.
	Special for fire-	protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immedi- ately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated





Vers 1.0	sion	Revision Date: 10/14/2020		DS Number: 0000260215	Date of last issue: - Date of first issue: 10/14/2020
				place. Electrical installat the technological	ions / working materials must comply with safety standards.
		r information on stor- nditions	:		original container in a cool, dry, well- way from ignition sources, heat or flame. ct sunlight.
	Materia	als to avoid	:	No applicable info	ormation available.
	Recom peratur	mended storage tem- e	:	0 °C	
	Furthei age sta	r information on stor- ability	:	Minimum storage	temperature:

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
ethyleneglycol	107-21-1	TWA value	25 ppm	ACGIHTLV
		(Vapor frac-		
		tion)		
		STEL value	50 ppm	ACGIHTLV
		(Vapor frac-		
		tion)		
		STEL value	10 mg/m3	ACGIHTLV
		(Aerosol,		
		inhalable.)		
		(C)	100 mg/m3	CA AB OEL
		TWA (partic-	10 mg/m3	CA BC OEL
		ulate)		
		STEL (par-	20 mg/m3	CA BC OEL
		ticulate)		
		C (aerosol)	100 mg/m3	CA BC OEL
		C (Vapor)	50 ppm	CA BC OEL
		C (Vapour	50 ppm	CA QC OEL
		and mist)	127 mg/m3	
		TWA (Vapor)	25 ppm	ACGIH
		STEL	50 ppm	ACGIH
		(Vapor)		
		STEL (Inhal-	10 mg/m3	ACGIH
		able fraction,	- 5	
		Aerosol only)		
Limestone	1317-65-3	REL value	5 mg/m3	NIOSH
		(Respirable)	U [*] -	
		REL value	10 mg/m3	NIOSH
		(Total)	J	
		PEL (Respir-	5 mg/m3	29 CFR
		able fraction)	<u>.</u>	1910.1000



Version 1.0	Revision Date: 10/14/2020	SDS Number: 000000260215	Date of last issue: - Date of first issue: 10/14/2020			
				15 mg/m2	(Table Z-1) 29 CFR	
			PEL (Total dust)	15 mg/m3	1910.1000 (Table Z-1)	
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A	
			TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-A	
			TWA	10 mg/m3	CA AB OEL	
			TWAEV (to- tal dust)	10 mg/m3	CA QC OEL	
			TWA (Total dust)	10 mg/m3	CA BC OEL	
			TWA (respir- able dust fraction)	3 mg/m3	CA BC OEL	
			STEL	20 mg/m3	CA BC OEL	
crysta	alline silica	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV	
			REL value (Respirable dust)	0.05 mg/m3	NIOSH	
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050	
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050	
			TWA (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OEL	
			TWA (Res- pirable frac- tion)	0.1 mg/m3	CA ON OEL	
			TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL	
			TWA (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OEL	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	

Engineering measures : No applicable information available.

Personal protective equipment

Respiratory protection : Wear respiratory protection if ventilation is inadequate.

Hand protection

TEXTURE COL CLEAR



Versior 1.0	n Revision Date: 10/14/2020		9S Number: 0000260215	Date of last issue: - Date of first issue: 10/14/2020
	Remarks			a specific workplace should be discussed so f the protective gloves.
Ey	e protection	:	Eye wash bottle with pure water Tightly fitting safety goggles	
Sł	in and body protection	:		ng tection according to the amount and con- dangerous substance at the work place.
Pr	otective measures	:	Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.	
Hy	giene measures	:	Wash hands befo	pre breaks and at the end of workday.
SECTI	ON 9. PHYSICAL AND CH	EMI	CAL PROPERTIE	S
Ap	ppearance	:	paste	
Co	blor	:	pigmented	
00	dor	:	ammonia-like, sl	ight odour
00	dor Threshold	:	No data availabl	e
p⊦	ł	:	slightly alkaline	
M	elting point	:	No applicable inf	formation available.
Fr	eezing point		No applicable inf	formation available.
Bo	biling point	:	No applicable inf	formation available.
Fla	ash point	:	93.34 °C	
E١	aporation rate	:	No applicable inf	formation available.
Fli	ammability (solid, gas)	:	not highly flamm Method: derived	
Re	elative vapor density	:	Heavier than air.	
Re	elative density	:	1.90 - 2.25 (20 °	C)
So	blubility(ies) Water solubility	:	soluble	



TEXTURE COL CLEAR

Version 1.0	Revision Date: 10/14/2020		S Number: 0000260215	Date of last issue: - Date of first issue: 10/14/2020
Aut	toignition temperature	:	No data availabl	e
	composition temperature	:	No decomposition scribed/indicated	n if stored and handled as pre- l.
	cosity Viscosity, kinematic	:	No applicable int	formation available.
Sul	blimation point	:	No applicable in	formation available.
Мо	lecular weight	:	No data availabl	e

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
Acute dermal toxicity	:	Remarks: No applicable information available.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

TEXTURE COL CLEAR



ersion .0	Revision Date: 10/14/2020	SDS Number: 000000260215	Date of last issue: - Date of first issue: 10/14/2020						
Resp	iratory or skin sensi	tization							
Skin	sensitization								
Not c	Not classified based on available information.								
Resp	iratory sensitization								
Not c	lassified based on ava	ailable information.							
Germ	cell mutagenicity								
Not c	lassified based on ava	ailable information.							
	nogenicity								
Not c	lassified based on ava	ailable information.							
Repr	Reproductive toxicity								
Not c	Not classified based on available information.								
	r-single exposure								
Not classified based on available information.									
STOT-repeated exposure									
Not classified based on available information.									
-	ration toxicity								
	lassified based on av	ailable information.							
Prod		- 4 - J							
ino as	spiration hazard expe	cted.							
Furth	er information								
Prod	uct:								
Rema	arks	: No data availat	ble						

Ecotoxicity No data available	
Persistence and degradability No data available	
Bioaccumulative potential	
Components:	
crystalline silica: Partition coefficient: n- : octanol/water	Remarks: not applicable
ethyleneglycol: Partition coefficient: n- : octanol/water	log Pow: approx1.36 (23 °C) Method: Calculation Hansch/Leo GLP: no data Remarks: Information taken from reference works and the



Version 1.0	Revision Date: 10/14/2020	SDS Number: 000000260215	Date of last issue: - Date of first issue: 10/14/2020
		literature.	
	l ity in soil ata available		
Othe	r adverse effects		
Prod	uct:		
Additi matio	onal ecological infor- n	harmful to aqu The product ha	n probability that the product is not acutely atic organisms. as not been tested. The statements on ecotoxi- een derived from the properties of the individual

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

DSL : On the inventory, or in compliance with the inventory



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/14/2020	00000260215	Date of first issue: 10/14/2020

SECTION 16. OTHER INFORMATION

Full text of other abbreviations					
29 CFR 1910.1000 (Table Z- 1-A)	:	OSHA - Table Z-1-A (29 CFR 1910.1000)			
29 CFR 1910.1000 (Table Z-	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR			
1) 29 CFR 1910.1001-1050	:	1910.1000 OSHA - Specifically Regulated Substances (29 CFR			
ACGIH	:	1910.1001-1050) USA. ACGIH Threshold Limit Values (TLV)			
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists - threshold limit values (US)			
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
CA BC OEL	:	Canada. British Columbia OEL			
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.			
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air-			
NIOSH		borne contaminants NIOSH Pocket Guide to Chemical Hazards (US)			
29 CFR 1910.1000 (Table Z- 1-A) / TWA value	:				
29 CFR 1910.1000 (Table Z- 1) / PEL	:	Permissible exposure limit			
29 CFR 1910.1001-1050 / OSHA Action level	:	OSHA Action level:			
29 CFR 1910.1001-1050 / TWA value	:	Time Weighted Average (TWA):			
ACGIH / TWA	:	8-hour, time-weighted average			
ACGIH / STEL	:	Short-term exposure limit			
ACGIHTLV / STEL value	:	Short Term Exposure Limit (STEL):			
ACGIHTLV / TWA value CA AB OEL / TWA	÷	Time Weighted Average (TWA): 8-hour Occupational exposure limit			
CA AB OEL / (c)	:	ceiling occupational exposure limit			
CA BC OEL / TWA	÷	8-hour time weighted average			
CA BC OEL / STEL	:	short-term exposure limit			
CA BC OEL / C	:	ceiling limit			
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)			
CA QC OEL / TWAEV CA QC OEL / C	÷	Time-weighted average exposure value Ceiling			
NIOSH / REL value	:	Recommended exposure limit (REL):			
	·				

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/14/2020	00000260215	Date of first issue: 10/14/2020

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date

10/14/2020

:

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

CA / EN



Version Revision Da 1.0 10/14/2020

 Revision Date:
 SD

 10/14/2020
 00

SDS Number: 000000260215 Date of last issue: -Date of first issue: 10/14/2020