

SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

Version Revision Date: SDS Number: Date of last issue: 02/24/2022 1.1 08/22/2022 960000012391 Date of first issue: 02/24/2022

SECTION 1. IDENTIFICATION

Product name SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco

OneMix CI Pod

Product code 000000000059100596

Other means of identification : MEmaco OneMix CI

Manufacturer or supplier's details

Company name of supplier Sika MBCC US LLC

Address 201 POLITO AVE

Lyndhurst NJ 07071

Emergency telephone ChemTel: +1-813-248-0585

Recommended use of the chemical and restrictions on use

Recommended use Product for construction chemicals

Restrictions on use Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids Category 2

Acute toxicity (Oral) Category 4

Eye irritation Category 2A

Carcinogenicity (Inhalation) Category 1A

Specific target organ toxicity

- repeated exposure (Inhala-

tion)

Specific target organ toxicity

- repeated exposure (Inhala-

tion)

Short-term (acute) aquatic

hazard

Category 2 (Kidney, Immune system)

Category 1 (Lungs)

Category 1

GHS label elements



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

Version Revision Date: SDS Number: Date of last issue: 02/24/2022 1.1 08/22/2022 960000012391 Date of first issue: 02/24/2022

Hazard pictograms









Signal Word : Danger

Hazard Statements : H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H319 Causes serious eye irritation. H350 May cause cancer by inhalation.

H372 Causes damage to organs (Lungs) through prolonged or

repeated exposure if inhaled.

H373 May cause damage to organs (Kidney, Immune system)

through prolonged or repeated exposure if inhaled.

H400 Very toxic to aquatic life.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

Version Revision Date: SDS Number: Date of last issue: 02/24/2022 1.1 08/22/2022 960000012391 Date of first issue: 02/24/2022

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 - < 70
sodium nitrite	7632-00-0	>= 30 - < 50
Titanium dioxide	13463-67-7	>= 1 - < 5
sodium nitrate	7631-99-4	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : First aid personnel should pay attention to their own safety.

Immediately remove contaminated clothing.

If inhaled : Keep patient calm, remove to fresh air.

If symptoms persist, seek medical advice.

In case of skin contact : After contact with skin, wash immediately with plenty of water

and soap.

Under no circumstances should organic solvent be used.

If irritation develops, seek medical attention.

In case of eye contact : Contact lenses should be removed. Hold eyelids open and

flush with copious amounts of clean, fresh water or a special

eyewash solution and seek medical advice.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water,

seek medical attention.

Do not induce vomiting unless told to by a poison control cen-

ter or doctor.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

Causes serious eye irritation.

May cause cancer by inhalation.

Causes damage to organs through prolonged or repeated

exposure if inhaled.

Prolonged or repeated inhalation of respirable crystalline silica

(quartz) may result in silicosis.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Foam

Water spray



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

Version SDS Number: Date of last issue: 02/24/2022 Revision Date: 1.1 08/22/2022 960000012391 Date of first issue: 02/24/2022

Dry powder

Carbon dioxide (CO2)

Unsuitable extinguishing

media

water jet

Hazardous combustion prod: :

ucts

fumes/smoke harmful vapours Carbon oxides

nitrogen oxides carbon black

Further information The degree of risk is governed by the burning substance and

the fire conditions.

If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not

allow to reach sewage or effluent systems.

Contaminated extinguishing water must be disposed of in

accordance with official regulations.

for fire-fighters

Special protective equipment : Wear a self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Do not inhale dusts.

Wear appropriate respiratory protection.

Wear eye/face protection.

Use personal protective clothing. Ensure adequate ventilation.

Environmental precautions Contain contaminated water/firefighting water.

Do not discharge into drains/surface waters/groundwater.

Methods and materials for

containment and cleaning up

Clean up promptly by scoop or vacuum.

Avoid dust formation.

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Do NOT breathe dust because it is hazardous to respiratory

system.

Avoid contact with skin and eyes. Ensure adequate ventilation.

No special measures necessary provided product is used

correctly.

Further information on stor-

age conditions

Keep only in the original container in a cool, dry, well-

ventilated place away from ignition sources, heat or flame.



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

Version Revision Date: SDS Number: Date of last issue: 02/24/2022 1.1 08/22/2022 960000012391 Date of first issue: 02/24/2022

Protect from direct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
		TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH

Engineering measures : Maintain air concentrations below occupational exposure

standards.

Personal protective equipment

Respiratory protection : Wear appropriate certified respirator when exposure limits

may be exceeded.

Use NIOSH approved respiratory protection.

Hand protection

Remarks : Chemical resistant protective gloves. Manufacturer's direc-

tions for use should be observed because of great diversity of

types.

Eye protection : Wear safety glasses with side shields or goggles.

Skin and body protection : Body protection must be chosen based on level of activity

and exposure.

Protective measures : Do not inhale dust/fumes/aerosols.

Avoid contact with the skin, eyes and clothing.



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

Version Revision Date: SDS Number: Date of last issue: 02/24/2022 1.1 08/22/2022 960000012391 Date of first issue: 02/24/2022

Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene

and safety practice.

Wearing of closed work clothing is recommended.

Hygiene measures : When using, do not eat, drink or smoke.

Hands and/or face should be washed before breaks and at

the end of the shift.

At the end of the shift the skin should be cleaned and skin-

care agents applied.

Gloves must be inspected regularly and prior to each use.

Replace if necessary (e.g. pinhole leaks).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : brown

Odor : earthy, mild

Odor Threshold : not determined

pH : 6 - 8 (68 °F / 20 °C)

(aqueous suspension)

Melting point : Not applicable

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (liquids) : The product is not flammable.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Bulk density : approx. 1,560 kg/m3 (68 $^{\circ}$ F / 20 $^{\circ}$ C)

Solubility(ies)



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/24/2022

 1.1
 08/22/2022
 960000012391
 Date of first issue: 02/24/2022

Water solubility : partly soluble (59 °F / 15 °C)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

not applicable for mixtures

Autoignition temperature : No data available

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is classified as oxidizing with the

category 2.

Sublimation point : No data available

Molecular weight : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity: No hazardous reactions if stored and handled as pre-

scribed/indicated.

May intensify fire; oxidizer.

Chemical stability : The product is stable if stored and handled as pre-

scribed/indicated.

Possibility of hazardous reac-

tions

The product is stable if stored and handled as pre-

scribed/indicated.

Conditions to avoid : See SDS section 7 - Handling and storage.

Incompatible materials : Strong acids and strong bases

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/24/2022

 1.1
 08/22/2022
 960000012391
 Date of first issue: 02/24/2022

Acute oral toxicity : Acute toxicity estimate: 307.33 mg/kg

Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer by inhalation.

IARC Group 1: Carcinogenic to humans

Quartz (SiO2) 14808-60-7

(Silica dust, crystalline)

Group 2A: Probably carcinogenic to humans

sodium nitrite 7632-00-0 (nitrite (ingested) under conditions that result in endogenous nitrosation)

Group 2A: Probably carcinogenic to humans

sodium nitrate 7631-99-4

(nitrate (ingested) under conditions that result in endogenous nitrosation)

Group 2B: Possibly carcinogenic to humans

Titanium dioxide 13463-67-7

OSHA

NTP Known to be human carcinogen

Quartz (SiO2) 14808-60-7

(Silica, Crystalline (Respirable Size))

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

Version Revision Date: SDS Number: Date of last issue: 02/24/2022 1.1 08/22/2022 960000012391 Date of first issue: 02/24/2022

Further information

Product:

Remarks : Health injuries are not known or expected under normal use.

The product has not been tested. The statements on toxicology have been derived from the properties of the individual

components.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Persistence and degradability

No data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available.

Discharge into the environment must be avoided.

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual

components.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with national, state and local regula-

tions.

Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Contaminated packaging should be emptied as far as possible

and disposed of in the same manner as the sub-

stance/product.



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

Version Revision Date: SDS Number: Date of last issue: 02/24/2022 1.1 08/22/2022 960000012391 Date of first issue: 02/24/2022

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1500

Proper shipping name : SODIUM NITRITE

Class : 5.1
Subsidiary risk : 6.1
Packing group : III
Labels : 5.1 (6.1)

IATA-DGR

UN/ID No. : UN 1500 Proper shipping name : Sodium nitrite

Class : 5.1
Subsidiary risk : 6.1
Packing group : III

Labels : Oxidizer, Toxic

Packing instruction (cargo : 563

aircraft)

Packing instruction (passen- : 559

ger aircraft)

IMDG-Code

UN number : UN 1500

Proper shipping name : SODIUM NITRITE

Class : 5.1
Subsidiary risk : 6.1
Packing group : III
Labels : 5.1 (6.1)
EmS Code : F-A, S-Q
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 1500 Proper shipping name : Sodium nitrite

Class : 5.1 Subsidiary risk : 6.1 Packing group : III

Labels : OXIDIZER, TOXIC

ERG Code : 141
Marine pollutant : yes
Remarks : MIXTURE



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

Version Revision Date: SDS Number: Date of last issue: 02/24/2022 1.1 08/22/2022 960000012391 Date of first issue: 02/24/2022

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ	
		(lbs)	(lbs)	
sodium nitrite	7632-00-0	100	307	

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

sodium nitrite 7632-00-0 >= 30 - < 50 %

US State Regulations

Pennsylvania Right To Know

 Quartz (SiO2)
 14808-60-7

 sodium nitrite
 7632-00-0

 Titanium dioxide
 13463-67-7

New Jersey Right To Know

 Quartz (SiO2)
 14808-60-7

 sodium nitrite
 7632-00-0

 Titanium dioxide
 13463-67-7

California Prop. 65

WARNING: This product can expose you to chemicals including Quartz (SiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

DSL : All components of this product are on the Canadian DSL

TSCA list

The following substance(s) is/are subject to a Significant New Use Rule: sodium nitrite 7632-00-0

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: sodium nitrite 7632-00-0

SECTION 16. OTHER INFORMATION

Further information



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

Version Revision Date: SDS Number: Date of last issue: 02/24/2022 1.1 08/22/2022 960000012391 Date of first issue: 02/24/2022

NFPA 704:

Health 2 0 Instability

Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International



SikaEmaco OneMix Corrosion Protect Pak Formerly MEmaco OneMix CI Pod

Version Revision Date: SDS Number: Date of last issue: 02/24/2022 1.1 08/22/2022 960000012391 Date of first issue: 02/24/2022

Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/22/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN