

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0      Revision Date: 04/16/2021      SDS Number: 000000940393      Date of last issue: -  
Date of first issue: 04/16/2021

---

### SECTION 1. IDENTIFICATION

Product name : Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red  
Product code : 000000000050107343

#### Manufacturer or supplier's details

Company name of supplier : Sika MBCC US LLC  
Address : 201 POLITO AVE  
Lyndhurst NJ 07071  
Emergency telephone : ChemTel: +1-813-248-0585

#### Recommended use of the chemical and restrictions on use

Recommended use : floor coating  
Restrictions on use : Reserved for industrial and professional use.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2  
Skin sensitization : Category 1  
Hazardous to the aquatic environment - acute hazard : Category 3  
Hazardous to the aquatic environment - chronic hazard : Category 3

#### GHS label elements

Hazard pictograms :



Signal Word : Warning  
Hazard Statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H402 Harmful to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.  
Precautionary Statements : **Prevention:**

---

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0      Revision Date: 04/16/2021      SDS Number: 00000940393      Date of last issue: -  
Date of first issue: 04/16/2021

P280 Wear protective gloves.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P273 Avoid release to the environment.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P264 Wash face, hands and any exposed skin thoroughly after handling.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : Blend based on:  
methacrylates  
acrylates

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Proprietary methacrylate monomer	Not Assigned	$\geq 30 - < 50$
Silicon dioxide	7631-86-9	$\geq 20 - < 30$
Kaolin	1332-58-7	$\geq 5 - < 10$
Trimethylolpropanformalacrylat	66492-51-1	$\geq 5 - < 10$
aliphatic urethane acrylate	82339-26-2	$\geq 5 - < 10$
Iron oxide	1309-37-1	$\geq 5 - < 10$
Trimethylolpropane trimethacrylate	3290-92-4	$\geq 1 - < 5$
Mica group minerals	12001-26-2	$\geq 1 - < 5$
Distillates (petroleum), hydrotreated middle	64742-46-7	$\geq 1 - < 5$
Paraffin waxes and Hydrocarbon waxes	8002-74-2	$\geq 1 - < 5$
Ethoxylated 4-methylaniline	103671-44-9	$\geq 0.1 - < 1$
Trimethylolpropane triacrylate	15625-89-5	$\geq 0.1 - < 1$

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0	Revision Date: 04/16/2021	SDS Number: 000000940393	Date of last issue: - Date of first issue: 04/16/2021
----------------	------------------------------	-----------------------------	--

- 
- |   |   |   |
|---|---|---|
| General advice  | : | First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.   |
| If inhaled  | : | Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.   |
| In case of skin contact                                     | : | After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention. |
| In case of eye contact                                      | : | Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.   |
| If swallowed  | : | Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.                 |
| Most important symptoms and effects, both acute and delayed | : | Causes skin irritation. May cause an allergic skin reaction.  |
| Notes to physician  | : | Treat according to symptoms (decontamination, vital functions), no known specific antidote.   |
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- |  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Foam<br>Water spray<br>Dry powder<br>Carbon dioxide (CO <sub>2</sub> )  |
| Unsuitable extinguishing media                 | : | water jet   |
| Hazardous combustion products                  | : | harmful vapours<br>nitrogen oxides<br>fumes/smoke<br>carbon black   |
| Further information                            | : | The degree of risk is governed by the burning substance and the fire conditions.<br>If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations. |
| Special protective equipment for fire-fighters | : | Wear a self-contained breathing apparatus.  |
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0      Revision Date: 04/16/2021      SDS Number: 00000940393      Date of last issue: -  
Date of first issue: 04/16/2021

- Personal precautions, protective equipment and emergency procedures : Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
Wear eye/face protection.  
Use personal protective clothing.  
Handle in accordance with good building materials hygiene and safety practice.
- Environmental precautions : Contain contaminated water/firefighting water.  
Do not discharge into drains/surface waters/groundwater.
- Methods and materials for containment and cleaning up : Pick up with suitable appliance and dispose of.  
Dispose of absorbed material in accordance with regulations.

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.
- Advice on safe handling : Avoid inhalation of dusts/mists/vapours.  
Avoid skin contact.  
Ensure adequate ventilation.  
No special measures necessary provided product is used correctly.
- Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.  
Protect from direct sunlight.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Silicon dioxide	7631-86-9	REL value	6 mg/m <sup>3</sup>	NIOSH
		TWA value	6 mg/m <sup>3</sup>	29 CFR 1910.1000 (Table Z-1-A)
		TWA value	20 millions of particles per cubic foot of air	29 CFR 1910.1000 (Table Z-3)
		TWA value	0.8 mg/m <sup>3</sup>	29 CFR 1910.1000 (Table Z-3)
		TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m <sup>3</sup> / %SiO <sub>2</sub> (Silica)	OSHA Z-3
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup> (Silica)	NIOSH REL

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0      Revision Date: 04/16/2021      SDS Number: 000000940393      Date of last issue: -  
 Date of first issue: 04/16/2021

		TWA	6 mg/m3 (Silica)	NIOSH REL
Kaolin	1332-58-7	TWA value (Respirable fraction)	2 mg/m3	ACGIHTLV
		REL value (Respirable)	5 mg/m3	NIOSH
		REL value (Total)	10 mg/m3	NIOSH
		PEL (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
Iron oxide	1309-37-1	TWA (Respirable particulate matter)	5 mg/m3	ACGIH
		TWA (dust and fume)	5 mg/m3 (Iron)	NIOSH REL
		TWA (Fumes)	10 mg/m3	OSHA Z-1
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Fumes)	10 mg/m3	OSHA P0
Trimethylolpropane trimethac-	3290-92-4	TWA	1 mg/m3	US WEEL

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0      Revision Date: 04/16/2021      SDS Number: 000000940393      Date of last issue: -  
Date of first issue: 04/16/2021

rylate				
Mica group minerals	12001-26-2	TWA value (Respirable fraction)	3 mg/m3	ACGIHTLV
		REL value (Respirable)	3 mg/m3	NIOSH
		TWA value (Respirable dust)	3 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA value	20 millions of particles per cubic foot of air	29 CFR 1910.1000 (Table Z-3)
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
		TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	3 mg/m3	NIOSH REL
		TWA (respirable dust fraction)	3 mg/m3	OSHA P0
Distillates (petroleum), hydrotreated middle	64742-46-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Paraffin waxes and Hydrocarbon waxes	8002-74-2	TWA value (fumes/smoke)	2 mg/m3	ACGIHTLV
		REL value (fumes/smoke)	2 mg/m3	NIOSH
		TWA value (fumes/smoke)	2 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA (Fumes)	2 mg/m3	ACGIH
		TWA (Fumes)	2 mg/m3	NIOSH REL
		TWA (Fumes)	2 mg/m3	OSHA P0
Trimethylolpropane triacrylate	15625-89-5	TWA	1 mg/m3	US WEEL

**Engineering measures** : Ensure adequate ventilation.

### Personal protective equipment

Respiratory protection : Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) respirator as necessary.

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0      Revision Date: 04/16/2021      SDS Number: 000000940393      Date of last issue: -  
Date of first issue: 04/16/2021

---

### Hand protection

Remarks : Chemical resistant protective gloves Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection : Safety glasses with side-shields

Skin and body protection : Body protection must be chosen based on level of activity and exposure.

Protective measures : Do not inhale dust/fumes/aerosols.  
Avoid contact with the skin, eyes and clothing.  
Avoid exposure - obtain special instructions before use.  
Handle in accordance with good building materials hygiene and safety practice.  
Wearing of closed work clothing is recommended.

Hygiene measures : When using, do not eat, drink or smoke.  
Hands and/or face should be washed before breaks and at the end of the shift.  
At the end of the shift the skin should be cleaned and skin-care agents applied.  
Gloves must be inspected regularly and prior to each use.  
Replace if necessary (e.g. pinhole leaks).

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : red

Odor : acrylic-like

Odor Threshold : not determined

pH : ca. 6

Melting point : not determined

Boiling point : No data available.

Flash point : 212 °F / 100 °C

Evaporation rate : not determined

Flammability (liquids) : The product is not flammable.

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0      Revision Date: 04/16/2021      SDS Number: 000000940393      Date of last issue: -  
Date of first issue: 04/16/2021

---

Self-ignition : not self-igniting

Upper explosion limit / Upper flammability limit : Not applicable

Lower explosion limit / Lower flammability limit : Not applicable

Vapor pressure : not determined

Relative vapor density : not determined

Relative density : No data available

Density : 1.430 g/cm<sup>3</sup> (68 °F / 20 °C)

Solubility(ies)

    Water solubility : not determined

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : not determined

Autoignition temperature : Not applicable

Decomposition temperature : Not applicable

Viscosity

    Viscosity, dynamic : 5,600 mPa.s  
    Method: N-114; Brookfield Viscosity

    Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : not fire-propagating

Sublimation point : No data available

Molecular weight : No data available

Metal corrosion rate : Corrosive effects to metal are not anticipated.

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability : The product is stable if stored and handled as prescribed/indicated.



# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0      Revision Date: 04/16/2021      SDS Number: 000000940393      Date of last issue: -  
Date of first issue: 04/16/2021

---

- Possibility of hazardous reactions : The product is stable if stored and handled as prescribed/indicated.
- Conditions to avoid : See SDS section 7 - Handling and storage.
- Incompatible materials : Strong acids  
Strong bases  
Strong oxidizing agents  
Strong reducing agents
- Hazardous decomposition products : No hazardous decomposition products if stored and handled as prescribed/indicated.
- 

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

##### Skin sensitization

May cause an allergic skin reaction.

##### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

<b>IARC</b>	Group 1: Carcinogenic to humans Silicon dioxide (Silica dust, crystalline)	7631-86-9
	Group 1: Carcinogenic to humans Kaolin (Silica dust, crystalline)	1332-58-7
	Group 2B: Possibly carcinogenic to humans Trimethylolpropane triacrylate	15625-89-5
<b>NTP</b>	Known to be human carcinogen Silicon dioxide (Silica, Crystalline (Respirable Size))	7631-86-9
	Known to be human carcinogen Kaolin (Silica, Crystalline (Respirable Size))	1332-58-7

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0      Revision Date: 04/16/2021      SDS Number: 00000940393      Date of last issue: -  
Date of first issue: 04/16/2021

---

### Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks : The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### Persistence and degradability

#### Components:

#### Proprietary methacrylate monomer:

Biodegradability : Remarks: According to the results of tests of biodegradability this product is not readily biodegradable.

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

---

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0      Revision Date: 04/16/2021      SDS Number: 000000940393      Date of last issue: -  
Date of first issue: 04/16/2021

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Observe national and local legal requirements. Disposal requirements are dependent on the hazard classification and will vary by location and the type of disposal selected. The use and processing of this product, or addition of other constituents, may cause it to be considered a hazardous waste. Residues should be disposed of in the same manner as the substance/product.
- Contaminated packaging : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned. Packs that cannot be cleaned should be disposed of in the same manner as the contents.
- 

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

Not regulated as a dangerous good

---

### SECTION 15. REGULATORY INFORMATION

#### US State Regulations

##### Pennsylvania Right To Know

Silicon dioxide	7631-86-9
Kaolin	1332-58-7
Iron oxide	1309-37-1
Mica group minerals	12001-26-2
Distillates (petroleum), hydrotreated middle	64742-46-7
Paraffin waxes and Hydrocarbon waxes	8002-74-2
n-Butyl acetate	123-86-4
butan-2-ol	78-92-2

---

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version 1.0      Revision Date: 04/16/2021      SDS Number: 000000940393      Date of last issue: -  
Date of first issue: 04/16/2021

Distillates (petroleum), hydrotreated light      64742-47-8  
toluene      108-88-3  
cyclohexane      110-82-7

### New Jersey Right To Know

Kaolin      1332-58-7  
Iron oxide      1309-37-1  
Mica group minerals      12001-26-2  
Paraffin waxes and Hydrocarbon waxes      8002-74-2

### California Prop. 65

WARNING: This product can expose you to chemicals including Silicon dioxide, which is/are known to the State of California to cause cancer, and toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The ingredients of this product are reported in the following inventories:


TSCA : All substances listed as active on the TSCA inventory

DSL : This product contains one or more components listed on the Canadian NDSL. All other components are on the Canadian DSL.

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH		
FLAMMABILITY		
PHYSICAL HAZARD		

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

29 CFR 1910.1000 (Table Z-1-A) : OSHA - Table Z-1-A (29 CFR 1910.1000)

29 CFR 1910.1000 (Table Z-1) : OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/16/2021	000000940393	Date of first issue: 04/16/2021

29 CFR 1910.1000 (Table Z-3) : OSHA Table Z-3 (Mineral Dusts) 29 CFR 1910.1000  
ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIHTLV : American Conference of Governmental Industrial Hygienists - threshold limit values (US)  
NIOSH : NIOSH Pocket Guide to Chemical Hazards (US)  
NIOSH REL : USA. NIOSH Recommended Exposure Limits  
OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000  
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts  
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)  
29 CFR 1910.1000 (Table Z-1-A) / TWA value : Time Weighted Average (TWA):  
29 CFR 1910.1000 (Table Z-1) / PEL : Permissible exposure limit  
29 CFR 1910.1000 (Table Z-3) / TWA value : Time Weighted Average (TWA):  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIHTLV / TWA value : Time Weighted Average (TWA):  
NIOSH / REL value : Recommended exposure limit (REL):  
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday  
OSHA P0 / TWA : 8-hour time weighted average  
OSHA Z-1 / TWA : 8-hour time weighted average  
OSHA Z-3 / TWA : 8-hour time weighted average  
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

# SAFETY DATA SHEET

## Sika Ucrete TCCS PTA red Formerly Ucrete TCCS PTA red



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/16/2021	000000940393	Date of first issue: 04/16/2021

---

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/16/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN