



SikaFast[®]-555 L10

FAST-CURING, FLEXIBILIZED, TWO-COMPONENT ACRYLATE-BASED
STRUCTURAL ADHESIVE

SikaFast[®]-555 L10 is designed for fast bonding and can replace mechanical fixations such as rivets, screws or welding. It is suitable for high strength fastening of concealed joints and exhibits excellent adhesion on different types of substrates including metals, plastics, glass, wood, etc.



ADVANTAGES

- Fast bonding processes
- Wide adhesion range
- Easy to use
- High strength and Impact resistance

TO LEARN MORE



**BUILDING TRUST
CONSTRUIRE LA CONFIANCE**



FACT SHEET

SikaFast®-555 L10

EXPERT ADVICE

The cartridge remains usable even after first use. Leave the static mixer on the cartridge. With a new application simply screw on a new mixer and the gluing process continue. This saves you time and material.


TECHNICAL DATA

| | |
|-----------------------|------------------|
| Chemical Base | Acrylate |
| Open time | 10 minutes |
| Elongation at Break | 200 % |
| Operating temperature | -40 °C to +80 °C |



TYPICAL APPLICATION

- Mechanical engineering
- Domestic appliances
- Furniture and furnishings
- Windows and doors
- Bus, rail and commercial vehicle construction
- Automotive and vehicle industries
- Boat and ship building
- Billboards and traffic management systems



PACKAGING

490 mL dual cartridge

COLOUR

Grey

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request or may be downloaded from our website at: www.sika.ca.

Sika Canada Inc.
Head Office
601, avenue Delmar
Pointe-Claire, Quebec
H9R 4A9

Other locations
Boisbriand (QC)
Brantford; Cambridge;
Sudbury; Toronto (ON)
Edmonton (AB) Surrey (BC)

1-800-933-SIKA
www.sika.ca

© Sika Canada Inc. / 05.2026

BUILDING TRUST
CONSTRUIRE LA CONFIANCE

