

**SECTION I: PRODUCT INFORMATION**PRODUCT: **SIKA® P-300N**REVISION DATE: February 1st, 2012

USAGE:

MANUFACTURER/SUPPLIER: SIKA CANADA INC.
601, avenue Delmar
Pointe Claire, QC
H9R 4A9

EMERGENCY TELEPHONE NUMBER: CANUTEC (collect) (613) 996-6666

TDG CLASSIFICATION: Not Regulated

WHMIS Classification : Not Controlled

UN NUMBER: Not Established

Class: Not Applicable

Packaging Group: Not Applicable

SECTION II: HAZARDOUS INGREDIENTS

Hazardous ingredients	%	T.L.V.	# CAS	LD ₅₀ (mg/kg) (species, route)	LC ₅₀ (species, route)
None					

SECTION III: PHYSICAL CHARACTERISTICS

Physical State:	Powder (Solid)	Boiling Point:	Not Applicable
Appearance and Odor:	Beige to brown with slight odor	Freezing Point:	Not Applicable
Odor Threshold:	Not Established	Density:	Not Established
Evaporation Rate:	Not Applicable	Water Solubility:	Yes
Vapor Density:	Not Applicable	pH:	7.0-10.5 (water solution)
Vapor Pressure:	Not Applicable	% volatility:	5-10% (w/w) (water)
		Water/Oil Distribution:	Not Applicable



PRODUCT: SIKA® P-300N

SECTION IV: FIRE AND EXPLOSION HAZARDS

Flammability:	No	TDG flammability Class:	Not Regulated
If Yes, under what conditions:		Flammable upper limits (% vol.):	Not Established
		Flammable lower limits (% vol.):	Not Established
		Flash Point (method used):	Not Applicable
Extinguishing methods:	Foam, dry chemical product, CO ₂ , water hose.	Auto-ignition temperature:	Not Applicable
		Dangerous Combustion Products:	Carbon Oxides and Sulfur Oxides.
Special Methods:	Firefighters must wear their usual protection equipment and respiratory equipment.	Protect from mechanical impact:	No
		Protect from static discharge:	No

SECTION V: REACTIVITY DATA

Chemical stability:	Yes	Dangerous decomposition products:	None under normal conditions of storage and use.
If not, under what conditions:			
Incompatibility with other material:	Yes		
If Yes, which ones:	Strong oxidizing agents.	Polymerization Risks:	will not occur



PRODUCT: **SIKA® P-300N**

SECTION VI: TOXIC PROPERTIES

ROUTE OF ENTRY / CONTACT

Eyes: Mildly irritating (contact).

Skin: May be a slight sensitizer.

Inhalation: Mild irritant.

Ingestion: Mild irritant.

Carcinogenicity: Not Established

Toxic effects on reproduction: Not Established

Teratogenicity: Not Established

Mutagenicity: Not Established

Product with synergistic effects: Not Established

An acute or chronic exposure will increase the toxic effects mentioned in this section and may aggravate respiratory problems.



PRODUCT: SIKA® P-300N

SECTION VII: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

Gloves: Natural rubber, neoprene or polyethylene gloves.

Respiratory equipment: Avoid areas of poor ventilation. Use dust mask.

Eyes: Safety glasses. Do not wear contact lenses.

Shoes: Ordinary

Clothing: Ordinary

Other: No

OTHERS

Ventilation: Sufficient ventilation required.

Procedure in case of leaks: Absorb with sand and other absorbent material.

Handling and Equipment methods: Avoid skin, eye and clothing contact.

Warehouse Requirements: Keep all containers closed in a cool, dry area.

Special Shipping Instructions: See TDG

Waste Disposal: Dispose of sand and water according to municipal, provincial and federal laws on chemical waste.



PRODUCT: SIKA® P-300N

SECTION VIII: FIRST AID

Skin: Remove and clean all contaminated clothing. Wash with plenty of soap and water, for at least 10 minutes. Consult a physician if required.

Eyes: Rinse immediately with luke warm water, while holding eyelids open, for at least 20 minutes. Consult a physician if an irritation persists.

Inhalation: In the case of overexposure, evacuate to fresh air. Consult a physician if required.

Ingestion: Drink plenty of water. Do not induce vomiting. Do not give anything by mouth to an unconscious person. See a physician immediately.

SECTION IX: PREPARATION INFORMATION

Prepared By: The Laboratory, Research and Development Department of Sika Canada Inc.
Telephone #: (514) 697-2610
Fax #: (514) 694-2792

Notice To Reader

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section IX of this MSDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.