



SECTION I: PRODUCT INFORMATION

PRODUCT: Sikagard® High Gloss Sealer REVISION DATE: February 1<sup>st</sup>, 2015

USAGE: Acrylic sealer, water based and with low VOC content

SUPPLIER: SIKA CANADA INC.
601, avenue Delmar
Pointe Claire, QC
H9R 4A9

EMERGENCY TELEPHONE NUMBER: CANUTEC (collect) (613) 996-6666

TDG CLASSIFICATION: Not Regulated WHMIS Classification: D2B
UN NUMBER: Not Applicable Class: Not Applicable
Packaging Group: Not Applicable

SECTION II: HAZARDOUS INGREDIENTS

Table with 6 columns: Hazardous ingredients, %, T.L.V., # CAS, LD50(mg/kg) (species, route), LC50 (species, route). Row 1: NONE on the IDL. Remaining rows are empty.

SECTION III: PHYSICAL CHARACTERISTICS

Physical State: Liquid
Appearance and Odor: White liquid, with a characteristic odor
Odor Threshold: Not available
Evaporation Rate: Not available
Vapor Density: Not available
Vapor Pressure: Not available

Boiling Point: Not available
Freezing Point: Not available
Density: ~ 1 g/ml
Water Solubility: Yes
pH: 8.5
% volatility: Not available
Water/Oil Distribution: Not available



PRODUCT: Sikagard® High Gloss Sealer

SECTION IV: FIRE AND EXPLOSION HAZARDS

Flammability:	No.	TDG Flammability Class:	Not regulated
If Yes, under what conditions:		Flammable upper limits (% vol.):	Not applicable
		Flammable lower limits (% vol.):	Not applicable
		Flash Point (method used):	> 104°C
Extinguishing methods:	Carbon dioxide, water fog, foam or dry chemical.	Auto-ignition temperature:	Not applicable
		Dangerous Combustion Products:	Carbon oxides
Special Methods:	Firefighters should wear full protective clothing including self-contained breathing apparatus since toxic gases are emitted. Cool fire-exposed containers with water or water fog.	Protect from mechanical impact:	No
		Protect from static discharge:	No

SECTION V: REACTIVITY DATA

Chemical stability:	Yes	Dangerous decomposition products:	No specific data
If not, under what conditions		Polymerization Risks:	Will not occur.
Incompatibility with other material:	Yes		
If Yes, which ones:	No specific data.		



PRODUCT: **Sikagard<sup>®</sup> High Gloss Sealer**

**SECTION VI: TOXIC PROPERTIES**

ROUTE OF ENTRY / CONTACT

Eyes: May cause eye irritations.

Skin: May be irritating to the skin.

Inhalation: May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed.

Carcinogenicity: Not established

Toxic effects on reproduction: Not established

Teratogenicity: Not established

Mutagenicity: Not established

Product with synergistic effects: Not established

An acute or chronic exposure will increase the toxic effects mentioned in this section and may aggravate respiratory problems.



PRODUCT: Sikagard® High Gloss Sealer

SECTION VII: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

Gloves: Chemical products resistant gloves.

Respiratory equipment: Not necessary.

Eyes: Safety glasses

Shoes: Ordinary

Clothing: Rubber Apron

Other: No

OTHERS

Ventilation: Sufficient ventilation required.

Procedure in case of leaks: Absorb with sand and other absorbent material.

Handling and Equipment methods: Avoid skin, eye and clothing contact.

Warehouse Requirements: Keep all containers closed in a cool, dry area. Protect from freezing.

Special Shipping Instructions: Protect from freezing.

Waste Disposal: Dispose of sand and water according to municipal, provincial and federal laws on chemical waste.



PRODUCT: **Sikagard® High Gloss Sealer**

#### SECTION VIII: FIRST AID

**Skin:** Remove and clean all contaminated clothing.  
Wash with plenty of soap and water the exposed areas.  
Consult a physician if necessary.

**Eyes:** Clean with water for at least 15 minutes.  
Consult a physician if necessary.

**Inhalation:** In the case of overexposure, evacuate to fresh air.  
Consult a physician if needed.

**Ingestion:** Do not induce vomiting. Drink plenty of water.  
Do not give anything by mouth to an unconscious person.  
Consult a physician,

#### SECTION IX: PREPARATION INFORMATION

Prepared By: R & D of Sika Canada Inc.  
Telephone #: (514) 697-2610  
Fax #: (514) 694-2792

#### **Notice To Reader**

*The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section IX of this MSDS.*

**SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.**

*All sales of Sika products are subject to its current terms and conditions of sale available at [www.sika.ca](http://www.sika.ca) or 514-697-2610.*

AQ 191 A

Date: 2012/02/01

App: S.G.