according to the Hazardous Products Regulations



# **FS FINETEX TB DARK**

Version 2.0	Revision Date: 04/17/2024	-	DS Number: 00000260632	Date of last issue: 10/22/2020 Date of first issue: 10/22/2020				
SECTIO	SECTION 1. IDENTIFICATION							
Pro	Product name		FS FINETEX TB DARK					
Pro	oduct code	:	00000000005000	0000000050002451				
Ot	Other means of identification		No data available					
Ма	inufacturer or supplier's	deta	ails					
Co	Company name of supplier		Sika MBCC Canada, Inc.					
Ad	Address		601 DELMAR AVE Pointe-Claire QC H9R 4A9					
En	Emergency telephone		ChemTel: +1-813-248-0585;					
Recommended use of the chemical and restrictions on use								
Re	commended use	:	Coating					
Re	strictions on use	:	Reserved for indu	strial and professional use.				

## SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations Carcinogenicity (Inhalation) : Category 1A						
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)				
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)				
GHS label elements Hazard pictograms	:					
Signal Word	:	Danger				
Hazard Statements	:	H350 May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.				

according to the Hazardous Products Regulations



# **FS FINETEX TB DARK**

Version 2.0	Revision Date: 04/17/2024	SDS Number: 000000260632	Date of last issue: 10/22/2020 Date of first issue: 10/22/2020		
Preca	utionary Statements : Prevention: P201 Obtain sp P202 Do not ha and understood P260 Do not br P264 Wash ski P270 Do not ea P280 Wear pro face protection.		ecial instructions before use. ndle until all safety precautions have been read eathe mist or vapors. In thoroughly after handling. It, drink or smoke when using this product. ective gloves/ protective clothing/ eye protection/		
		•	<b>Response:</b> P308 + P313 IF exposed or concerned: Get medical advice/ attention.		
		<b>Storage:</b> P405 Store lock	ed up.		
		<b>Disposal:</b> P501 Dispose o posal plant.	f contents/ container to an approved waste dis-		
Other	hazards				

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
crystalline silica	Quartz (SiO2)	14808-60-7	>= 50 - < 70
Titanium dioxide	C.I. Pigment White 6	13463-67-7	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice If inhaled		First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing. If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. Remove contact lenses, if present.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water,

according to the Hazardous Products Regulations



# **FS FINETEX TB DARK**

Version 2.0	Revision Date: 04/17/2024	SDS Number: 000000260632	Date of last issue: 10/22/2020 Date of first issue: 10/22/2020
		seek medical Do NOT indu	
	important symptoms effects, both acute and red	Causes dama exposure if in Prolonged or	ancer by inhalation. age to organs through prolonged or repeated haled. repeated inhalation of respirable crystalline silica result in silicosis.
Notes	s to physician	: Treat sympto	matically.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Specific hazards during fire fighting	:	See SDS section 10 - Stability and reactivity.
Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides
Further information	:	The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.
Special protective equipment for fire-fighters	:	Wear a self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immedi- ately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water.

according to the Hazardous Products Regulations



# **FS FINETEX TB DARK**

Ver 2.0	sion	Revision Date: 04/17/2024		0S Number: 0000260632	Date of last issue: 10/22/2020 Date of first issue: 10/22/2020			
				Do not discharge	into drains/surface waters/groundwater.			
	containment and cleaning up put Pic Sp			pumping) for disper Pick up with inert Spilled product sh	Large spills should be collected mechanically (remove by pumping) for disposal. Pick up with inert absorbent material (e.g. sand, earth etc.). Spilled product should be disposed in accordance with all applicable government regulations.			
SEC	CTION 7	. HANDLING AND ST	OR/	AGE				
		on protection against explosion	:	Normal measures	for preventive fire protection.			
	Advice	on safe handling	:	Avoid aerosol form Avoid inhalation o Avoid skin contact Avoid contact with	f mists/vapours.			
	Conditi	ons for safe storage	:		riginal container in a cool, dry, well- way from ignition sources, heat or flame. t sunlight.			
	Further age sta	information on stor- bility	:	PROTECT FROM (BELOW 40°F / 5	FREEZING DURING THE COLD-SEASON C ).			

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
crystalline silica	14808-60-7	TWA (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OEL
		TWA (Res- pirable frac- tion)	0.1 mg/m3	CA ON OEL
		TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL
		TWA (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH

**Engineering measures** : Ensure adequate ventilation.

### Personal protective equipment

according to the Hazardous Products Regulations



# **FS FINETEX TB DARK**

Version 2.0	Revision Date: 04/17/2024	SDS Number: 000000260632	Date of last issue: 10/22/2020 Date of first issue: 10/22/2020			
Resp	iratory protection	may be exce	priate certified respirator when exposure limits eeded. approved respiratory protection.			
Hand	I protection					
R	emarks	directions fo	Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.			
Eye ı	protection	: Wear safety	glasses with side shields or goggles.			
Skin	and body protection	possible exp	Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.			
Prote	ective measures	Avoid contac Avoid expos Handle in ac and safety p	Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.			
Hygie	ene measures	Hands and/o the end of th At the end o care agents Remove cor re-use or dis Gloves mus	f the shift the skin should be cleaned and skin-			

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Color	:	white to light beige
Odor	:	acrylic-like
Odor Threshold	:	not determined
рН	:	9 - 10 (23 °C)
Melting point/freezing point	:	No data available
Boiling point	:	No data available

according to the Hazardous Products Regulations



# **FS FINETEX TB DARK**

Vers 2.0	ion	Revision Date: 04/17/2024		S Number: 0000260632	Date of last issue: 10/22/2020 Date of first issue: 10/22/2020		
	Flash point		: A flash point determination is unnecessary due to the high water content.				
	Evapora	ation rate	:	No data available	9		
	Flamma	ability (liquids)	:	Not classified as	a flammability hazard		
Upper explosion limit / Uppe flammability limit			:	No data available			
		explosion limit / Lower bility limit	:	No data available			
	Vapor p	pressure	:	No data available	)		
	Relative	e vapor density	:	Heavier than air.			
	Relative	e density	:	No data available	)		
	Density	,	:	1.94 g/cm3 (23 °(	C)		
	Bulk de	ensity	:	Not applicable			
	Solubili Wat	ty(ies) er solubility	:	partly miscible			
	Solu	bility in other solvents	:	No data available	)		
	Partition octanol	n coefficient: n- /water	:	Not applicable			
	Autoign	ition temperature	:	not determined			
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-		
	Viscosi Visc	ty osity, dynamic	:	No data available	9		
	Visc	osity, kinematic	:	No data available	)		
	Explosi	ve properties	:	Not explosive			
	Oxidizir	ng properties	:	Not an oxidizer.			
	Sublima	ation point	:	No data available	9		
	Molecu	lar weight	:	Not applicable			

according to the Hazardous Products Regulations



# **FS FINETEX TB DARK**

Versior 2.0	n Revision Date: 04/17/2024		S Number: 0000260632	Date of last issue: 10/22/2020 Date of first issue: 10/22/2020				
SECTI	SECTION 10. STABILITY AND REACTIVITY							
Re	Reactivity		No hazardous reactions if stored and handled as pre- scribed/indicated.					
Cł	Chemical stability		The product is stable if stored and handled as pre- scribed/indicated.					
	Possibility of hazardous reac- tions		The product is stable if stored and handled as pre- scribed/indicated.					
Co	Conditions to avoid		See SDS section 7 - Handling and storage.					
Ind	Incompatible materials		Strong acids Strong bases Strong oxidizing agents Strong reducing agents					
Hazardous decomposition products		:	No hazardous decomposition products if stored and handled as prescribed/indicated.					

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Not classified due to lack of data.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified due to lack of data.

#### **Respiratory sensitization**

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

### Carcinogenicity

May cause car	ncer by inhalation.		
IARC	IARC Group 1: Carcinogenic to humans crystalline silica 14 (Silica dust, crystalline)		
	Group 2B: Possibly carcinogenic to humans Titanium dioxide	13463-67-7	

according to the Hazardous Products Regulations



# FS FINETEX TB DARK

Version	Revision Date:	SDS Number:	Date of last issue: 10/22/2020
2.0	04/17/2024	00000260632	Date of first issue: 10/22/2020

### Reproductive toxicity

Not classified due to lack of data.

#### STOT-single exposure

Not classified due to lack of data.

#### STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

### Aspiration toxicity

Not classified due to lack of data.

### Further information

### Product:

Remarks

: Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity	
Product:	
Ecotoxicology Assessment Acute aquatic toxicity :	This product has no known ecotoxicological effects.
Chronic aquatic toxicity :	This product has no known ecotoxicological effects.
<b>Persistence and degradability</b> No data available	
Bioaccumulative potential No data available	
<b>Mobility in soil</b> No data available	
Other adverse effects	
Product: Additional ecological infor- : mation	Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxi- cology have been derived from the properties of the individual components.

according to the Hazardous Products Regulations



# **FS FINETEX TB DARK**

Version 2.0	Revision Date: 04/17/2024	SDS Number: 000000260632	Date of last issue: 10/22/2020 Date of first issue: 10/22/2020					
SECTION 13. DISPOSAL CONSIDERATIONS								

Disposal methods		
Waste from residues	tions Do r cal c	oose of in accordance with national, state and local regula- s. not contaminate ponds, waterways or ditches with chemi- or used container. not discharge into drains/surface waters/groundwater.
Contaminated packaging	and	taminated packaging should be emptied as far as possible disposed of in the same manner as the sub- ce/product.

### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

TDG

Not regulated as a dangerous good

### SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:				
TSCA	:	All substances listed as active on the TSCA inventory		
DSL	:	All components of this product are on the Canadian DSL		

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table
	2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA ON OEL	: Ontario Table of Occupational Exposure Limits made under
	the Occupational Health and Safety Act.

according to the Hazardous Products Regulations



## FS FINETEX TB DARK

Version 2.0	Revision Date: 04/17/2024	SDS Number: 000000260632	Date of last issue: 10/22/2020 Date of first issue: 10/22/2020			
CA QC OEL		ty, Schedule	<ul> <li>Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants</li> </ul>			
ACGIH / TWA		: 8-hour, time-weighted average				
CA AB OEL / TWA		: 8-hour Occu	: 8-hour Occupational exposure limit			
CA BC OEL / TWA		: 8-hour time	8-hour time weighted average			
CA ON OEL / TWA		: Time-Weigh	Time-Weighted Average Limit (TWA)			
CA Q	C OEL / TWAEV	: Time-weight	ed average exposure value			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	04/17/2024
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.