



REFURBISHMENT STRUCTURAL STRENGTHENING WITH SIKA SYSTEMS

**BUILDING TRUST
CONSTRUIRE LA CONFIANCE**





COMPETENCE YOU CAN TRUST

Sika provides you with a depth of knowledge from our 'state-of-the art' technical expertise and global practical experience to produce virtually tailor-made solutions for the repair, refurbishment and improvement by strengthening of your existing buildings and civil engineering structures. This includes fully compatible products and integrated systems to suit almost every project and site requirement. Sika customer advice and support is second to none, from concept, through design and detailing, to practical installation and successful completion on site. This is all based on more than 100 years of experience on large and small projects all over the world.

CONTENT

04	Extending Functional Service Life
06	Overview of Sika Structural Strengthening Systems
10	Sika CarboDur® System
13	Sika CarboStress® System
14	Sika CarboShear System
16	SikaWrap® Fabric Strengthening System

EXTENDING FUNCTIONAL SERVICE LIFE

THE USE OF A BUILDING OR CIVIL ENGINEERING STRUCTURE may change throughout the course of its service life, as for example its whole function can change, loads can increase and/or higher building standards are required and the structure must be made compliant. Sika provides fully comprehensive solutions with complete systems for all kinds of structural strengthening and improvement. Whether increasing the bending, shear or impact resistance, tested and proven Sika systems are available for use on reinforced concrete, steel, wood and masonry load-bearing structures.

TYPICAL APPLICATION



COLUMN STRENGTHENING



BEAM STRENGTHENING



PRE-STRESSED STRENGTHENING



SEISMIC UPGRADING /EARTHQUAKE DAMAGE REPAIR



INCREASING IMPACT RESISTANCE



CRACK PREVENTION/REDUCTION

PROVEN PERFORMANCE AND DURABILITY

Sika Structural Strengthening Systems have been tested extensively internally and externally, under many different conditions to ensure their long-term performance in different environments for:

- Long-term fatigue
- Artificial ageing
- Exposure in alkaline environments
- Installation under dynamic load

Worldwide success with the completion of countless individual large and small projects over the last decades demonstrates the performance, reliability and durability of Sika Strengthening Systems. This is quality you can trust.

SIKA FOR EXCELLENCE IN STRUCTURAL STRENGTHENING


Sika brings sustained added value to building and civil engineering structure owners, their consultants and contactors. Sika provides technical assistance through every step of the project, from condition survey and developing the initial strengthening concept through to the successful completion and handover of your project.

SIKA - YOUR PARTNER ON SITE



- Global market leader in building and construction chemicals
- Highest technical expertise and practical experience in concrete refurbishment and structural strengthening
- Excellent reputation with leading contractors and authorities

SIKA VALUE ENGINEERING AND INNOVATIONS



- High performance integrated products and systems that can boost and improve the capacity, efficiency, durability and aesthetics of buildings and other structures - to the benefit of our customers and a more sustainable development
- Sika trained and experienced specialist contractor networks

UNIQUE SIKA SOLUTIONS FOR SPECIAL CONDITIONS




- Solutions for almost all different application requirements
- Controlled working, curing and hardening times for different climatic conditions
- Special end-anchorage solutions for use in lower strength concrete and other substrates

PROVEN SIKA SYSTEMS AND APPLICATION TECHNIQUES



- Over 40 years of experience with structural bonding and strengthening systems and techniques
- Products and systems with extensive internal and external testing and assessment
- Highest international standards of production and quality control

OVERVIEW OF SIKA STRUCTURAL STRENGTHENING SYSTEMS




1
Sika CarboDur®
System

2
Sika CarboStress®
System

3
Sika CarboShear
System

4
SikaWrap® Fabric Strengthening
System



4

4


1

4

4

1

4



1

Sika CarboDur® System

2

Sika CarboStress® System

3

Sika CarboShear System

4

SikaWrap® Fabric Strengthening System

1

3

4

4



2

3

4

4

Sika CarboDur® SYSTEM

More than 20 years' experience with installations all over the world

THE SIKA CARBODUR® SYSTEM is one of the most established and well-proven, carbon-fibre-reinforced polymer (CFRP) based structural strengthening solutions worldwide. It consists of Sika CarboDur® CFRP plates and rods, plus the structural epoxy resin based adhesives Sikadur®-30 and Sikadur®-30 LP. This simple and reliable, high performance system is easy to apply and provides outstanding long-term durability in service.

Proven Long Term Solutions	■ Extensive use and monitoring in numerous different applications for more than 20 years
Fast Installation = Minimal Down Time	■ No additional plate preparation work and one product for surface filling, priming and bonding
(In)-Visible Strengthening	■ External surface and near surface mounted applications (NSM) ■ Additional overcoating or mortar cover possible
Whole System = One Supplier	■ Including matrix resin of the plates, the bonding adhesive and the protective coatings where required

Sika CarboDur®

For externally bonded and near surface mounted (NSM) flexural strengthening of concrete, steel, timber, masonry and glass fiber structures.

Sika CarboDur® plates and rods are carbon fibre reinforced polymers produced by a pultrusion process to have precisely defined properties and performance; all in accordance with tight

specifications and quality control procedures. The materials are widely used for the flexural strengthening of dynamic and statically loaded buildings and other structures including bridges, beams, ceilings and walls, for both negative and positive moments.

FLEXURAL STRENGTHENING:



Positive moments

- Park decks
- Buildings
- Bridges



Negative moments

- Bridge decks
- Flat roofs
- Curved substrates



See how Sika CarboDur® FRP plates strengthen a simple concrete beam to carry much higher loads.

Video on YouTube

Not all products are available in Canada.

NEAR SURFACE MOUNTED (NSM) APPLICATION

The embedding of Sika CarboDur® pultruded rods or plates into concrete, timber or masonry substrates has many advantages:

- Superior end anchorage
- No extra protection necessary as embedded
- No aesthetic impact
- Installation in weak or cracked substrates is possible
- Application is possible on flat and curved substrates
- Available as different profiles (rectangular or round) and dimensions to suit

HIGH STRENGTH END ANCHORAGE

When Sika CarboDur® plate ends are prepared with a 'scratch coat' of Sikadur adhesive and embedded into the same slab or a perpendicular slab or column, up to 100% of the plate strength can be anchored into the substrate. The plate ends are also secured and any damage or peel-off anchorage failure is avoided. This unique anchoring system for Sika CarboDur® CFRP plates has been tested extensively by independent external test institutes and is also the same system that is used for the anchorage of CarboShear profiles.



PROVEN DURABILITY

Sika Strengthening Systems have been tested for durability under many demanding conditions to ensure long-term performance in different applications and environments:

Long-term creep test: A concrete beam, strengthened with a steel plate applied with Sikadur® adhesive was loaded to 80% of the expected failure load back in 1971 and maintained ever since. The deflection has been stable for the past 40+ years with a very small amount of creep. This test is ongoing and conducted by an independent institute.

Artificial ageing: Samples of Sika CarboDur® and SikaWrap® were exposed to artificial ageing for 500 days. The test results before and after this exposure showed no changes or deterioration in the tensile, pull-off and lap shear strengths of the installed systems.

Exposure in an alkaline environment: Coated and uncoated Sika CarboDur® plates were fully immersed in a highly alkaline solution. The strength of the coated samples decreased 10 % after the first 90 days, and leveled out at a total strength loss of 14% after one year of exposure. While the results are hard to translate and interpret for real life environmental conditions, the positive result makes a strong argument for the durability of these Sika Strengthening Systems in alkaline environments.

Installation under oscillating dynamic load: Sika CarboDur® plates can be installed under oscillating dynamic load with no decrease in the strengthening capacity of the system (extensively tested by an independent external institute).

Sikadur[®]-30 AND -30 LP EPOXY RESIN ADHESIVES

More than 50 years of practical experience on demanding projects with Sikadur[®] adhesives

THE UNIQUE COMBINATION of excellent adhesion to many different substrates as well as to the Sika CarboDur[®] CFRP plates, plus high stiffness and low creep makes Sikadur[®]-30 and -30 LP adhesives the ideal materials for secure application of the strengthening system.

All-in-one Product

- Serves as the primer, levelling mortar, putty and adhesive
- Fast and cost effective application

Extensively tested

- Fully in accordance with the requirements of EN 1504-4 and FIP
 - Full system testing at independent Universities and institutes
 - Additional extensive in-house testing under extreme conditions
-

Sikadur[®]-30 LP also has two additional important advantages:

Extended pot-life and open time

- Suitable for application at ambient temperatures up to 55 °C

Higher maximum service temperature

- When cured at elevated temperatures
-

Sika CarboHeater

Rapid curing device: Allows up to 50 times faster curing of Sikadur[®]-30 and -30 LP

This innovative and patented device that is exclusive to Sika was specially designed for:

Rapid Installation

- Minimal area disturbance
- Minimal down time

Application in cold conditions

- Precisely controlled adhesive curing

Installations with higher service temperatures

- Maximum service temperature up to + 80 °C (only with Sikadur[®]-30 LP)
 - Ideal for structures in hot climates with direct sunlight
 - Ideal for hot environments in production and process facilities or power stations etc.
-

Not all products are available in Canada.

Sika CarboStress[®] SYSTEM

Post-tensioned strengthening

ACTIVE STRENGTHENING OF STRUCTURES as a replacement for damaged steel prestressing cables, seismic retrofitting, or for installation on cracked concrete surfaces.

The concept of post tensioning: a force is applied to create permanent stress in a structure, so it can withstand the working load more effectively, or with less total deflection. In conventional post tensioning, the load is applied through steel tendons within the concrete structure. With the Sika CarboStress[®] system, the advantages of the Sika CarboDur[®] CFRP plates and regular post tensioning are combined to form a unique external active strengthening solution.

The Sika CarboStress[®] system has an excellent track record with considerable experience from more than 400 major strengthening projects that have been successfully completed all around the world. This system has been used to increase the service load capacity, strengthen and reinforce many different structures including bridges, industrial facilities and high-rise buildings.



Fast and flexible Installation

- Minimal breakout required
- Tendon assembly on-site

Thin tendons

- Cross-over installations are possible

Very lightweight tendons

- Ideal for difficult access sites and structures

Standardized and tailor-made system solutions

- Alternative anchoring solutions
 - Suitable for different tendon lengths and substrates
-



Sika CarboShear SYSTEM

L-shaped CFRP profiles for simple shear strengthening

A UNIQUE SIKA SOLUTION for external shear strengthening of T-beams. The shear capacity of reinforced concrete-beams can be significantly increased by externally applied Sika CFRP strengthening systems. The ideal solution is the unique Sika CarboShear L-shaped CFRP profiles, which are bonded onto the beam and anchored into the top slab, with the Sikadur®-30 and -30 LP structural epoxy resin based adhesives – Simple, but highly effective and efficient shear strengthening.

Sika CarboShear L-shaped profile

- Easy and fast installation
- Pre-prepared end section to provide excellent anchorage
- Low thickness, easy to overcoat
- Available in four dimensions
- The length of both legs can easily be adjusted
- No drilling through the top slab is required



Strengthened T-beam

- Sika CarboDur® plate system for flexural strengthening
- Sika CarboShear L-Profiles for shear strengthening
- Anchorage of Sika CarboShear profile legs in the top slab
- Overlapping with Sika CarboShear links for improved end anchorage of the Sika® CarboDur® plates



Since the end anchorage section of the Sika CarboShear L-Profile is pre-prepared on site, any leg length is possible. With the different Sika CarboShear L-Profile sizes available, structural beams of up to 140 cm in height and 140 cm width can be strengthened.

Not all products are available in Canada.

INSTALLATION OF Sika CarboShear L-Profiles

Sika CarboShear L-Profiles are mostly used as an alternative to a fully CFRP fabric wrapped beam configuration for shear strengthening. They are installed on rectangular T-beams and anchored in the top slab, without the need to cut all the way

through the slab. The overlap under the beam connects the profiles to form a U-shaped strengthening system, similar to a traditional reinforcing stirrup. This configuration provides a highly effective shear strengthening solution.



Scratch coat with Sikadur®-30 adhesive

- Pre-prepared on site and fully cured before installation
- Effective anchoring of the full CFRP profile strength



Anchoring holes

- Cut into the top slab where required and to avoid main reinforcement by core drilling or special saws



Grafton Bridge, Auckland, New Zealand

SikaWrap® FABRIC STRENGTHENING SYSTEM

For structural column confinement, strengthening of weaker concrete, masonry, natural stone and timber structures

THE SikaWrap® FABRIC STRENGTHENING SYSTEM is comprised of unidirectional, carbon or glass fibre fabrics and Sikadur® structural epoxy resin based, impregnating resins. These unique combinations provide a wide range of strengthening and upgrading solutions to meet the many varied demands of different projects and applications.


SikaWrap® Fabric Strengthening Systems deliver proven outstanding performance for:

Strengthening irregularly shaped structures and substrates

Note: Using a single layer of heavyweight fabric can sometimes be stronger and more cost effective than several layers of the standard lightweight fabrics



Carbon Fibre Fabric: SikaWrap® C
Active Strengthening: for constant or high loadings



Glass Fibre Fabric: SikaWrap® G
Passive Strengthening: for temporary loading and seismic event protection



SikaWrap® fabrics also including:
Aramid Fibre Fabrics, Special Bidirectional and Quadraxial Fabrics

TYPICAL STRUCTURAL APPLICATIONS

CONFINEMENT

- For structural members in compression
- To enhance load carrying capacity or ductility
- Multi-layer applications are possible



SHEAR STRENGTHENING

- Non-rectangular cross sections are possible
- End anchorages with SikaWrap® FX



SEISMIC STRENGTHENING

- Mostly using SikaWrap® glass fibre fabrics
- For passive strengthening solutions
- As an alternative to textile reinforced mortars (TRM)



WEAK SUBSTRATE STRENGTHENING

- For strengthening masonry, natural stone walls and other structures
- Flexural strengthening of weak concrete elements or structures



DRY AND WET APPLICATION

Dry application: For installation of lightweight fabrics up to 450 g/m²

- The Sikadur® impregnation resin is spread directly onto the prepared substrate, also filling small irregularities in the surface
- The dry fabric is placed on the resin and pressed on by hand
- The resin is worked into the fibre with a roller, always in the direction of the fibres
- When the fabric is fully impregnated, the excess resin can either be removed with a plastic scraper or additional resin can be applied for the installation of an additional layer



Wet application: installation of pre-impregnated fabrics heavier than 450 g/m²

- The Sikadur® impregnation resin is poured on a plastic sheet and the dry fabric placed on top of it
- The resin is worked into the sheet with a plastic roller until the fibres are completely impregnated
- The substrate is covered with a thin layer of the Sikadur® resin as a primer
- The 'wet' fabric is applied on the primed substrate and pressed on firmly with a plastic roller, thereby removing any entrapped air



See how SikaWrap® fibre reinforced polymer structural strengthening and seismic retrofitting system works

Video on YouTube

SikaWrap® FX FIBRE CONNECTORS

Versatile end anchorage and NSM strengthening solutions

SikaWrap® FX Fibre Connectors are prepared dry bundles of Carbon or glass fibres which can be used in different configurations.

End anchorage of SikaWrap® fabrics

In shear strengthening with fabrics, preventing delamination of the fabric at the edges is the most critical problem. As fabric anchors, the SikaWrap® FX Fibre Connectors are installed into the substrate before and under the SikaWrap® fabric to optimize force transfer. The dry fibre bundles are partially impregnated, then inserted into drilled holes and spread out into slits cut into the surface.



Advantages:

- Improved connection of the SikaWrap® fabric with the substrate
- Anchorage and force transfer into beams or top slabs
- No cutting through top slabs is necessary
- Installation uses standard site anchoring equipment



Near Surface Mounted (NSM) Reinforcement

As a near surface mounted (NSM) strengthening system, the SikaWrap® FX Fibre Connectors provide new possibilities for the strengthening of irregular and dome-shaped surfaces. The SikaWrap® FX Fibre Connectors are impregnated with Sikadur®-300 or Sikadur®-52, and then installed into slits cut in the surface and also pre-filled with the resin.

Advantages:

- Strengthening of any substrate surface geometry
- Continuous tows, with no splicing necessary
- Ideal combination with end-anchorage solutions

Shear Strengthening

The SikaWrap® FX Fibre Connectors can also be used for the shear strengthening of beams – by replacing SikaWrap® fabric strips in complex and / or difficult access locations.

Advantages:

- Minimal breakout is required and only small holes need to be drilled
- Strengthening of any beam shape is possible
- Less substrate preparation is necessary

Not all products are available in Canada.

MULTI-PURPOSE STRUCTURAL EPOXY RESIN based materials that reduce the working steps necessary for fast, easy and secure installation of SikaWrap® Fabric strengthening systems.

All-in-one product	<ul style="list-style-type: none"> ■ Primer, putty and impregnation resin ■ Fast, easy and secure application of SikaWrap® Fabrics ■ Extremely cost effective
Sikadur®-330	<ul style="list-style-type: none"> ■ A 4in1 product: primer, void filler, impregnation resin and adhesive ■ Non-drip, paste like consistency ■ Multiple-layers and overhead application is possible ■ Fabrics are impregnation directly on the substrate surface ■ Protective coating or mortar overcoating is possible ■ Ideal for 'Dry' application of lightweight fabrics
Sikadur®-300	<ul style="list-style-type: none"> ■ Very long open time ■ Impregnation by hand or saturator machine ■ Protective coating or mortar overcoating is possible ■ Ideal for 'Wet' application of heavy fabrics
Saturator machine	<ul style="list-style-type: none"> ■ Option for more efficient fabric impregnation ■ Larger surface areas and heavy fabrics are possible ■ Less resin wastage ■ Fast and cost effective system installation ■ Especially suited for larger projects



BRIDGE STRUCTURES

SIKA AROUND THE WORLD

Grafton Bridge, Auckland, New Zealand

AUCKLAND'S ICONIC GRAFTON BRIDGE, was the world's largest single span reinforced concrete arch bridge when originally built in 1910. Today it is recognized as one of the 100 most significant concrete structures in the world.



Sika CarboDur® strips and CarboShear L plates bonded to the concrete structure.

Pumarejo Bridge, Barran, Colombia

THE PUMAREJO BRIDGE IS ONE OF THE LARGEST BRIDGES in Colombia.



Substrate preparation



Repair



Strengthening with SikaWrap®



Penang Bridge, Penang Island, Malaysia

THERE ARE TWO BRIDGES connecting the Malaysian mainland with the Penang peninsula.



Installation CarboDur®



Coating of CarboDur® plates with Sikadur®

BUILDINGS

SIKA AROUND THE WORLD

Käfergrund Apartment Building, Aarau, Switzerland

A ROUTINE INSPECTION OF THIS FOUR-STORY APARTMENT BUILDING in Aarau, Switzerland showed that the structure only had 25% of the seismic resistance required to meet the current local building standards.



Anchorage of Sika® CarboStress System



Pressure cylinder

Puri Adhimelati Office Building, Jakarta, Indonesia

THE PURI ADHIMELATI OFFICE BUILDING is a 20 years old structure in the heart of the business district in Jakarta.



- 1 Beam strengthened without removing wall
- 2 CFRP installed around existing obstacles
- 3 Columns strengthened with SikaWrap® fabric
- 4 Reinforcement of beam with CFRP

Maypo Office and Laboratory Building in Mexico City, Mexico

THE FOUR-STORY OFFICE AND LABORATORY BUILDING was originally built in the early 1980s.



Beams and collums strenghtened with SikaWrap®

BUILDINGS & HISTORIC STRUCTURES

SIKA AROUND THE WORLD

Audi Automotive Plant in Győr, Hungary

A FORMER LOGISTICS AREA NEEDED STRENGTHENING as it was to be converted into a Production Hall and had to accommodate much heavier loads.



Base channel with post-tensioned CFRP plates



The longest post-tensioned CFRP-plates ever installed

Wooden Bridge in Sins, Switzerland

THE FAMOUS WOODEN BRIDGE OVER THE RIVER REUSS IN SINS in Switzerland is more than 200 years old and was built in 1807 with an original design capacity of 12 tons.



CarboDur® strengthened crossbeam



COOLING TOWERS AND CHIMNEYS

SIKA AROUND THE WORLD

Power Station Cooling Towers, Laziska, Poland


COLUMNS SUPPORTING THE CONCRETE SHELL OF THE COOLING TOWER at the Laziska Power Station were severely damaged after many years of use.



- 1 Damaged columns
- 2 Application of SikaWrap®
- 3 Installed strengthening system
- 4 Coated strengthening system

Heritage Masonry Chimney, Bogotá, Colombia

THE MASONRY CHIMNEY WAS BUILT BETWEEN 1925 AND 1929 and was part of a large abattoir complex supplying meat for the City of Bogotá.



- 1 Substrate levelling
- 2 SikaWrap® roll
- 3 Installation of SikaWrap®
- 4 Coated strengthening system

SIKA SOLUTIONS FROM ROOF TO FOUNDATION

Roofing Systems



Sarnafil®
Sikaplan®
Sikalastic®

Concrete Production



Sika® ViscoCrete®
Sika® Retarder®
Sika® AER^{CA}

Joint Sealing



Sikaflex®
Sikasil®
Sikadur® Combiflex

Grouting and Anchoring



SikaGrout®
Sikadur®
Sika AnchorFix®

Concrete Repair & Protection



Sika® MonoTop®
SikaTop®, SikaRepair®
Sikagard®

Structural Strengthening



Sikadur®, Sika® CarboDur®
SikaWrap®
Sika® CarboShear

Floor & Wall Systems



Sikafloor®
Sikagard®
Sikagard® Duroplast

Waterproofing Systems



SikaProof®, SikaFuko®
Sika® Greenstreak®
SikaSwell®, SikaFix®

Sika Canada Inc., a member of the Sika Group, is a leader in the field of speciality chemicals for construction and manufacturing industries. Our product lines feature high quality roofing systems, concrete admixtures, mortars and resins, sealants and adhesives, structural strengthening components, industrial and decorative flooring, as well as protective coatings and waterproofing systems. Our expertise is borne out of a global presence and served by strong, local support. Sika has earned the trust of our customers for over 100 years, by delivering the highest standards of commitment and partnership.

Not all products are available in Canada.

Contact your Sika Technical Sales Representative for more information.

The Information, and in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions, within their shelflife. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any recommendations, or from any other advice offered. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request or may be downloaded from our website at: www.sika.ca

SIKA CANADA INC.

Head Office
601, avenue Delmar
Pointe-Claire, Quebec
H9R 4A9

Other locations

Toronto
Edmonton
Vancouver

1-800-933-SIKA
www.sika.ca

An ISO 9001 certified company
Pointe-Claire: ISO 14001 certified EMS

BUILDING TRUST
CONSTRUIRE LA CONFIANCE

