

| Versio 1.0 | on | Revision Date: 11/05/2020 | | DS Number: 0000261193 | Date of last issue: - Date of first issue: 11/05/2020 | | | |
|---------------------------|-------------------------------|------------------------------|--------------|--------------------------------------------|----------------------------------------------------------|--|--|--|
| SECT | SECTION 1. IDENTIFICATION | | | | | | | |
| Product name | | : | ENCAUSTO VER | ONA TB CLEAR | | | | |
| F | Produc | t code | : | 00000000005000 | 2434 | | | |
| C | Other means of identification | | : | No data available | | | | |
| Ν | Manufacturer or supplier's d | | | ails | | | | |
| C | Company name of supplier | | : | Sika MBCC Canada, Inc. | | | | |
| A | Address | | : | 601 DELMAR AVE Pointe-Claire QC H9R 4A9 | | | | |
| E | Emergency telephone | | : | ChemTel: +1-813-248-0585; | | | | |
| Recommended use of the cl | | | hen | nical and restriction | ons on use | | | |
| F | Recom | mended use | : | Product for consti | ruction chemicals | | | |
| F | Restric | tions on use | : | Reserved for indu | strial and professional use. | | | |

SECTION 2. HAZARDS IDENTIFICATION

| GHS classification in accordance with the Hazardous Products RegulationsSkin sensitization: Category 1 | | | | | | | |
|--------------------------------------------------------------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|
| Specific target organ toxicity - repeated exposure (Inhala- tion) | : | Category 1 (Lung) | | | | | |
| GHS label elements Hazard pictograms | : | | | | | | |
| Signal Word | : | Danger | | | | | |
| Hazard Statements | : | H317 May cause an allergic skin reaction. H372 Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled. | | | | | |
| Precautionary Statements | : | Prevention: P280 Wear protective gloves. P260 Do not breathe dust or mist. P270 Do not eat, drink or smoke when using this product. P264 Wash face, hands and any exposed skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of | | | | | |





| Version 1.0 | Revision Date: 11/05/2020 | SDS Number: 000000261193 | Date of last issue: - Date of first issue: 11/05/2020 |
|----------------|------------------------------|----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | the workplace. | |
| | | P303 + P352 II and water. P333 + P311 If CENTER or do | ical advice/ attention if you feel unwell. F ON SKIN (or hair): Wash with plenty of soap f skin irritation or rash occurs: Call a POISON octor/physician. Fake off contaminated clothing and wash it before |
| | | Disposal: | |
| | | P501 Dispose waste collectio | of contents/container to appropriate hazardous n point. |
| Other | hazards | | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : No data available.

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|-------------------------------|------------|-----------------------|
| Limestone | 1317-65-3 | >= 25 - < 75 |
| Quartz (SiO2) | 14808-60-7 | >= 1 - < 3 |
| 2-(Hydroxymethylamino)ethanol | 34375-28-5 | >= 0 - < 0.3 |

SECTION 4. FIRST AID MEASURES

| General advice | : | Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended. |
|-------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If inhaled | : | If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact | : | If on skin, rinse well with water. |
| In case of eye contact | : | Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. |
| If swallowed | : | Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. |



| Ver 1.0 | sion | Revision Date: 11/05/2020 | | 0S Number: 0000261193 | Date of last issue: - Date of first issue: 11/05/2020 | |
|-------------------------------------------------------------------|---------------------------------------|------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|--|
| Most important symptoms and effects, both acute and delayed | | : | May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated exposure if inhaled. | | | |
| | Notes t | o physician | : | Treat symptomati | cally. | |
| SEC | CTION 5 | . FIRE-FIGHTING ME | ASL | IRES | | |
| | Suitabl | e extinguishing media | : | Water spray Foam Dry powder Carbon dioxide (C | :02) | |
| | Unsuitable extinguishing media | | : | High volume wate | r jet | |
| | Specific hazards during fire fighting | | : | See SDS section 10 - Stability and reactivity. | | |
| | Hazardous combustion prod- ucts | | : | harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides | | |
| | Further | information | : | Use extinguishing | re for chemical fires. measures that are appropriate to local cir- he surrounding environment. | |
| | | l protective equipment fighters | : | Wear self-contain essary. | ed breathing apparatus for firefighting if nec- | |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protec- : tive equipment and emer- gency procedures | : | Use personal protective equipment. |
|---------------------------------------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Environmental precautions : | : | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for : containment and cleaning up | • | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
|-------------------------------------------------|---|-------------------------------------------------|
| Advice on safe handling | : | Do not breathe vapors/dust. |



| Vers 1.0 | sion | Revision Date: 11/05/2020 | | DS Number: 0000261193 | Date of last issue: - Date of first issue: 11/05/2020 |
|-------------|------------------|------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | | | Avoid contact with For personal prote Smoking, eating a plication area. Dispose of rinse w regulations. Persons susceptil allergies, chronic | obtain special instructions before use. In skin and eyes. ection see section 8. and drinking should be prohibited in the ap- water in accordance with local and national ble to skin sensitization problems or asthma, or recurrent respiratory disease should not ny process in which this mixture is being |
| | Conditi | ons for safe storage | : | place. | ghtly closed in a dry and well-ventilated ions / working materials must comply with safety standards. |
| | | r information on stor- nditions | : | | original container in a cool, dry, well- way from ignition sources, heat or flame. et sunlight. |
| | Materia | als to avoid | : | No applicable info | ormation available. |
| | Recom peratur | mended storage tem- e | : | 0 °C | |
| | Further age sta | r information on stor- ability | : | Minimum storage | temperature: |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|------------|-----------|---------------------------------------|--------------------------------------------------------|--------------------------------------|
| Limestone | 1317-65-3 | REL value (Respirable) | 5 mg/m3 | NIOSH |
| | | REL value (Total) | 10 mg/m3 | NIOSH |
| | | PEL (Respir- able fraction) | 5 mg/m3 | 29 CFR 1910.1000 (Table Z-1) |
| | | PEL (Total dust) | 15 mg/m3 | 29 CFR 1910.1000 (Table Z-1) |
| | | TWA value (Respirable fraction) | 5 mg/m3 | 29 CFR 1910.1000 (Table Z-1-A) |
| | | TWA value (Total dust) | 15 mg/m3 | 29 CFR 1910.1000 (Table Z-1-A) |
| | | TWA TWAEV (to- | 10 mg/m3 10 mg/m3 | CA AB OEL CA QC OEL |



| - | Revision Date: 11/05/2020 | SDS Number: 000000261193 | Date of las Date of firs | t issue: - t issue: 11/05/2020 | |
|-----------|------------------------------|-----------------------------|-----------------------------|----------------------------------------|-----------|
| | | I | | 1 | 1 |
| | | | tal dust) TWA (Total | 10 mg/m3 | CA BC |
| | | | dust) | To mg/mo | |
| | | | TWA (respir- | 3 mg/m3 | CA BC |
| | | | able dust | | |
| | | | fraction) | | |
| | | | STEL | 20 mg/m3 | CA BC |
| Quartz (S | SiO2) | 14808-60-7 | TWA value | 0.025 mg/m3 | ACGIH |
| | | | (Respirable | | |
| | | | fraction) | | |
| | | | TWA value | 0.05 mg/m3 | 29 CFF |
| | | | | (Respirable dust) | 1910.1 |
| | | | | | 1050 |
| | | | OSHA Action | 0.025 mg/m3 | 29 CFF |
| | | | level | (Respirable dust) | 1910.1 |
| | | | | | 1050 |
| | | | REL value | 0.05 mg/m3 | NIOSH |
| | | | (Respirable | | |
| | | | dust) | 0.005 / 0 | |
| | | | TWA (Res- | 0.025 mg/m3 | CA AB |
| | | | pirable par- | | |
| | | | ticulates) | | 04.01 |
| | | | TWA (Res- | 0.1 mg/m3 | CA ON |
| | | | pirable frac- | | |
| | | | tion) TWAEV | | 0.000 |
| | | | | 0.1 mg/m3 | CA QC |
| | | | (respirable dust) | | |
| | | | TWA (Res- | 0.025 mg/m3 | CA BC |
| | | | pirable) | (Silica) | |
| | | | TWA (Res- | 0.025 mg/m3 | ACGIH |
| | | | pirable par- | (Silica) | 7001 |
| | | | ticulate mat- | (Onica) | |
| | | | ter) | | |
| Enginee | ring measures | : No applicabl | e information ava | ilable. | |
| - | - | | | | |
| | I protective equip | | no ono fosta e co | antestica at a state | |
| Respirate | ory protection | | | centrations above the | |
| | | | ure limits they mu | st use appropriate c | entined |
| | | respirators. | | | |
| Hand pro | otection | | | | |
| Dame | | | hy for a anality | | liaausse- |
| Rema | arks | | ducers of the prote | orkplace should be d ective gloves. | liscussed |
| | action | . Due week b | | | |
| Eye prote | ection | | ottle with pure wat | er | |
| | | lightly fitting | safety goggles | | |
| Skin and | body protection | : Impervious of | clothina | | |
| | | | | rding to the amount a | and con- |
| | | | | ubstance at the work | |



| Version 1.0 | Revision Date: 11/05/2020 | | | Date of last issue: - Date of first issue: 11/05/2020 | |
|----------------|----------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|--|
| Prote | Protective measures | | Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before Handle in accordance with good building materials and safety practice. Wearing of closed work clothing is recommended. | | |
| Hygie | ene measures | : | Wash hands befor | e breaks and at the end of workday. | |
| SECTION | 9. PHYSICAL AND CH | EMI | CAL PROPERTIES | | |
| Арре | earance | : | liquid | | |
| Coloi | r | : | clear | | |
| Odor | | : | mild | | |
| Odor | Threshold | : | No data available | | |
| рН | | : | 9 - 10 (25 °C) | | |
| Melti | ng point | : | No applicable info | rmation available. | |
| Freez | zing point | | No applicable info | rmation available. | |
| Boilir | ng point | : | No applicable info | rmation available. | |
| Flash | n point | : | > 93.33 °C | | |
| Evap | oration rate | : | No applicable info | rmation available. | |
| Flam | mability (solid, gas) | : | not highly flamma Method: derived f | | |
| Self-i | ignition | : | not self-igniting | | |
| | er explosion limit / Upper nability limit | : | No data available | | |
| | er explosion limit / Lower nability limit | : | No data available | | |
| Relat | tive vapor density | : | Heavier than air. | | |
| Relat | tive density | : | No applicable info | rmation available. | |
| Dens | sity | : | approx. 1.74 g/cm | 3 (25 °C) | |
| | bility(ies) /ater solubility | : | soluble | | |

SAFETY DATA SHEET



ENCAUSTO VERONA TB CLEAR

| Versi 1.0 | ion | Revision Date: 11/05/2020 | | S Number: 0000261193 | Date of last issue: - Date of first issue: 11/05/2020 | |
|--------------|--------------------------------------------|------------------------------|---|--------------------------------------|----------------------------------------------------------|--|
| | Solu | ubility in other solvents | : | No applicable inf | ormation available. | |
| | Partition coefficient: n- octanol/water | | : | No applicable information available. | | |
| | Autoigr | nition temperature | : | No data available | | |
| | Decomposition temperature | | : | No decompositio scribed/indicated | n if stored and handled as pre- | |
| | Viscosi Visc | ty :osity, dynamic | : | No applicable inf | ormation available. | |
| | Visc | osity, kinematic | : | No applicable inf | ormation available. | |
| | Explosi | ve properties | : | Not explosive Not explosive | | |
| | Oxidiziı | ng properties | : | Based on its stru as oxidizing. | ctural properties the product is not classified | |
| | Sublim | ation point | : | No applicable inf | ormation available. | |
| | Molecu | lar weight | : | No data available | 9 | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : | No decomposition if stored and applied as directed. |
|-----------------------------------------|---|------------------------------------------------------------------------------------|
| Chemical stability | : | No decomposition if stored and applied as directed. |
| Possibility of hazardous reac- tions | : | No decomposition if stored and applied as directed. |
| Conditions to avoid | : | See SDS section 7 - Handling and storage. |
| Incompatible materials | : | Strong acids Strong bases Strong oxidizing agents Strong reducing agents |
| Hazardous decomposition products | : | No hazardous decomposition products if stored and handled as prescribed/indicated. |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.



| sion | Revision Date: 11/05/2020 | SDS Number: 000000261193 | Date of last issue: - Date of first issue: 11/05/2020 | | | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------|--|--|--|--|
| Produ | uct: | | | | | | | | | |
| Remarks | | : May cause skir | : May cause skin irritation and/or dermatitis. | | | | | | | |
| Serio | us eye damage/eye | irritation | | | | | | | | |
| Not classified based on available information. | | | | | | | | | | |
| <u>Produ</u> | uct: | | | | | | | | | |
| Rema | ırks | : Vapors may ca and the skin. | use irritation to the eyes, respiratory syst | | | | | | | |
| Respiratory or skin sensitization | | | | | | | | | | |
| Skin s | sensitization | | | | | | | | | |
| May c | ause an allergic skin | reaction. | | | | | | | | |
| Respi | iratory sensitization | 1 | | | | | | | | |
| Not cl | assified based on av | ailable information. | | | | | | | | |
| <u>Produ</u> | uct: | | | | | | | | | |
| Rema | ırks | : Causes sensiti | zation. | | | | | | | |
| Germ cell mutagenicity | | | | | | | | | | |
| Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity | | | | | | | | | | |
| | | | | Not cl | assified based on av | ailable information. | | | | |
| | | | | STOT-single exposure Not classified based on available information. STOT-repeated exposure Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled. Aspiration toxicity | | | | | | |
| Not cl | assified based on av | ailable information. | | | | | | | | |
| | Product: No aspiration hazard expected. | | | | | | | | | |
| No as | | | | | | | | | | |
| <u>Components:</u> | | | | | | | | | | |
| 2-(Hy | droxymethylamino) | ethanol: | | | | | | | | |
| Not a | oplicable | | | | | | | | | |
| Furth | er information | | | | | | | | | |
| Produ | <u>uct:</u> | | | | | | | | | |
| | ırks | | | | | | | | | |



| ersion) | Revision Date: 11/05/2020 | SDS Number: 000000261193 | Date of last issue: - Date of first issue: 11/05/2020 | | | |
|--------------------------------|--------------------------------------|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| ECTION | 12. ECOLOGICAL IN | FORMATION | | | | |
| | oxicity | | | | | |
| No da | ata available | | | | | |
| | stence and degradal ata available | bility | | | | |
| Bioad | cumulative potentia | I | | | | |
| <u>Com</u> | oonents: | | | | | |
| 2-(Hydroxymethylamino)ethanol: | | | | | | |
| | ion coefficient: n- ol/water | : log Pow: -2.20 Method: other GLP: no data | | | | |
| Mobi | lity in soil | | | | | |
| No da | ata available | | | | | |
| Othe | r adverse effects | | | | | |
| Prod | uct: | | | | | |
| Additi matio | onal ecological infor- n | harmful to aqua The product ha | probability that the product is not acutely atic organisms. Is not been tested. The statements on ecotoxi- ten derived from the properties of the individua | | | |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | | |
|------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste from residues | : | Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater. |
| Contaminated packaging | : | Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub-stance/product. |

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code



| Version | Revision Date: | SDS Number: | Date of last issue: - |
|---------|----------------|--------------|---------------------------------|
| 1.0 | 11/05/2020 | 000000261193 | Date of first issue: 11/05/2020 |
| | | | |

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

DSL : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

| · · | : | OSHA - Table Z-1-A (29 CFR 1910.1000) | | | | |
|----------------------------------|---|-----------------------------------------------------------------|--|--|--|--|
| 1-A) | | | | | | |
| 29 CFR 1910.1000 (Table Z- 1) | : | OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000 | | | | |
| 29 CFR 1910.1001-1050 | | OSHA - Specifically Regulated Substances (29 CFR | | | | |
| 23 61 11 13 10:1001 1000 | • | 1910.1001-1050) | | | | |
| ACGIH | : | USA. ACGIH Threshold Limit Values (TLV) | | | | |
| ACGIHTLV | : | American Conference of Governmental Industrial Hygienists - | | | | |
| | | threshold limit values (US) | | | | |
| CA AB OEL | : | Canada. Alberta, Occupational Health and Safety Code (table | | | | |
| | | 2: OEL) | | | | |
| CA BC OEL | : | Canada. British Columbia OEL | | | | |
| CA ON OEL | : | Ontario Table of Occupational Exposure Limits made under | | | | |
| | | the Occupational Health and Safety Act. | | | | |
| CA QC OEL | : | Québec. Regulation respecting occupational health and safe- | | | | |
| | | ty, Schedule 1, Part 1: Permissible exposure values for air- | | | | |
| | | borne contaminants | | | | |
| NIOSH | : | | | | | |
| 29 CFR 1910.1000 (Table Z- | : | Time Weighted Average (TWA): | | | | |
| 1-A) / TWA value | | _ | | | | |
| 29 CFR 1910.1000 (Table Z- | : | Permissible exposure limit | | | | |
| 1) / PEL | | | | | | |
| 29 CFR 1910.1001-1050 / | : | OSHA Action level: | | | | |
| OSHA Action level | | | | | | |
| 29 CFR 1910.1001-1050 / | : | Time Weighted Average (TWA): | | | | |
| | | 9 hour time weighted everage | | | | |
| ACGIH / TWA | : | 8-hour, time-weighted average | | | | |
| ACGIHTLV / TWA value | | Time Weighted Average (TWA): | | | | |
| | • | 8-hour Occupational exposure limit | | | | |
| CA BC OEL / TWA | • | 8-hour time weighted average | | | | |
| CA BC OEL / STEL | • | short-term exposure limit | | | | |
| | ÷ | Time-Weighted Average Limit (TWA) | | | | |
| CA QC OEL / TWAEV | : | Time-weighted average exposure value | | | | |
| NIOSH / REL value | : | Recommended exposure limit (REL): | | | | |
| | | | | | | |



| Version | Revision Date: | SDS Number: | Date of last issue: - |
|---------|----------------|-------------|---------------------------------|
| 1.0 | 11/05/2020 | 00000261193 | Date of first issue: 11/05/2020 |

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 11/05/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE



| Version | Revision Date: | SDS Number: |
|---------|----------------|--------------|
| 1.0 | 11/05/2020 | 000000261193 |

Date of last issue: -Date of first issue: 11/05/2020

CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

CA / EN