

Vers 2.0	ion	Revision Date: 04/05/2021		DS Number: 0000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020			
SEC	SECTION 1. IDENTIFICATION							
	Produc	t name	:	PEBBLETEX ULTRA SMOOTH COL MAXI WHITE				
	Produc	t code	:	0000000005000	2494			
	Other n	neans of identification	:	No data available				
Manufacturer or supplier's d			deta	iils				
	Compa	ny name of supplier	:	Sika MBCC Cana	da, Inc.			
	Addres	S	:	601 DELMAR AV Pointe-Claire QC	—			
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585;			
	Recom	mended use of the c	hen	nical and restriction	ons on use			
	Recom	mended use	:	Product for constr	uction chemicals			
	Restric	tions on use	:	Reserved for indu	strial and professional use.			

## SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products RegulationsSkin sensitization: Category 1						
Germ cell mutagenicity	:	Category 1B				
Carcinogenicity (Inhalation)	:	Category 1A				
Carcinogenicity	:	Category 1B				
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)				
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)				
Germ cell mutagenicity	:	Category 1B				
GHS label elements Hazard pictograms	:					



rsion )	Revision Date: 04/05/2021	SDS Number: 000000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020
Signal	Word	: Danger	
Hazaro	d Statements	H340 May caus H350 May caus H350 May caus H372 Causes d repeated expos H373 May caus	e cancer by inhalation. amage to organs (Lungs) through prolonged or
Precau	utionary Statements	P202 Do not ha and understood P260 Do not bre P264 Wash skir P270 Do not ea P272 Contamin the workplace.	ecial instructions before use. ndle until all safety precautions have been read eathe dust/ fume/ gas/ mist/ vapors/ spray. n thoroughly after handling. t, drink or smoke when using this product. ated work clothing should not be allowed out of ective gloves/ protective clothing/ eye protection
		P308 + P313 IF attention. P333 + P313 If attention.	ON SKIN: Wash with plenty of water. exposed or concerned: Get medical advice/ skin irritation or rash occurs: Get medical advic ake off contaminated clothing and wash it befor
		<b>Storage:</b> P405 Store lock	ed up.
		<b>Disposal:</b> P501 Dispose o posal plant.	f contents/ container to an approved waste dis-

No data available.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Limestone	Limestone	1317-65-3	>= 30 - < 60 *
Quartz (SiO2)	Quartz (SiO2)	14808-60-7	>= 10 - < 30 *
Titanium dioxide	Titanium dioxide	13463-67-7	>= 1 - < 5 *
Kieselguhr, soda ash flux-calcined	Kieselguhr, soda ash flux-	68855-54-9	>= 1 - < 5 *



/ersion Revision Da 2.0 04/05/2021		SDS Num 00000083		Date of last issue: 08/27/2020 Date of first issue: 08/27/2020		
		calcined				
Quart	tz (SiO2)	Quartz (SiO2)	14808-60-7	>= 0.1 - <	1 *	
cristobalite		cristobalite	14464-46-1	>= 0.1 - <	1 *	
	-Triazine- (2H,4H,6H)- anol	1,3,5-Triazine- 1,3,5(2H,4H,6H) -triethanol	4719-04-4	>= 0.1 - <	1 *	
	nt naphtha, petro- light aromatic	Solvent naph- tha, petroleum, light aromatic	64742-95-6	>= 0.1 - <	1 *	

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	If on skin, rinse well with water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. May cause genetic defects. May cause cancer. May cause cancer by inhalation. Causes damage to organs through prolonged or repeated exposure if inhaled. Prolonged or repeated inhalation of respirable crystalline silica (quartz) may result in silicosis.
Notes to physician	:	Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**



Vers 2.0	sion	Revision Date: 04/05/2021		9S Number: 0000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020
				Dry powder Carbon dioxide (C	:02)
	Unsuita media	ble extinguishing	:	High volume wate	r jet
Specific hazards during fire fighting		:	See SDS section	10 - Stability and reactivity.	
	Hazard ucts	ous combustion prod-	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides	
	Further	information	:	Use extinguishing	re for chemical fires. measures that are appropriate to local cir- he surrounding environment.
	Special for fire-	protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.



Version 2.0	Revision Date: 04/05/2021		DS Number: 00000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020	
			allergies, chronic	ble to skin sensitization problems or asthma, or recurrent respiratory disease should not ny process in which this mixture is being	
Conditions for safe storage		:	Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.		
	er information on stor- onditions	:		original container in a cool, dry, well- way from ignition sources, heat or flame. ct sunlight.	
Mater	als to avoid	:	No applicable info	ormation available.	
Furthe age st	er information on stor- ability	:	No data available		

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

				1
Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Limestone	1317-65-3	REL value	5 mg/m3	NIOSH
		(Respirable)		
		REL value	10 mg/m3	NIOSH
		(Total)		
		PEL (Respir-	5 mg/m3	29 CFR
		able fraction)		1910.1000
				(Table Z-1)
		PEL (Total	15 mg/m3	29 CFR
		dust)		1910.1000
				(Table Z-1)
		TWA value	5 mg/m3	29 CFR
		(Respirable		1910.1000
		fraction)		(Table Z-1-A)
		TWA value	15 mg/m3	29 CFR
		(Total dust)		1910.1000
				(Table Z-1-A)
		TWA	10 mg/m3	CA AB OEL
		TWAEV (to-	10 mg/m3	CA QC OEL
		tal dust)		
		TWA (Total	10 mg/m3	CA BC OEL
		dust)		
		TWA (respir-	3 mg/m3	CA BC OEL
		able dust		
		fraction)		
		STEL	20 mg/m3	CA BC OEL

## Ingredients with workplace control parameters



sion	Revision Date: 04/05/2021	SDS Number: 000000837745		t issue: 08/27/2020 t issue: 08/27/2020	
Titani	um dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLY
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1
			TWA	10 mg/m3	CA AB OE
			TWA (Total dust)	10 mg/m3	CA BC OE
			TWA (respir- able dust fraction)	3 mg/m3	CA BC OE
			TWAEV (to- tal dust)	10 mg/m3	CA QC OE
			TWA	10 mg/m3 (Titanium dioxide)	ACGIH
cristoba	balite	14464-46-1	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTL
			TWA (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OE
			TWA (Res- pirable frac- tion)	0.05 mg/m3	CA ON OE
			TWAEV (respirable dust)	0.05 mg/m3	CA QC OE
			TWA (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OE
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Quart	z (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTL
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001 1050
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001 1050
			REL value (Respirable dust)	0.05 mg/m3	NIOSH
			TWA (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OE
			TWA (Res- pirable frac-	0.1 mg/m3	CA ON OE



sion	Revision Date: 04/05/2021	SDS Number: 000000837745		t issue: 08/27/2020 t issue: 08/27/2020	
		1		1	1
			tion)		
			TWAEV	0.1 mg/m3	CA QC OE
			(respirable		
			dust)		
			TWA (Res-	0.025 mg/m3	CA BC OE
			pirable)	(Silica)	
			TWA (Res-	0.025 mg/m3	ACGIH
			pirable par-	(Silica)	
			ticulate mat-		
			ter)		
Kiese	lguhr, soda ash flux-	68855-54-9	REL value	6 mg/m3	NIOSH
calcin				•	
ouloin			TWA value	20 millions of	29 CFR
			I WA VAIUE		
				particles per cubic	1910.1000
				foot of air	(Table Z-3
			TWA value	0.8 mg/m3	29 CFR
					1910.1000
					(Table Z-3
			OSHA Action	0.025 mg/m3	29 CFR
			level	(Respirable dust)	1910.1001
					1050
			T) A / A	0.05	
			TWA value	0.05 mg/m3	29 CFR
				(Respirable dust)	1910.1001
					1050
			TWA (Dust)	20 Million parti-	OSHA Z-3
			, ,	cles per cubic foot	
				(Silica)	
			TWA (Dust)	80 mg/m3 /	OSHA Z-3
			11171 (Duot)	%SiO2	001 // 2 0
				(Silica)	
			TWA	6 mg/m3	NIOSH RE
				(Silica)	
Engir	neering measures	: No applicable	e information ava	ilable.	
	onal protective equip				
Respi	ratory protection			ventilation is inadequ	
		Wear a NIOS	SH-certified (or ed	quivalent) organic va-	
		pour/particula	ate respirator.		
		-	-		
Hand	protection				
Re	emarks	· The suitabilit	v for a specific w	orkplace should be di	iecueedd
110			ucers of the prote		10000050
		with the plot		ecuve gioves.	
<b>_</b>	rotootior	. <b>F</b>	منافع الملاحم الملاحم		
⊨ye p	rotection		ttle with pure wat	er	
		Tightly fitting	safety goggles		
Skin a	and body protection	: Impervious c	lothing		
				rding to the amount a	ind con-
				ubstance at the work	
Prote	ctive measures	: Do not inhale	e gases/vapours/a	aerosols.	
		. Donotiniat	gabbb, rupbulb/		



Version 2.0	Revision Date: 04/05/2021	SDS Number: 000000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020
		Avoid expos Handle in ac and safety p	ct with the skin, eyes and clothing. ure - obtain special instructions before use. cordance with good building materials hygiene ractice. closed work clothing is recommended.
Hygie	ene measures	When using	do not eat or drink. do not smoke. before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Color	:	white
Odor	:	moderate odour
Odor Threshold	:	No data available
рН	:	9.5 (approx. 23.00 °C)
Melting point	:	No applicable information available.
Freezing point		No applicable information available.
Boiling point	:	No applicable information available.
Flash point	:	approx. 94.00 °C
Evaporation rate	:	No applicable information available.
Flammability (solid, gas)	:	Based on the structure or composition there is no indication of flammability
Upper explosion limit / Upper flammability limit	:	No applicable information available.
Lower explosion limit / Lower flammability limit	:	No applicable information available.
Vapor pressure	:	No applicable information available.
Relative vapor density	:	No applicable information available.
Relative density	:	No applicable information available.
Density	:	approx. 1.8000 g/cm3 (20 °C)



Vers 2.0	-	Revision Date: 04/05/2021		S Number: 0000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020
	Colubility	(100)			
	Solubility(ies) Water solubility		:	No applicable info	ormation available.
	Solut	oility in other solvents	:	No applicable info	ormation available.
	Partition coefficient: n- octanol/water		:	No applicable info	ormation available.
	Autoignition temperature		:	No applicable info	ormation available.
	Decomposition temperature		:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosity				
	Visco	osity, dynamic	:	No applicable info	ormation available.
	Visco	osity, kinematic	:	No applicable info	ormation available.
	Oxidizing properties		:	Not an oxidizer.	
	Sublimation point		:	No applicable info	ormation available.
Molecular weight		:	No data available		

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

# Product:

Acute oral toxicity : Remarks: No applicable information available.



ersion )	Revision Date: 04/05/2021	SDS Number: 000000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020
Acute	inhalation toxicity	: Remarks: No	o applicable information available.
		Exposure tim Test atmosp	
Acute	e dermal toxicity	: Remarks: No	o applicable information available.
-	corrosion/irritation lassified based on ava	ilable information.	
	ous eye damage/eye i lassified based on ava		
Resp	iratory or skin sensit	ization	
	sensitization cause an allergic skin i	eaction.	
•	iratory sensitization lassified based on ava	ilable information.	
	<b>a cell mutagenicity</b> cause genetic defects.		
Mayo	i <b>nogenicity</b> cause cancer. cause cancer by inhala	ition.	
•	oductive toxicity lassified based on ava	ilable information.	
	<b>F-single exposure</b> lassified based on ava	ilable information.	
STO	<b>F-repeated exposure</b>		
	cause damage to orga		longed or repeated exposure if inhaled. e system) through prolonged or repeated exposure
•	ration toxicity lassified based on ava	ilable information.	
Furth	er information		
<u>Prod</u> Rema		The product	es are not known or expected under normal use. has not been tested. The statements on toxicolo- n derived from the properties of the individual



Version	Revision Date: 04/05/2021	SDS Number:	Date of last issue: 08/27/2020
2.0		000000837745	Date of first issue: 08/27/2020

### SECTION 12. ECOLOGICAL INFORMATION

# Ecotoxicity No data available Persistence and degradability No data available **Bioaccumulative potential Components:** Kieselguhr, soda ash flux-calcined: Partition coefficient: n- : Remarks: Not applicable octanol/water Solvent naphtha, petroleum, light aromatic: Partition coefficient: n-: log Pow: 3.17 octanol/water Method: other (calculated) GLP: no Mobility in soil No data available Other adverse effects Product: Additional ecological infor-There is a high probability that the product is not acutely 1 harmful to aquatic organisms. mation The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub-stance/product.

## **SECTION 14. TRANSPORT INFORMATION**

### International Regulations



Version	Revision Date:	SDS Number:	Date of last issue: 08/27/2020
2.0	04/05/2021	00000837745	Date of first issue: 08/27/2020

## IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### TDG

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

NPRI Components :	Isooctylphenol ethoxylate 1,2,4-trimethylbenzene ammonia cumene xylene ethylene oxide propylene oxide 1,4-dioxane acetaldehyde
	t are reported in the following inventories:
DSL :	On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

29 CFR 1910.1000 (Table Z- 1-A)	:	OSHA - Table Z-1-A (29 CFR 1910.1000)
,	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000
29 CFR 1910.1000 (Table Z- 3)	:	OSHA Table Z-3 (Mineral Dusts) 29 CFR 1910.1000
29 CFR 1910.1001-1050	:	OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050)
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists - threshold limit values (US)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants
NIOSH	:	NIOSH Pocket Guide to Chemical Hazards (US)



Version Revision Date: 2.0 04/05/2021		)S Number: 0000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020		
NIOSH REL		: USA. NIOSH Recommended Exposure Limits			
OSHA Z-3		USA. Occupational Exposure Limits (OSHA) - Table Z-			
		eral Dusts			
	:	Time Weighted Average (TWA):			
1-A) / TWA value					
	:	Permissible exposure limit			
1) / PEL			( <del></del> ) • ( • )		
29 CFR 1910.1000 (Table Z-	:	I ime Weighted A	verage (TWA):		
3) / TWA value					
29 CFR 1910.1001-1050 /		OSHA Action leve			
OSHA Action level 29 CFR 1910.1001-1050 /		Time $M$ (sighted A) (grade $(T)M(A)$ )			
TWA value	:	Time Weighted Average (TWA):			
ACGIH / TWA		8-hour, time-weig	hted average		
ACGIHTLV / TWA value	:	Time Weighted Average (TWA):			
CA AB OEL / TWA	:	8-hour Occupational exposure limit			
CA BC OEL / TWA		8-hour time weighted average			
CA BC OEL / STEL	÷	short-term exposure limit			
CA ON OEL / TWA	:	•	verage Limit (TWA)		
CA QC OEL / TWAEV	:	Time-weighted average exposure value			
NIOSH / REL value	:		kposure limit (REL):		
NIOSH REL / TWA	:	Time-weighted av	erage concentration for up to a 10-hour 40-hour workweek		
OSHA Z-3 / TWA	:	8-hour time weigh			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods;



Version	Revision Date:	SDS Number:	Date of last issue: 08/27/2020
2.0	04/05/2021	00000837745	Date of first issue: 08/27/2020

 $v \mbox{PvB}$  - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date:04/05/2021Date format:mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN