



SECTION I: PRODUCT INFORMATION

PRODUCT: **Sika® Teak Cleaner**REVISION DATE: January 15th, 2015

USAGE: CLEANER SOLUTION FOR TEAK

MANUFACTURER/SUPPLIER: SIKA CANADA INC.
601, avenue Delmar
Pointe Claire, QC
H9R 4A9**EMERGENCY TELEPHONE NUMBER: CANUTEC (collect) (613) 996-6666**

TDG CLASSIFICATION: Not regulated

WHMIS Classification: D2B

UN NUMBER: Not applicable

Class: Not applicable

Packaging Group

Not applicable

SECTION II: HAZARDOUS INGREDIENTS

Hazardous ingredients	%	T.L.V.	# CAS	LD ₅₀ (mg/kg) (species, route)	LC ₅₀ (species, route)
Sodium Hydroxide	1-10	2 mg/m ³ (STEL)	1310-73-2	500 (oral, rabbit)	Not available
Sodium Hypochlorite	5-10	Not available	7681-52-9	5800 (oral, mouse)	Not available

SECTION III: PHYSICAL CHARACTERISTICS

Physical State: Liquid
Appearance and Odor: Clear liquid, chlorine odorOdor Threshold: Not established
Evaporation Rate: Similar to water
Vapor Density: Similar to water
Vapor Pressure: Similar to waterBoiling Point: 100°C
Freezing Point: 0°C
Density: 1 g/ml
Water Solubility: Yes
pH: Not established
% volatility: Not applicable
Water/Oil Distribution: Not established



PRODUCT: Sika® Teak Cleaner

SECTION IV: FIRE AND EXPLOSION HAZARDS

Flammability:	No	TDG inflammability Class:	Not regulated
If Yes, under what conditions:		Flammable upper limits (% vol.):	Not established
		Flammable lower limits (% vol.):	Not established
Extinguishing methods:	Foam, dry chemical products, CO ₂ , water hose.	Flash Point (method used):	> 100°C (TCC)
		Auto-ignition temperature:	Not established
Special Methods:	Firefighters must wear usual protective clothing and respiratory equipment. A water hose may be used to cool the containers and dissipate the vapors.	Dangerous Combustion Products:	Carbon oxides, sodium oxides, hydrogen chloride
		Protect from mechanical impact:	No
		Protect from static discharge:	No

SECTION V: REACTIVITY DATA

Chemical stability:	Yes	Dangerous decomposition products:	Carbon oxides, sodium oxides, hydrogen chloride
If not, under what conditions			
Incompatibility with other material:	Yes	Polymerization Risks:	No
If Yes, which ones:	Base, strong, acid, oxidizer, amines, ammonium based product, reducing agent.		



PRODUCT: **Sika® Teak Cleaner**

SECTION VI: TOXIC PROPERTIES

ROUTE OF ENTRY / CONTACT

Eyes: May cause eye irritations. Prolonged contact may damage the eye tissue

Skin: May be irritating to the skin, may cause dermatitis

Inhalation: May irritate lungs, may cause an discomfort, coughing, and difficulty to breath

Ingestion: May cause irritation to the gastric-intestinal system, nausea, vomiting diarrhea and abdominal discomfort

Carcinogenicity: Not established

Toxic effects on reproduction: Not established

Teratogenicity: Not established

Mutagenicity: Not established

Product with synergistic effects: Not established

An acute or chronic exposure will increase the toxic effects mentioned in this section and may aggravate respiratory problems.



PRODUCT: Sika® Teak Cleaner

SECTION VII: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

Gloves: Chemical resistant gloves.

Respiratory equipment: Not necessary under normal use.

Eyes: Safety glasses

Shoes: Leather

Clothing: Rubber apron

Other: Eye wash station, shower

OTHERS

Ventilation: Sufficient ventilation required to stay under the TLV.

Procedure in case of leaks: Absorb with sand or other absorbent material. Residue may be removed with steam or hot water and soap.

Handling and Equipment methods: Avoid skin, eye and clothing contact.

Warehouse Requirements: Keep all containers closed in a cool, dry area. Keep away from heat and open flame.

Special Shipping Instructions: See TDG class.

Waste Disposal: Dispose of residues according to the law on chemical waste. Incinerate according to municipal, provincial and federal legislations.



PRODUCT: Sika® Teak Cleaner

SECTION VIII: FIRST AID

Skin: Remove contaminated clothing and shoes.
Wash immediately with plenty of soap and water.
Wash clothing before re-wearing.
Consult a physician if required.

Eyes: Rinse eyes immediately with plenty of water for at least 15 minutes to ensure a proper wash.
Consult a physician immediately.

Inhalation: In the case of overexposure, evacuate to fresh air.
Consult a physician if required.

Ingestion: Drink plenty of water. Do not induce vomiting.
Do not give anything by mouth to an unconscious person.
See a physician immediately.

SECTION IX: PREPARATION INFORMATION

Prepared By: R & D of Sika Canada Inc.
Telephone #: (514) 697-2610
Fax #: (514) 694-2792

Notice To Reader

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section IX of this MSDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.