

Sarnareglet

Description	Sarnareglet is a heavy-duty counterflashing used as a key component within certain flashing details for Sarnafil® roofing and waterproofing systems.
Composition	<ul style="list-style-type: none">■ Sarnareglet is produced from 6063T5 extruded aluminum and is provided with predrilled holes at 20 cm (8 in) o.c. for attachment to walls or curbs.■ The holes are symmetrically offset from the ends of the Sarnareglet and are slotted to allow for thermal expansion and contraction.
Features	<ul style="list-style-type: none">■ Sarnareglet has a unique design that optimizes caulk/sealant performance and clamping action at critical points.■ A “shelf” is incorporated into the extruded shape that fully supports the sealant bed while allowing the optimal quantity and cross sectional shape of sealant to be applied.■ Sarnareglet has reinforcing ribs designed to clamp the Sarnafil® membrane or Sarnaclad flashing in place and to increase rigidity between fastening points.■ Supplemental accessories include prefabricated splice plates to cover joints between sections of Sarnareglet and pre-welded Sarnareglet 90 degree inside and outside corners.
Packaging/Storage	<ul style="list-style-type: none">■ Sarnareglet is provided in a sealed cardboard tube weighing approximately 23 kg (50 lb).■ Each tube also contains 15 splice plates.■ Each tube yields 150 lineal ft (45.7 m). <p>Plate detail: Profile: 57 mm (2 ¼ in) deep Length: 3.05 m (10 ft) Thickness: 2.5 mm - 3 mm (0.10 in - 0.12 in) Weight: 1.4 kg (3 lb)</p>
Installation	A passive sealant bed is first applied to the wall or high curb according to Sarnafil®'s Detail Drawings. The membrane flashing or the Sarnaclad flashing is then installed. The Sarnareglet is positioned, leveled and fastened to the wall or curb against the top of the flashing to securely clamp the flashing in place. The primary (active) sealant is then applied onto the Sarnareglet sealant shelf and rolled/feathered according to the sealant manufacturer's recommendations or requirements.
Availability	Sarnareglet is available directly from Sika Canada Authorized Applicators when used within a Sarnafil® Roofing or Waterproofing System. Contact Sika Canada or visit www.sika.ca for further information.
Warranty	As a Sika Canada-supplied accessory, Sarnareglet is included in Sika Canada's Standard or System Warranty.
Maintenance	Sarnareglet requires no maintenance (the sealant does require maintenance). Periodic maintenance of a Sarnafil® system ensures extended performance and reduces life cycle costs. Consistent with industry practices, Sika Canada recommends inspecting the roof system for damage, plugged drains, weathered sealants, etc. at least twice a year and after each storm.



Construction

Technical Support Sika Canada provides technical support. Technical staff is available to advise applicators as to the proper installation method.



The information, and in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions, within their shelf life. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any recommendations, or from any other advice offered. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users should always refer to the most recent issue of the Product Data Sheet for the product concerned, copies of which will be supplied on request or can be accessed in the Internet under www.sika.ca.

Sika Canada Inc.
Head Office
601 Delmar Avenue
Pointe-Claire, Quebec
H9R 4A9

Other locations
Toronto
Edmonton
Vancouver

1-800-933-SIKA
www.sika.ca

An ISO 9001 certified company
Pointe-Claire: ISO 14001 certified EMS