Sikafloor DE 114 FK riverwalk Formerly MTop DE 114FK Riverwalk



Version 1.0	Revision Date: 03/01/2021		DS Number: 0000009563	Date of last issue: - Date of first issue: 03/01/2021		
SECTION 1. IDENTIFICATION						
Product name		:	Sikafloor DE 114 Riverwalk	Sikafloor DE 114 FK riverwalk Formerly MTop DE 114FK Riverwalk		
Product code		:	00000000005559	0000000055590683		
Manuf	acturer or supplier's	deta	ails			
Company name of supplier		:	Sika MBCC US LLC			
Addres	SS	:	: 201 POLITO AVE Lyndhurst NJ 07071			
Emerg	ency telephone	:	ChemTel: +1-813	-248-0585		
Recommended use of the chemical and restrictions on use						
Recom	nmended use	:	Product for constr	ruction chemicals		
Restric	ctions on use	:	Reserved for indu	strial and professional use.		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : inorganic compounds

Components

Chemical name	CAS-No.	Concentration (% w/w)
Barium sulfate	7727-43-7	>= 30 - < 50
calcium carbonate	471-34-1	>= 30 - < 50
Titanium dioxide	13463-67-7	>= 5 - < 10
A studies as a set to the set of	alal a a tua da a a auat	

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.		
If inhaled	:	Keep patient calm, remove to fresh air.		
1/10				



Sikafloor DE 114 FK riverwalk Formerly MTop DE 114FK Riverwalk

Version 1.0	Revision Date: 03/01/2021	SDS Number: 960000009563	Date of last issue: - Date of first issue: 03/01/2021				
		If symptoms	persist, seek medical advice.				
In case of skin contact		and soap. Under no ci	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.				
In case of eye contact		flush with co	Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution and seek medical advice.				
If swallowed		seek medic	ce vomiting unless told to by a poison control cen-				
	important symptoms ffects, both acute and ed	: No sympton	ns known or expected.				
Notes	s to physician	: Treat sympt	omatically.				

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black
Further information	:	The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.
Special protective equipment for fire-fighters	:	Wear a self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
tive equipment and emer-	Wear eye/face protection.





Versic 1.0	on	Revision Date: 03/01/2021		S Number: 0000009563	Date of last issue: - Date of first issue: 03/01/2021
g	gency p	procedures		Use personal prot Handle in accorda and safety practic	ance with good building materials hygiene
E	Environ	mental precautions	:		ated water/firefighting water. into drains/surface waters/groundwater.
		s and materials for ment and cleaning up	:		ble appliance and dispose of. bed material in accordance with regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.
Advice on safe handling	:	Avoid inhalation of dusts/mists/vapours. Avoid skin contact. Ensure adequate ventilation. No special measures necessary provided product is used correctly.
Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
calcium carbonate	471-34-1	REL value (Total)	10 mg/m3	NIOSH
		REL value (Respirable)	5 mg/m3	NIOSH
		PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH REL
		TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH REL
Barium sulfate	7727-43-7	TWA value (Inhalable fraction)	5 mg/m3	ACGIHTLV
		REL value (Respirable)	5 mg/m3	NIOSH



Sikafloor DE 114 FK riverwalk Formerly MTop DE 114FK Riverwalk

ersion 0	Revision Date: 03/01/2021	SDS Number: 960000009563	Date of las Date of firs	t issue: - t issue: 03/01/2021	
			REL value (Total)	10 mg/m3	NIOSH
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
			TWA (Res- pirable)	5 mg/m3	NIOSH RE
			TWA (total)	10 mg/m3	NIOSH RE
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	10 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
Titani	um dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWÁ (Total dust)	10 mg/m3	OSHA P0
			TWA	10 mg/m3 (Titanium dioxide)	ACGIH

Personal protective equinment

Engineering measures : Ensure adequate ventilation.

Personal protective equipment						
Respiratory protection	:	Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) respirator as neces- sary.				
Hand protection						
Remarks	:	Chemical resistant protective gloves Gloves of thick material				
Eye protection	:	Safety glasses with side-shields.				
Skin and body protection	:	Body protection must be chosen based on level of activity and exposure.				

Sikafloor DE 114 FK riverwalk Formerly MTop DE 114FK Riverwalk



Version 1.0	Revision Date: 03/01/2021	SDS Number: 96000009563	Date of last issue: - Date of first issue: 03/01/2021
Prote	ctive measures	Avoid contact w Avoid exposure Handle in accor and safety prac	ust/fumes/aerosols. vith the skin, eyes and clothing. e - obtain special instructions before use. rdance with good building materials hygiene stice. sed work clothing is recommended.
Hygie	ene measures	Hands and/or fa the end of the s At the end of th care agents ap Gloves must be Replace if nece	e shift the skin should be cleaned and skin-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	flakes, chips
Color	:	various colours
Odor	:	odorless
Odor Threshold	:	Not relevant
рН	:	Not applicable
Melting point	:	Not applicable
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	The product is not flammable.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	1.6 - 3.1 (68 °F / 20 °C)





Ver 1.0	sion	Revision Date: 03/01/2021		S Number: 0000009563	Date of last issue: - Date of first issue: 03/01/2021
	Density	/	:	No data available	9
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Solu	bility in other solvents	:	No data available	9
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi Visc	ty cosity, dynamic	:	Not applicable	
	Visc	osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	No data available	9
	Sublim	ation point	:	No data available	9
	Molecu	lar weight	:	No data available)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazardous reactions if stored and handled as pre- scribed/indicated.	
Chemical stability : The product is stable if stored and handled as pre- scribed/indicated.	
Possibility of hazardous reac- : Reacts with alkalies. tions Reacts with sulfuric acid.	
Conditions to avoid : See SDS section 7 - Handling and storage.	
Incompatible materials : Strong acids Strong bases	
Hazardous decomposition : No hazardous decomposition products if stored and handle as prescribed/indicated.	əd

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Sikafloor DE 114 FK riverwalk Formerly MTop DE 114FK Riverwalk



rsion)	Revision Date: 03/01/2021	SDS Number: 96000009563	Date of last issue: - Date of first issue: 03/01/2021		
Skin	corrosion/irritation				
Not cl	lassified based on av	ailable information.			
Serio	us eye damage/eye	irritation			
Not cl	lassified based on av	ailable information.			
Resp	iratory or skin sens	itization			
Skin	sensitization				
Not cl	lassified based on av	ailable information.			
Resp	iratory sensitization	1			
Not cl	lassified based on av	ailable information.			
Germ	cell mutagenicity				
Not c	lassified based on av	ailable information.			
Carci	nogenicity				
Not cl	lassified based on av	ailable information.			
-	oductive toxicity				
Not cl	lassified based on av	ailable information.			
	-single exposure				
Not classified based on available information.					
	-repeated exposure				
Not cl	lassified based on av	ailable information.			
•	ation toxicity				
Not cl	lassified based on av	ailable information.			
Furth	er information				
Prod	uct:				
Rema	arks	The product ha	are not known or expected under normal use. s not been tested. The statements on toxicolo erived from the properties of the individual		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity			
Product:			
Ecotoxicology Assessment Acute aquatic toxicity	:	This product has no known ecotoxicological effects.	
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.	
Persistence and degradability			

Product:

Sikafloor DE 114 FK riverwalk Formerly MTop DE 114FK Riverwalk



Version 1.0	Revision Date: 03/01/2021		DS Number: 60000009563	Date of last issue: - Date of first issue: 03/01/2021
Biode	gradability	:	Remarks: Taking into consideration the properties of sevingredients, the product is estimated not to be readily big gradable according to OECD classification.	
Bioac	cumulative potential			
<u>Produ</u> Bioaco	<u>ict:</u> cumulation	:		a available. e environment must be avoided.
	ity in soil ta available			
Other	adverse effects			
Produ Additio matior	onal ecological infor-	:	The product has	product into the environment without control. not been tested. The statements on ecotoxi- n derived from the properties of the individual

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation



Sikafloor DE 114 FK riverwalk Formerly MTop DE 114FK Riverwalk

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/01/2021	96000009563	Date of first issue: 03/01/2021

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Barium sulfate	7727-43-7	1000	2564

US State Regulations

Pennsylvania Right To Know

471-34-1
7727-43-7
13463-67-7
471-34-1
7727-43-7
13463-67-7

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	All components of this product are on the Canadian DSL

SECTION 16. OTHER INFORMATION

Further information



Sikafloor DE 114 FK riverwalk Formerly MTop DE 114FK Riverwalk

Version 1.0	Revision Date: 03/01/2021	SDS Number: 96000009563	Date of last issue: - Date of first issue: 03/01/2021
NFPA	A 704:		HMIS® IV:
	Flammability		HEALTH
			FLAMMABILITY
Hea		Instability	
			PHYSICAL HAZARD
			HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal haz- ards or risks, and 4 representing signifi-
	Special hazard		cant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.
Full t	ext of other abbreviation	ons	
29 CF 1-A)	R 1910.1000 (Table Z-	: OSHA - Table	e Z-1-A (29 CFR 1910.1000)
	R 1910.1000 (Table Z-	: OSHA - Table 1910.1000	e Z-1 (Limits for Air Contaminants) 29 CFR
ACGI	H HTLV	: USA. ACGIH	Threshold Limit Values (TLV) nference of Governmental Industrial Hygienists - t values (US)
NIOS	H H REL	: NIOSH Pocke	et Guide to Chemical Hazards (US) Recommended Exposure Limits
OSH/			TABLE Z-1 Limits for Air Contaminants -
OSH/	A Z-1	: USA. Occupa its for Air Con	tional Exposure Limits (OSHA) - Table Z-1 Lim-
	R 1910.1000 (Table Z- TWA value		ed Average (TWA):
29 ĆF 1) / P	R 1910.1000 (Table Z- EL	: Permissible e	xposure limit
	H/TWA		veighted average
	HTLV / TWA value		ed Average (TWA):
	H / REL value H REL / TWA	: Time-weighte	ed exposure limit (REL): d average concentration for up to a 10-hour ng a 40-hour workweek
	A P0 / TWA A Z-1 / TWA	: 8-hour time w	eighted average eighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response.



Sikafloor DE 114 FK riverwalk Formerly MTop DE 114FK Riverwalk

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/01/2021	96000009563	Date of first issue: 03/01/2021

ciated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 03/01/2021

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE



Sikafloor DE 114 FK riverwalk Formerly MTop DE 114FK Riverwalk

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/01/2021	96000009563	Date of first issue: 03/01/2021

ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN