


Sarnacord - PVC



Description	Sarnacord - PVC is hot-air welded to the top of Sarnafil® PVC membranes and against the side of Sarnabar when Sarnabar is used at the base of walls and curbs.
Composition	■ Sarnacord - PVC is a 4 mm (5/32 in) diameter, red colored, flexible thermoplastic extrusion that is compatible with Sarnafil® G and S membranes.
Features	■ Sarnacord - PVC retains the membrane in position against the side of Sarnabar preventing tearing of membrane at the point of fastener penetration.
Packaging/Storage	■ Sarnacord - PVC is supplied in rolls 100 m (328 lin. ft) long. ■ Each roll weighs approximately 1.4 kg (3 lb).
Installation	By use of a hand-held hot-air welder and a specialized nozzle tip, Sarnacord - PVC is hot-air welded to Sarnafil® membrane on the detail side of the bar. Sarnacord - PVC is used with Sarnabar at the base of walls, curbs, vent stacks, etc. in accordance with Sika Canada's Detail Drawings.
Availability	Sarnacord - PVC is available directly from Sika Canada Authorized Applicators when used within a Sarnafil® Roofing or Waterproofing System. Contact Sika Canada or visit www.sika.ca for further information.
Warranty	As a Sika Canada-supplied accessory, Sarnacord - PVC is included in Sika Canada's Standard or System Warranty.
Maintenance	Sarnacord - PVC requires no maintenance. Periodic maintenance of a Sarnafil® system ensures extended performance and reduces life cycle costs. Consistent with industry practices, Sika Canada recommends inspecting the roof system for damage, plugged drains, weathered sealants, etc. at least twice a year and after each storm.
Technical Support	Sika Canada provides technical support. Technical staff is available to advise applicators as to the proper installation method.

Construction



Sarnafil®

Construction



The information, and in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions, within their shelf life. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any recommendations, or from any other advice offered. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users should always refer to the most recent issue of the Product Data Sheet for the product concerned, copies of which will be supplied on request or can be accessed in the Internet under www.sika.ca.

Sika Canada Inc.
Head Office
601 Delmar Avenue
Pointe-Claire, Quebec
H9R 4A9

Other locations
Toronto
Edmonton
Vancouver

1-800-933-SIKA
www.sika.ca

An ISO 9001 certified company
Pointe-Claire: ISO 14001 certified EMS