



PRODUCT DATA SHEET

Sarnaclad

PVC-coated, heat-weldable sheet metal

PRODUCT DESCRIPTION

Sarnaclad is a PVC-coated, heat-weldable sheet metal capable of being formed into a variety of shapes and profiles.

WHERE TO USE

Perimeter edge, wall, or curb flashings.

Areas of Application

- New Roofs
- Recover Roofs

CHARACTERISTICS / ADVANTAGES

- Allows direct heat welding of membrane to form monolithic system.
- Resists staining from airborne dirt and pollutants.

PRODUCT INFORMATION

Composition / Manufacturing	Meets ASTM A-653 for 24 gauge, G90 galvanized metal sheet with a 20 mil (0.5 mm) unsupported membrane comprised of the same time tested Sarnafil® formula laminated on one side.
Recycled content	Recycled Content (metal): 25 % Post Consumer, 6 % Pre Consumer Recycled Content (membrane): 0 %
Packaging	4 ft x 8 ft sheet - Colors: <ul style="list-style-type: none">10 sheets per pallet, 35 lbs (16 kg) per sheet, 380 lbs (172.4 kg) per pallet 4 ft x 10 ft sheet - White: <ul style="list-style-type: none">10 sheets per pallet, 44 lbs (20 kg) per sheet, 470 lbs (213.2 kg) per pallet25 sheets per pallet, 44 lbs (20 kg) per sheet, 1,130 lbs (512.6 kg) per pallet
Shelf Life	N/A
Storage Conditions	N/A
Appearance / Colour	White, Tan, Reflective Gray, Patina Green, Lead Grey, Copper Brown, Evergreen, or Bronze
Dimensions	Two sizes: <ul style="list-style-type: none">4 ft x 8 ft (1.2 m x 2.4 m) (Colors only)4 ft x 10 ft (1.2 m x 3.0 m) (White only)

BASIS OF PRODUCT DATA

Product properties are typically averages, obtained under laboratory conditions. Reasonable variations can be expected on-site due to local factors, including environment, preparation, application, curing and test methods.

FURTHER INFORMATION

Availability

Sarnaclad is available directly from Sika Canada Authorized Applicators when used within a Sika® Sarnafil® Roofing or Waterproofing System. Contact Sika Canada or visit our website at www.sika.ca for further information.

Warranty

Upon successful completion of the installed roof by the Sika Canada Authorized Applicator, Sika Canada can provide a warranty to the Building Owner via the Authorized Applicator.

ENVIRONMENT, HEALTH & SAFETY

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

APPLICATION INSTRUCTIONS

APPLICATION

Sarnaclad is cut and formed to shape on standard sheet metal equipment. Sarnaclad is fastened in position in accordance with Sika-Roofing technical requirements. The Sarnaclad joints are covered by 2" (50 mm) wide aluminum foil tape and then made watertight by heat-welding a 4" (100 mm) wide membrane strips over the tape. Membrane is then heat-welded to the Sarnaclad.

LOCAL RESTRICTIONS

Note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Consult the local Product Data Sheet for exact product data and uses.

LEGAL NOTES

The information, and in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any

Product Data Sheet

Sarnaclad

May 2024, Version 04.02

020945012000000005

BUILDING TRUST
CONSTRUIRE LA CONFIANCE



recommendations, or from any other advice offered. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request or may be downloaded from our website at: www.sika.ca

Sika Canada Inc.

Head Office
601, avenue Delmar
Pointe-Claire, Quebec
H9R 4A9
1-800-933-SIKA
www.sika.ca

Other locations

Boisbriand (Quebec)
Brantford; Cambridge;
Sudbury; Toronto (Ontario)
Edmonton (Alberta)
Surrey (British Columbia)

Product Data Sheet

Sarnaclad
May 2024, Version 04.02
020945012000000005

