

# SAFETY DATA SHEET

## PEBBLETEX ULTRA SMOOTH TB DARK



Version 1.0      Revision Date: 04/13/2022      SDS Number: 000000837547      Date of last issue: -  
Date of first issue: 04/13/2022

### SECTION 1. IDENTIFICATION

Product name : PEBBLETEX ULTRA SMOOTH TB DARK  
Product code : 000000000050002496  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Sika MBCC Canada, Inc.  
Address : 601 DELMAR AVE  
Pointe-Claire QC H9R 4A9  
Emergency telephone : ChemTel: +1-813-248-0585;

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Category 1  
Carcinogenicity (Inhalation) : Category 1A  
Specific target organ toxicity : Category 1 (Lungs)  
- repeated exposure (Inhalation)  
Specific target organ toxicity : Category 2 (Kidney, Immune system)  
- repeated exposure (Inhalation)

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : No applicable information available.

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Limestone	Calcium carbonate	1317-65-3	$\geq 30 - < 50$ *
Quartz (SiO <sub>2</sub> )	crystalline silica	14808-60-7	$\geq 10 - < 20$ *
Kieselguhr, soda ash flux-calcined	Kieselguhr, soda ash flux-calcined	68855-54-9	$\geq 1 - < 5$ *
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	2,2',2''-(hexahydro-1,3,5-triazine-	4719-04-4	$\geq 0.1 - < 1$ *

# SAFETY DATA SHEET

## PEBBLETEx ULTRA SMOOTH TB DARK



Version 1.0      Revision Date: 04/13/2022      SDS Number: 000000837547      Date of last issue: -  
Date of first issue: 04/13/2022

	1,3,5-triyl)triethanol		
Titanium dioxide	C.I. Pigment White 6	13463-67-7	$\geq 0.1 - \leq 1$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
- If inhaled : If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.
- In case of skin contact : After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
- In case of eye contact : Remove contact lenses, if present. Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
- If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction. May cause cancer by inhalation. Causes damage to organs through prolonged or repeated exposure if inhaled. Prolonged or repeated inhalation of respirable crystalline silica (quartz) may result in silicosis.
- Notes to physician : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Foam  
Water spray  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : water jet
- Specific hazards during fire fighting : Aqueous preparation
- The substances/groups of substances mentioned can be released if the product is involved in a fire.
- Hazardous combustion prod- : oxides

# SAFETY DATA SHEET

## PEBBLETEx ULTRA SMOOTH TB DARK



Version 1.0      Revision Date: 04/13/2022      SDS Number: 000000837547      Date of last issue: -  
Date of first issue: 04/13/2022

---

ucts

carbon compounds

fumes/smoke

Further information : The degree of risk is governed by the burning substance and the fire conditions.  
If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.

Special protective equipment for fire-fighters : Wear a self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Do not breathe vapour/aerosol/spray mists.  
Wear eye/face protection.  
If exposed to high vapour concentration, leave area immediately.  
Use personal protective clothing.  
Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions : Contain contaminated water/firefighting water.  
Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up : Large spills should be collected mechanically (remove by pumping) for disposal.  
Pick up with inert absorbent material (e.g. sand, earth etc.).  
Spilled product should be disposed in accordance with all applicable government regulations.

---

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid aerosol formation.  
Avoid inhalation of mists/vapours.  
Avoid skin contact.  
Avoid contact with eyes.

Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.  
Protect from direct sunlight.

Materials to avoid : No applicable information available.

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Ingredients with workplace control parameters**

# SAFETY DATA SHEET

## PEBBLETEx ULTRA SMOOTH TB DARK



Version 1.0      Revision Date: 04/13/2022      SDS Number: 000000837547      Date of last issue: -  
 Date of first issue: 04/13/2022

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis		
Limestone	1317-65-3	TWA	10 mg/m <sup>3</sup>	CA AB OEL		
		TWAEV (total dust)	10 mg/m <sup>3</sup>	CA QC OEL		
		TWA (Total dust)	10 mg/m <sup>3</sup>	CA BC OEL		
		TWA (respirable dust fraction)	3 mg/m <sup>3</sup>	CA BC OEL		
		STEL	20 mg/m <sup>3</sup>	CA BC OEL		
Quartz (SiO <sub>2</sub> )	14808-60-7	TWA (Respirable particulates)	0.025 mg/m <sup>3</sup>	CA AB OEL		
		TWA (Respirable fraction)	0.1 mg/m <sup>3</sup>	CA ON OEL		
		TWAEV (respirable dust)	0.1 mg/m <sup>3</sup>	CA QC OEL		
		TWA (Respirable)	0.025 mg/m <sup>3</sup> (Silica)	CA BC OEL		
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH		
		Kieselguhr, soda ash flux-calcined	68855-54-9	REL value	6 mg/m <sup>3</sup>	NIOSH
				TWA value	20 millions of particles per cubic foot of air	29 CFR 1910.1000 (Table Z-3)
				TWA value	0.8 mg/m <sup>3</sup>	29 CFR 1910.1000 (Table Z-3)
OSHA Action level	0.025 mg/m <sup>3</sup> (Respirable dust)			29 CFR 1910.1001-1050		
TWA value	0.05 mg/m <sup>3</sup> (Respirable dust)			29 CFR 1910.1001-1050		
TWA (Dust)	20 Million particles per cubic foot (Silica)			OSHA Z-3		
TWA (Dust)	80 mg/m <sup>3</sup> / %SiO <sub>2</sub> (Silica)			OSHA Z-3		
	TWA	6 mg/m <sup>3</sup> (Silica)	NIOSH REL			

**Engineering measures** : No applicable information available.

**Personal protective equipment**

Respiratory protection : Wear appropriate certified respirator when exposure limits

# SAFETY DATA SHEET

## PEBBLETEX ULTRA SMOOTH TB DARK



Version 1.0      Revision Date: 04/13/2022      SDS Number: 000000837547      Date of last issue: -  
Date of first issue: 04/13/2022

---

may be exceeded.  
Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

### Hand protection

Remarks : Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection : Safety glasses with side-shields.

Skin and body protection : light protective clothing

Protective measures : Do not inhale gases/vapours/aerosols.  
Avoid contact with the skin, eyes and clothing.  
Avoid exposure - obtain special instructions before use.  
Handle in accordance with good building materials hygiene and safety practice.  
Wearing of closed work clothing is recommended.

Hygiene measures : When using, do not eat, drink or smoke.  
Hands and/or face should be washed before breaks and at the end of the shift.  
At the end of the shift the skin should be cleaned and skin-care agents applied.  
Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.  
Gloves must be inspected regularly and prior to each use.  
Replace if necessary (e.g. pinhole leaks).

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Color : off-white

Odor : moderate odour

pH : 9.5 (approx. 23.00 °C)

Melting point : No applicable information available.

Boiling point : No applicable information available.

Flash point : approx. 94.00 °C

Evaporation rate : No applicable information available.

# SAFETY DATA SHEET

## PEBBLETEX ULTRA SMOOTH TB DARK



Version 1.0      Revision Date: 04/13/2022      SDS Number: 000000837547      Date of last issue: -  
Date of first issue: 04/13/2022

---

Flammability (solid, gas)	:	Based on the structure or composition there is no indication of flammability
Upper explosion limit / Upper flammability limit	:	No applicable information available.
Lower explosion limit / Lower flammability limit	:	No applicable information available.
Vapor pressure	:	No applicable information available.
Relative vapor density	:	No applicable information available.
Relative density	:	No applicable information available.
Density	:	approx. 1.8000 g/cm <sup>3</sup> (23.00 °C)
Solubility(ies)		
Water solubility	:	No applicable information available.
Solubility in other solvents	:	No applicable information available.
Partition coefficient: n-octanol/water	:	No applicable information available.
Autoignition temperature	:	No applicable information available.
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity		
Viscosity, dynamic	:	No applicable information available.
Viscosity, kinematic	:	No applicable information available.
Oxidizing properties	:	Not an oxidizer.
Sublimation point	:	No applicable information available.

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as prescribed/indicated.
Chemical stability	:	The product is stable if stored and handled as prescribed/indicated.
Possibility of hazardous reactions	:	The product is stable if stored and handled as prescribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases

# SAFETY DATA SHEET

## PEBBLETEx ULTRA SMOOTH TB DARK



Version 1.0      Revision Date: 04/13/2022      SDS Number: 000000837547      Date of last issue: -  
Date of first issue: 04/13/2022

---

Strong oxidizing agents  
Strong reducing agents

Hazardous decomposition products : harmful vapours

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Remarks: No applicable information available.

Acute inhalation toxicity : Remarks: No applicable information available.

Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

Acute dermal toxicity : Remarks: No applicable information available.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

##### Skin sensitization

May cause an allergic skin reaction.

##### Respiratory sensitization

Not classified based on available information.

##### Germ cell mutagenicity

Not classified based on available information.

##### Carcinogenicity

May cause cancer by inhalation.

##### Reproductive toxicity

Not classified based on available information.

##### STOT-single exposure

Not classified based on available information.

##### STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.  
May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

##### Aspiration toxicity

Not classified based on available information.

# SAFETY DATA SHEET

## PEBBLETEX ULTRA SMOOTH TB DARK



Version 1.0      Revision Date: 04/13/2022      SDS Number: 000000837547      Date of last issue: -  
Date of first issue: 04/13/2022

---

### Further information

#### Product:

Remarks : Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

#### Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

#### Product:

Additional ecological information : Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with national, state and local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not discharge into drains/surface waters/groundwater.

Contaminated packaging : Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.



# SAFETY DATA SHEET

## PEBBLETEx ULTRA SMOOTH TB DARK



Version 1.0      Revision Date: 04/13/2022      SDS Number: 000000837547      Date of last issue: -  
Date of first issue: 04/13/2022

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

Not regulated as a dangerous good

##### Special precautions for user

Not applicable

---

### SECTION 15. REGULATORY INFORMATION

#### The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

---

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

29 CFR 1910.1000 (Table Z-3) : OSHA Table Z-3 (Mineral Dusts) 29 CFR 1910.1000  
3)  
29 CFR 1910.1001-1050 : OSHA - Specifically Regulated Substances (29 CFR  
1910.1001-1050)  
ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table  
2: OEL)  
CA BC OEL : Canada. British Columbia OEL  
CA ON OEL : Ontario Table of Occupational Exposure Limits made under  
the Occupational Health and Safety Act.  
CA QC OEL : Québec. Regulation respecting occupational health and safe-  
ty, Schedule 1, Part 1: Permissible exposure values for air-  
borne contaminants  
NIOSH : NIOSH Pocket Guide to Chemical Hazards (US)  
NIOSH REL : USA. NIOSH Recommended Exposure Limits  
OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-  
eral Dusts  
29 CFR 1910.1000 (Table Z-3) / TWA value : Time Weighted Average (TWA):  
29 CFR 1910.1001-1050 / OSHA Action level : OSHA Action level:  
29 CFR 1910.1001-1050 / TWA value : Time Weighted Average (TWA):  
TWA value  
ACGIH / TWA : 8-hour, time-weighted average

---

# SAFETY DATA SHEET

## PEBBLETEx ULTRA SMOOTH TB DARK



Version 1.0      Revision Date: 04/13/2022      SDS Number: 000000837547      Date of last issue: -  
Date of first issue: 04/13/2022

CA AB OEL / TWA : 8-hour Occupational exposure limit  
CA BC OEL / TWA : 8-hour time weighted average  
CA BC OEL / STEL : short-term exposure limit  
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)  
CA QC OEL / TWAEV : Time-weighted average exposure value  
NIOSH / REL value : Recommended exposure limit (REL):  
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour  
workday during a 40-hour workweek  
OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 04/13/2022  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN