808-9907B LMP BLK



Vers 1.0		Revision Date: 02/17/2021		0S Number: 0000669492	Date of last issue: - Date of first issue: 02/17/2021
SEC	TION 1	DENTIFICATION			
	Product	t name	:	808-9907B LMP E	BLK
	Product	t code	:	00000000005053	6880
	Other means of identification		:	No data available	
	Manufa	acturer or supplier's o	deta	iils	
	Compa	ny name of supplier	:	Sika MBCC Cana	da, Inc.
	Addres	S	:	601 DELMAR AV Pointe-Claire QC	—
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585;
	Recom	mended use of the c	hen	nical and restriction	ons on use
	Recom	mended use	:	Product for constr	uction chemicals
	Restrict	tions on use	:	Reserved for indu	strial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accord Skin sensitization	lan :	ce with the Hazardous Products Regulations Category 1
Hazardous to the aquatic environment - acute hazard	:	Category 3
Hazardous to the aquatic environment - chronic hazard	:	Category 3
Carcinogenicity (Inhalation)	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	H317 May cause an allergic skin reaction. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lasting effects. H350i May cause cancer by inhalation.
Precautionary Statements	:	Prevention: P280 Wear protective gloves.



Version 1.0	Revision Date: 02/17/2021	SDS Number: 000000669492	Date of last issue: - Date of first issue: 02/17/2021
		P273 Avoid rel	eathing dust/ fume/ gas/ mist/ vapours/ spray. ease to the environment. nated work clothing should not be allowed out of
		P333 + P313 If attention.	F ON SKIN: Wash with plenty of water. f skin irritation or rash occurs: Get medical advice/ ake off contaminated clothing and wash it before
		Disposal:	
		P501 Dispose waste collectio	of contents/container to appropriate hazardous n point.
Othe	r hazards		
None	known.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
talc	14807-96-6	>= 10 - < 30
Carbon black	1333-86-4	>= 5 - < 10
Benzenesulfonic acid, C10-16-alkyl	68584-24-7	>= 1 - < 5
derivs., compds. with 2-propanamine		
3-iodo-2-propynyl butylcarbamate	55406-53-6	>= 0.1 - < 1
crystalline silica	14808-60-7	>= 0.1 - < 1

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	Remove contaminated clothing.
If inhaled	:	Keep patient calm, remove to fresh air. If breathing difficulties develop, aid in breathing and seek im- mediate medical attention. If necessary, give oxygen.
In case of skin contact	:	Flush with copious amounts of water for at least 15 minutes. Change contaminated clothing and shoes. If symptoms persist, seek medical advice. Wash contaminated clothing before reuse.
In case of eye contact	:	Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye special- ist.
If swallowed	:	Rinse mouth immediately with water. Do NOT induce vomiting. If vomiting occurs, keep head lower than hips to prevent aspi-



Vers 1.0	sion	Revision Date: 02/17/2021		DS Number: 0000669492	Date of last issue: - Date of first issue: 02/17/2021
					ention. hiting or give anything by mouth if the victim having convulsions.
	Most important symptoms and effects, both acute and delayed		:	None known.	
SEC	TION 5	. FIRE-FIGHTING ME	ASL	JRES	
	Suitabl	e extinguishing media	:	Water spray Dry powder Carbon dioxide (C Foam	202)
	Unsuita media	able extinguishing	:	water jet	
	Specifi fighting	c hazards during fire J	:	or surface water. the water used for	emically contaminated water into drains, soil Sufficient measures must be taken to retain r extinguishing. Dispose of contaminated cording to local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SECTION 7. HANDLING AND STORAGE

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Carbon black	1333-86-4	TWA value (Inhalable fraction)	3 mg/m3	ACGIHTLV
		PEL	3.5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value	3.5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		REL value	0.1 mg/m3 (Polycyclic aro- matic hydrocar- bons (PAH))	NIOSH
		TWA	3.5 mg/m3	CA AB OEL
		TWA (Inhal- able)	3 mg/m3	CA BC OEL
		TWAEV	3.5 mg/m3	CA QC OEL



sion	Revision Date: 02/17/2021	SDS Number: 000000669492	Date of last issue: - Date of first issue: 02/17/2021					
			TWA (Inhal- able particu- late matter)	3 mg/m3	ACGIH			
talc		14807-96-6	TWA value (Respirable fraction)	2 mg/m3	ACGIHTL			
			TWAEV (fi- bers)	1 fibres per cubic centimeter	CA QC OI			
			TWAEV (respirable dust)	3 mg/m3	CA QC OI			
			TWÁ	0.1 fibres per cubic centimeter	CA BC OE			
			TWA (Res- pirable par- ticulates)	2 mg/m3	CA AB OE			
			TWA (Res- pirable)	2 mg/m3	CA BC OE			
			TWA	2 fibres per cubic centimeter	CA ON OI			
			TWA (Res- pirable frac- tion)	2 mg/m3	CA ON OI			
			TWA	0.1 fibres per cubic centimeter	ACGIH			
			TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH			
Quartz	iz (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTL			
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.100 ² 1050			
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.100 1050			
			REL value (Respirable dust)	0.05 mg/m3	NIOSH			
			TWÁ (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OE			
			TWA (Res- pirable frac- tion)	0.1 mg/m3	CA ON OI			
			TWAEV (respirable dust)	0.1 mg/m3	CA QC OI			
			TWA (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OF			
			TWA (Res- pirable par-	0.025 mg/m3 (Silica)	ACGIH			





Versio 1.0	n Revision Date: 02/17/2021		S Number: 0000669492	Date of las Date of firs	t issue: - t issue: 02/17/2021	
				ticulate mat- ter)		
SECTI	ON 9. PHYSICAL AND CH	EMIC	CAL PROPERT	IES		
Aŗ	opearance	:	paste			
Co	olor	:	black			
0	dor	:	odorless			
pł	4	:	8.0 - 9.5			
М	elting point	:	not determine	d		
Fr	eezing point		not determine	d		
Во	piling point	:	> 100 °C			
FI	ash point	:	173.5 °C			
Ev	vaporation rate	:	Value can be vapor pressur	••	rom Henry's Law Cor	nstant or
FI	ammability (solid, gas)	:	not highly flan Method: deriv	nmable ed from flash p	oint	
Se	elf-ignition	:	Based on the	water content t	he product does not i	ignite.
	pper explosion limit / Upper ammability limit	:	For liquids not	t relevant for cla	assification and labell	ling.
	ower explosion limit / Lower ammability limit	:	For liquids not	t relevant for cla	assification and labell	ling.
Va	apor pressure	:	not determine	d		
Re	elative vapor density	:	not determine	d		
Re	elative density	:	1.3 (20 °C)			
De	ensity	:	1.3 g/cm3 (20	°C)		
So	olubility(ies) Water solubility	:	dispersible			
	Solubility in other solvents	:	No data availa	able		
	artition coefficient: n- ctanol/water	:	not determine	d		



808-9907B LMP BLK

Version 1.0	Revision Date: 02/17/2021		S Number: 0000669492	Date of last issue: - Date of first issue: 02/17/2021
Aut	oignition temperature	:	Based on the wa	ater content the product does not ignite.
Dec	composition temperature	:	not determined	
	cosity Viscosity, dynamic	:		
,	Viscosity, kinematic	:	not determined	
Exp	olosive properties	:	Based on the wa properties.	ater content the product has no explosive
Oxi	dizing properties	:	not fire-propagat	ting
Sub	plimation point	:	No data availabl	e
Mo	ecular weight	:	No data availabl	e.

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	No hazardous reactions if stored and handled as pre- scribed/indicated. The product is stable if stored and handled as pre- scribed/indicated.
Conditions to avoid	:	No conditions to avoid anticipated.
Incompatible materials	:	Strong acids Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:		
Acute oral toxicity	:	LD50 (Rat): > 10,000 mg/kg Test substance: other TS
		LD50 (Rat): < 2,000 mg/kg Test substance: other TS
		LD50 (Rat): > 2,000 mg/kg Test substance: other TS
Acute inhalation toxicity	:	LC50 (Rat): 6.750 mg/l Exposure time: 4 h Test substance: other TS

808-9907B LMP BLK

Version

1.0



Date of last issue: -Date of first issue: 02/17/2021

Skin corrosion/irritation

02/17/2021

Revision Date:

Not classified based on available information.

SDS Number:

00000669492

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Rat, male
0.006 mg/l
Inhalation
791 d

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration hazard expected.

Components:

Benzenesulfonic acid, C10-16-alkyl derivs., compds. with 2-propanamine: Not applicable

2

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

LC50 (Fish): 24.9375 mg/l Exposure time: 96 h

808-9907B LMP BLK



0	Revision Date: 02/17/2021		OS Number: 0000669492	Date of last issue: - Date of first issue: 02/17/2021	
Ecot	oxicology Assessment				
	e aquatic toxicity	:	Harmful to aqua	atic life.	
Chronic aquatic toxicity		: Harmful to aquatic life with long lasting effects.			
<u>Com</u>	ponents:				
3-iod	lo-2-propynyl butylcark	bam	ate:		
M-Fa icity)	ctor (Acute aquatic tox-	:	10		
M-Fa toxici	ictor (Chronic aquatic ity)	:	1		
No da	istence and degradabil ata available ccumulative potential	ity			
Com	ponents:				
	ponents.				
		16-a	alkyl derivs., co	npds. with 2-propanamine:	
Benz Partit		16-a :	a lkyl derivs., co log Pow: 6.71 Method: other (
Benz Partit octar	zenesulfonic acid, C10- tion coefficient: n-	:	log Pow: 6.71 Method: other (
Benz Partit octar 3-iod Partit	zenesulfonic acid, C10- tion coefficient: n- nol/water	:	log Pow: 6.71 Method: other (ate: log Pow: 2.81 (calculated)	
Benz Partit octar 3-iod Partit octar	zenesulfonic acid, C10- tion coefficient: n- nol/water lo-2-propynyl butylcart	:	log Pow: 6.71 Method: other (ate: log Pow: 2.81 (Method: Partitio method	calculated) 25 °C)	
Benz Partit octar 3-iod Partit octar	zenesulfonic acid, C10- tion coefficient: n- nol/water lo-2-propynyl butylcart tion coefficient: n- nol/water	:	log Pow: 6.71 Method: other (ate: log Pow: 2.81 (Method: Partitio method	calculated) 25 °C)	
Benz Partit octar 3-iod Partit octar Mobi No da	zenesulfonic acid, C10- tion coefficient: n- nol/water lo-2-propynyl butylcark tion coefficient: n- nol/water	:	log Pow: 6.71 Method: other (ate: log Pow: 2.81 (Method: Partitio method	calculated) 25 °C)	
Benz Partit octar 3-iod Partit octar Mobi No da Othe <u>Prod</u>	tion coefficient: n- nol/water lo-2-propynyl butylcark tion coefficient: n- nol/water i lity in soil ata available o r adverse effects	:	log Pow: 6.71 Method: other (ate: log Pow: 2.81 (Method: Partitio method	calculated) 25 °C)	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues :	Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
-----------------------	---

808-9907B LMP BLK



Version 1.0	Revision Date: 02/17/2021	SDS Number: 000000669492	Date of last issue: - Date of first issue: 02/17/2021		
Conta			backaging should be emptied as far as possible f in the same manner as the sub-		
SECTION	SECTION 14. TRANSPORT INFORMATION				

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:			
DSL	:	All components of this product are on the Canadian DSL	
TSCA	:	All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

29 CFR 1910.1000 (Table Z- 1-A)	:	OSHA - Table Z-1-A (29 CFR 1910.1000)
29 ĆFR 1910.1000 (Table Z- 1)	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000
29 CFR 1910.1001-1050	:	OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050)
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists - threshold limit values (US)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL CA ON OEL		Canada. British Columbia OEL Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.



Version 1.0	Revision Date: 02/17/2021	-	OS Number: 0000669492	Date of last issue: - Date of first issue: 02/17/2021
CA QC OEL		:		on respecting occupational health and safe- art 1: Permissible exposure values for air- nts
NIOSH	1	:	NIOSH Pocket G	uide to Chemical Hazards (US)
	R 1910.1000 (Table Z- TWA value	:	Time Weighted A	verage (TWA):
29 CFI 1) / PE	R 1910.1000 (Table Z- L	:	Permissible expo	sure limit
	R 1910.1001-1050 / Action level	:	OSHA Action leve	əl:
29 CFI TWA v	R 1910.1001-1050 / /alue	:	Time Weighted A	verage (TWA):
ACGIH	I/TWA	:	8-hour, time-weig	hted average
ACGIH	ITLV / TWA value	:	Time Weighted A	verage (TWA):
CA AB	OEL / TWA	:	8-hour Occupatio	nal exposure limit
CA BC	; OEL / TWA	:	8-hour time weigh	nted average
	I OEL / TWA	:		verage Limit (TWA)
CA QC	COEL / TWAEV	:	5	/erage exposure value
NIOSH	I / REL value	:	Recommended e	xposure limit (REL):

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date

02/17/2021



808-9907B LMP BLK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/17/2021	00000669492	Date of first issue: 02/17/2021

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

CA / EN