

Version 1.1	Revision Date: 01/28/2021		DS Number: 0000891683	Date of last issue: 11/13/2020 Date of first issue: 11/13/2020
SECTION	1. IDENTIFICATION			
Prod	luct name	:	SENERFLEX TEI	RSUS TB T0.5 CLR
Prod	luct code	:	00000000005057	7962
Othe	er means of identification	:	No data available	
Man	ufacturer or supplier's of	deta	ails	
Com	pany name of supplier	:	Sika MBCC Cana	da, Inc.
Addr	ess	:	601 DELMAR AV Pointe-Claire QC	-
Eme	rgency telephone	:	ChemTel: +1-813	-248-0585;
Reco	ommended use of the c	hen	nical and restriction	ons on use
Reco	ommended use	:	Product for constr	ruction chemicals
Rest	rictions on use	:	Reserved for indu	strial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulation	ons
---	-----

Skin sensitization	:	Category 1
Skin sensitization	:	Category 1
Germ cell mutagenicity	:	Category 1B
Carcinogenicity (Inhalation)	:	Category 1A
Carcinogenicity	:	Category 1B
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)
Germ cell mutagenicity	:	Category 1B
GHS label elements Hazard pictograms	:	



rsion	Revision Date: 01/28/2021	SDS Number: 000000891683	Date of last issue: 11/13/2020 Date of first issue: 11/13/2020
Signal	Word	: Danger	
Hazar	d Statements	H340 May ca H350 May ca H350 May ca H372 Causes repeated expo H373 May ca	use an allergic skin reaction. use genetic defects. use cancer. damage to organs (Lungs) through prolonged of osure if inhaled. use damage to organs (Kidney, Immune system) nged or repeated exposure if inhaled.
Preca	utionary Statements	P202 Do not I and understoo P260 Do not I P264 Wash s P270 Do not o P272 Contam the workplace	breathe dust/ fume/ gas/ mist/ vapours/ spray. kin thoroughly after handling. eat, drink or smoke when using this product. inated work clothing should not be allowed out o e. rotective gloves/ protective clothing/ eye protection
		P308 + P313 attention. P333 + P313 attention.	IF ON SKIN: Wash with plenty of water. IF exposed or concerned: Get medical advice/ If skin irritation or rash occurs: Get medical advic Take off contaminated clothing and wash it befor
		Storage: P405 Store lo	cked up.
		Disposal: P501 Dispose posal plant.	e of contents/ container to an approved waste dis

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: No applicable information available.

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 60 - < 80
1,3,5-Triazine-1,3,5(2H,4H,6H)-	4719-04-4	>= 0.1 - < 1





rsion	Revision Date: 01/28/2021		S Number: 0000891683		e of last issue: 11/13/2020 e of first issue: 11/13/2020
trietha Solvei aroma	nt naphtha, petroleum,	light	64742-95-0	6	>= 0.1 - < 1
Actua	concentration or conc		tion range is wit	thheld as	s a trade secret
	4. FIRST AID MEASUI	:	Move out of da Show this mate ance. Do not leave th	erial safe	ety data sheet to the doctor in attend-
lf inha	led	:	If unconscious advice. If symptoms pe		n recovery position and seek medical all a physician.
In cas	e of skin contact	:	If on skin, rinse	e well wi	th water.
In cas	e of eye contact	:	Remove conta Protect unharn Keep eye wide	ct lenses ned eye. open w	
lf swa	llowed	:	Keep respirato Do not give mi	ry tract of lk or alco /thing by ersist, ca	bholic beverages. mouth to an unconscious person. Ill a physician.
	mportant symptoms ffects, both acute and ed	:	May cause an Causes damag exposure if inh	ge to org	skin reaction. ans through prolonged or repeated
Notes	to physician	:	Treat symptom	natically.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Aqueous preparation
		Non-flammable (aqueous solution). In case of fire may form a hazard after evaporation of water and further heating of the product; see combustion gases/decomposition products.





ersion 1	Revision Date: 01/28/2021		9S Number: 0000891683	Date of last issue: 11/13/2020 Date of first issue: 11/13/2020
			See SDS section	10 - Stability and reactivity.
Haza ucts	rdous combustion prod-	:	harmful vapours	
			oxides	
			carbon compound	S
Furth	er information	:	Use extinguishing	re for chemical fires. measures that are appropriate to local cir- he surrounding environment.
	ial protective equipment e-fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if ne
	6. ACCIDENTAL RELE	ASI	EMEASURES	
Dawa	onal precautions, protec-			
tive e	equipment and emer- y procedures	:	Use personal prof	ective equipment.
tive e genc	quipment and emer-	:	Prevent product fr Prevent further lea	om entering drains. akage or spillage if safe to do so. aminates rivers and lakes or drains inform

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with





Version 1.1	Revision Date: 01/28/2021	SDS Number: 000000891683	Date of last issue: 11/13/2020 Date of first issue: 11/13/2020
		the technolog	ical safety standards.
	her information on stor- conditions	ventilated pla	the original container in a cool, dry, well- ce away from ignition sources, heat or flame. direct sunlight.
Mate	erials to avoid	: No applicable	e information available.
	her information on stor- stability	: No data avail	able

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV
		TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
		OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
		REL value (Respirable dust)	0.05 mg/m3	NIOSH
		TWA (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OEL
		TWA (Res- pirable frac- tion)	0.1 mg/m3	CA ON OEL
		TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL
		TWA (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
crystalline silica	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV
		REL value (Respirable dust)	0.05 mg/m3	NIOSH
		TWÁ value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050



0	1/28/2021	00	0000891683	Date of firs		
				OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.100 ⁷ 1050
				TWA (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OE
				TWA (Res- pirable frac- tion)	0.1 mg/m3	CA ON OI
				TWAEV (respirable dust)	0.1 mg/m3	CA QC OI
				TWÁ (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OE
				TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Engineer	ing measures	:	No applicable	information ava	ilable.	
	protective equip	ment :	When worker		centrations above the	
Respirato	ry protection		When worker		centrations above the st use appropriate c	
	ry protection		When worker tional exposu respirators. The suitability	re limits they mu	st use appropriate co orkplace should be c	ertified
Respirato Hand prot	ry protection ection ks		When worker tional exposu respirators. The suitability with the produced Eye wash bot	re limits they mu	st use appropriate c orkplace should be c ective gloves.	ertified
Respirato Hand prot Remar Eye prote	ry protection ection ks		When workers tional exposu respirators. The suitability with the produce Eye wash bot Tightly fitting Impervious cli Choose body	re limits they mu of for a specific we ucers of the prote tle with pure wat safety goggles othing protection accor	st use appropriate c orkplace should be c ective gloves.	ertified liscussed and con-
Respirato Hand prot Remar Eye prote Skin and b	ry protection ection ks ction		When worker tional exposu respirators. The suitability with the produ Eye wash bot Tightly fitting Impervious cli Choose body centration of t Do not inhale Avoid contact Avoid exposu Handle in acc and safety pra	re limits they mu y for a specific we ucers of the prote tle with pure wat safety goggles othing protection accor the dangerous su gases/vapours/a with the skin, ey re - obtain speci cordance with go actice.	st use appropriate co orkplace should be c ective gloves. Fer rding to the amount a ubstance at the work	ertified liscussed and con- c place. e use. s hygiene

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: highly viscous

SAFETY DATA SHEET



SENERFLEX TERSUS TB T0.5 CLR

Vers 1.1	sion	Revision Date: 01/28/2021		S Number:)000891683	Date of last issue: 11/13/2020 Date of first issue: 11/13/2020
	Color		:	beige	
	Odor		:	mild	
	Odor Threshold		:	No data available	9
	рН		:	9.5	
	Melting point Freezing point		:	No applicable inf	ormation available.
				No applicable inf	ormation available.
	Boiling	point	:	No applicable inf	ormation available.
	Flash p	point	:	approx. 93.33 °C	
	Evapor	ation rate	:	No applicable inf	ormation available.
	Flamm	ability (solid, gas)	:	Based on the stru flammability	ucture or composition there is no indication of
		explosion limit / Upper ability limit	:	No applicable inf	ormation available.
		explosion limit / Lower ability limit	:	No applicable inf	ormation available.
	Vapor	oressure	:	No applicable inf	ormation available.
	Relativ	e vapor density	:	No applicable inf	ormation available.
	Relativ	e density	:	No applicable inf	ormation available.
	Density	/	:	approx. 1.7400 g	/cm3 (23.00 °C)
	Solubil Wat	ity(ies) ter solubility	:	No applicable inf	ormation available.
	Solu	ubility in other solvents	:	No applicable inf	ormation available.
	Partitio octano	n coefficient: n- l/water	:	No applicable inf	ormation available.
	Autoigr	nition temperature	:	No applicable inf	ormation available.
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi Visc	ty cosity, dynamic	:	No applicable inf	ormation available.
	Viso	cosity, kinematic	:	No applicable inf	ormation available.



Vers 1.1	sion	Revision Date: 01/28/2021		S Number: 0000891683	Date of last issue: 11/13/2020 Date of first issue: 11/13/2020	
Oxidizing properties Sublimation point		:	Not an oxidizer. No applicable information available.			
	Molecular weight		:	No data available		
SEC	SECTION 10. STABILITY AND RE			ΤΙVITY		
	Reactivity		:	No decomposition if stored and applied as directed.		
	Chemical stability		:	No decomposition if stored and applied as directed.		
	Possibility of hazardous reac- tions		:	No decomposition if stored and applied as directed.		
	Conditions to avoid		:	See SDS section 7 - Handling and storage.		
	Incompatible materials		:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents		
	Hazaro produc	dous decomposition ts	:	No hazardous de as prescribed/inc	ecomposition products if stored and handled licated.	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

.

Not classified based on available information.

Product:	
Acute oral toxicity	: Remarks: No applicable information available.
Acute inhalation toxicity	: Remarks: No applicable information available.
	Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Acute dermal toxicity	: Remarks: No applicable information available.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.





	Revision Date: 01/28/2021	SDS Number: 000000891683	Date of last issue: 11/13/2020 Date of first issue: 11/13/2020			
-	iratory sensitization lassified based on ava	ilable information.				
Germ cell mutagenicity May cause genetic defects.						
Carcinogenicity May cause cancer by inhalation.						
Reproductive toxicity Not classified based on available information.						
STOT-single exposure Not classified based on available information.						
STOT-repeated exposure Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.						
Aspiration toxicity Not classified based on available information.						
<u>Prod</u> No as	uct: spiration hazard expec	sted.				
Furth	er information					
Prod	uct:					
	arks		epeated inhalation of respirable crystalline silica esult in silicosis. as not been tested. The statements on toxicolo-			

Ecotoxicity No data available

Persistence and degradability

No data available

Bioaccumulative potential

Components:

1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol:

Partition coefficient: n- octanol/water	:	log Pow: -2 (24 °C) pH: 7 Method: Partition coefficient
		GLP: yes

Solvent naphtha, petroleum, light aromatic:



Version 1.1	Revision Date: 01/28/2021	SDS Number: 000000891683	Date of last issue: 11/13/2020 Date of first issue: 11/13/2020
	tition coefficient: n- anol/water	: log Pow: 3.17 Method: other GLP: no	(calculated)
	bility in soil data available		
Oth	ner adverse effects		
Pro	oduct:		
	ditional ecological infor- tion	harmful to aqu The product ha	n probability that the product is not acutely atic organisms. as not been tested. The statements on ecotoxi- een derived from the properties of the individual

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

NPRI Components

: 1,2,4-trimethylbenzene





Version 1.1	Revision Date: 01/28/2021	SDS Number: 000000891683	Date of last issue: 11/13/2020 Date of first issue: 11/13/2020	
		ammonia cumene xylene		
The i	ngredients of this pro	duct are reported in	the following inventories:	
DSL		: All components	of this product are on the Canadian DSL	
TSCA	A.	active on the TS	All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	

SECTION 16. OTHER INFORMATION

Full text of other abbreviations						
29 CFR 1910.1001-1050 :	OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050)					
ACGIH :	USA. ACGIH Threshold Limit Values (TLV)					
ACGIHTLV :	American Conference of Governmental Industrial Hygienists - threshold limit values (US)					
CA AB OEL :	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)					
CA BC OEL :	Canada. British Columbia OEL					
CA ON OEL :	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.					
CA QC OEL :	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants					
NIOSH :	NIOSH Pocket Guide to Chemical Hazards (US)					
29 CFR 1910.1001-1050 / : OSHA Action level	OSHA Action level:					
29 CFR 1910.1001-1050 / : TWA value	Time Weighted Average (TWA):					
ACGIH / TWA :	8-hour, time-weighted average					
ACGIHTLV / TWA value :	Time Weighted Average (TWA):					
	8-hour Occupational exposure limit					
	8-hour time weighted average					
CA ON OEL / TWA :						
	Time-weighted average exposure value					
NIOSH / REL value :	Recommended exposure limit (REL):					

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-



Version	Revision Date:	SDS Number:	Date of last issue: 11/13/2020
1.1	01/28/2021	00000891683	Date of first issue: 11/13/2020

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 01/28/2021

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE . IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

CA / EN