





PRODUCT: SikaFiber® Force-XR

SECTION IV: FIRE AND EXPLOSION HAZARDS

Inflammability:	No	TDG inflammability Class:	Not Applicable
If Yes, under what conditions:		Flammable upper limits (% vol.):	Not Applicable
		Flammable lower limits (% vol.):	Not Applicable
		Flash Point (method used):	Not Available
Extinguishing methods:	Not Applicable	Auto-ignition temperature:	Not Applicable
		Dangerous Combustion Products:	Carbon oxides, hydrocarbons
Special Methods:	None	Protect from mechanical impact:	No
		Protect from static discharge:	No

SECTION V: REACTIVITY

Chemical stability:	Yes	Dangerous decomposition products:	Carbon oxides, hydrocarbons.
If not, under what conditions:			
Incompatibility with other material:	Yes	Polymerization Risks:	No
If Yes, which ones:	Strong oxidizers		



PRODUCT: **SikaFiber® Force-XR**

**SECTION VI: TOXIC PROPERTIES**

ROUTE OF ENTRY / CONTACT

Eyes: May cause slight eye irritation similar to getting dust in the eye.

Skin: None known.

Inhalation: None known.

Ingestion: None known.

Carcinogenicity: Not established

Toxic effects on reproduction: Not established

Teratogenicity: Not established

Mutagenicity: Not established

Product with synergistic effects: Unknown

An acute or chronic exposure will increase the toxicological problems mentioned in this section and may aggravate respiratory problems.



PRODUCT: **SikaFiber® Force-XR**

**SECTION VII: PREVENTIVE MEASURES**

**PERSONAL PROTECTIVE EQUIPMENT**

Gloves: Ordinary.  
Respiratory equipment: Not necessary.  
Eyes: Safety glasses  
Shoes: Ordinary  
Clothing: Ordinary  
Other: No

**OTHERS**

Ventilation: Sufficient ventilation required to control the quantity of dust.  
Procedure in case of leaks: Try to recycle the product if not contaminated. Protect yourself from the dust. Pick-up the spill with vacuum in order to reduce dust inhalation.  
Handling and Equipment methods: Avoid dust contact.  
Warehouse Requirements: Keep all containers closed in a cool, dry area.  
Special Shipping Instructions: Protect from humidity.  
Waste Disposal: Dispose like domestic garbage.



PRODUCT: SikaFiber® Force-XR

## SECTION VIII: FIRST AID

Skin : Clean with plenty of soap and water.  
Consult a physician if irritation persists.

Eyes : Clean with water.  
Consult a physician if necessary.

Inhalation : In the case of overexposure, evacuate to fresh air.  
Consult a physician if necessary.

Ingestion : Drink plenty of water. Induce vomiting.  
Do not give anything by mouth to an unconscious person.  
See a physician if necessary.

## SECTION IX: PREPARATION INFORMATION

Prepared By: Sika Canada R & D.  
Telephone #: (514) 697-2610  
Fax #: (514) 694-2792

**Notice To Reader**

*The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section IX of this MSDS.*

**SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.**

*All sales of Sika products are subject to its current terms and conditions of sale available at [www.sika.ca](http://www.sika.ca) or 514-697-2610.*